

Kromeveye®

# 2015 INTERNATIONAL CATALOGUE

*Colours of Life*



**Kromeveye®**

Kromeveye San. Tic. A.Ş.  
Akçaburgaz Mahallesi, 117. Sok No:19  
Esenyurt - İstanbul - TURKEY  
Tel.: +90 (212) 886 55 88 (pbx)  
Fax: +90 (212) 886 57 14  
e-mail: info@kromeveye.com.tr  
www.kromeveye.com.tr

IC151214

2015 KROMEVEYE INTERNATIONAL CATALOGUE

[www.kromeveye.com.tr](http://www.kromeveye.com.tr)

**Kromeveye®**





The experience  
of over 36  
years.



# Institutional



The Executive Management of Kromeveye, improving its production technology continuously in the domestic and global market since 1979, believes in the necessity of an effective Quality Management System in order to retain customer satisfaction at the top level today and hereinafter.


Kromeveye Quality Management System is applied in conformity with ISO 9001:2008 CE, Quality, BSCI, Ghost, Standard and TSE to the whole Enterprise that takes active role in all production phases and takes advantage of the latest technologies. Kromeveye pursues the objective of continuous and sustainable system development through extensive sector experience, complying with the legal obligations and protecting the employee rights.

In this context, our quality goals should be set, pursued and reported. Our resources should serve to our objectives.

Livinox was born as a brand name by Kromeveye, for export stainless steel kitchen sinks.

# KromeVye Group Companies

<http://www.kromevye.com.tr>



#### KROMRUS LTD

346720, Rostov region, Aksai,  
st.Poročovaya balka, 4  
Phone : 00 7 863 248 48 55  
Fax : 00 7 863 207 20 81  
E-Mail : natalia.bondar@kromevye.ru  
Web : www.kromevye.ru  
**RUSSIA**

#### EGYPTIAN AND TURKISH COMPANY FOR METALIC AND ENGINEERING AND PLASTIC INDUSTRY

Elobor City No.25 Blok 12001  
Phone : 00 202 466 50 410  
Fax : 00 20 246 65 0412  
00 20 103 52 9969  
E-Mail : etc@etc-elmanar.com  
Web : www.etc-elmanar.com  
**EGYPT**

#### CROMEVIER S.A.R.L

R'mel Rahlal Bouskoura Prefecture  
De Nouasser Casablanca  
Phone : 00 212 522 59 02 81/82  
Fax : 00 212 522 59 00 47  
E-Mail : cromevier@menara.ma  
Web : www.cromevier.ma  
**MOROCCO**

# Why you should choose KromeVye?



**TOUGHER;** more durable than porcelain /cast iron.  
**KEEPS IT LUSTER;** won't rust, stain or fade. Finish resists scratches. Hand-buffed finish keeps luster long after other materials show their age.  
**ABSORBS SHOCK;** Stainless steel composite "gives" on impact to cushion glasses and dishes against breakage.

**EASY TO KEEP CLEAN;** Retains original luster when cleaned with household cleanser and soft towel. Sanitary surface just one reason healthcare facilities trust KromeVye sinks.

**GREATER BOWL CAPACITY;** The strength and flexibility of for deeper sinks bowls. More usable space overall than cast iron or porcelain.

**COMPLEMENT ANY DECOR;** Clean lines and cool textures reflect surrounding colors and patterns. Stainless steel complements your decor and composite complete your decoration with many colors

**MATERIAL;** AISI 304 18/8 cr.ni. Stainless steel. High granite composite, tempered glass.




## Certificates






# Installation Profiles


Inset




Lay-on



Undermount



Flushmount



## How to install a sink...?

Place the sink upside down in the position where it is to be installed, and trace the outline of the sink on the counter top with pencil.

Draw another line 10 mm inside the first line. Cut a hole in the counter top following this second, inner, line. (\*If a pattern is included in the package, then use it to cut the hole in the counter top.)

Adhere the sealing tape around the under side of the edge of sink, starting not at a corner, but any other random spot. Ensure that the tape is sealed smoothly at the bottom of the rim between the clip rail and the edge of the perimeter of the sink. In case that the packaging includes a spongy sealing tape, adhere the tape closer to the edge of the sink, being careful not to overhang it.

Place the fixing clips evenly spaced around the perimeter of the sink, and pull them up to lock into their horizontal position. To place the sink into the work top, push the metallic part of the clips inward.

These fixing clips are designed to be used in counter tops 30-40 mm. If your counter top is thinner, insert wooden wedges between the counter top and the clips so as to secure them.

Use a hand screwdriver to screw partially the fixing clips by following the order that the drawing indicates. When all the clips have been relatively secured in place, repeat the procedure by tightening completely each fixing clip.

## Stainless Steel Finishes

## Composite Colors


## Glass Colors



Satin




White




Extra clear white




Polished




Sahra




Black



Linen



Black



Microlinen

# Sink maintenance

Our products are made by AISI 304 18/8 cr.ni. If you follow below mentioned kitchen sink maintenance instructions, stainless steel will keep its fine and clean appearance at all times.



After using the kitchen sink wipe off stains, rinse with water and scrub with dry cloth. Use Kromeveye inox wax produced for steel products periodically surface polishing paste. After cleaning the surface with Kromeveye inox wax applied to a soft cloth or sponge, rinse it with plenty of water and then dry the surface.

Acids, silver cleaning material, salty solutions and wall paper adhesives usually leave stains within couple of hours of their use. If this type material ever touches the kitchen sink after cleaning them immediately, rinse with plenty of water and dry the surface with cloth.

Do not leave wet metal products made of iron or similar material that can easily get rusted on the kitchen sink for long periods of time. The rusts of those leave stains on the surface of kitchen sink.

DO NOT USE THESE; Cleaning / scrubbing powder, hard cleaning sponges and brushes that scratch the surface of the kitchen sink.

Sometimes scratches may appear on surface during normal use, but they do not lower the quality of kitchen sink. A very thin layer of oxidation appears on the surface of stainless steel which provides protection against corrosion and erosion.



## 1979

Kromeve Company has been established in 1979 to produce stainless steel kitchen sinks located at Istanbul. At the beginning, Kromeve had 140 sq. m. Area for production.



## 1986

Kromeve moves to 1,000 sq.m. area with more workers for more capacity.



## 1990

First Exhibition was in Romania and first Export to Romania.



## 1996

The Company moves to 7,000 sqm. with 50,000 stainless steel sinks production capacity per month.



## 2000

Investments of latest technologic machines from Europe automated equipment. Stage year. Exports increase by 85%



## 2001

Having had customers needed Kromeve supplies stainless steel material for domestic and export markets. Meanwhile to address international demand we established three additional factories, Egypt (2001), Ukraine (2005), Morocco (2006)



## 2004

Production line for double bowl mono block sinks installed.



## 2007

Kromeve moves to current address with 21,000 sqm closed area with more than 150 employees. Kromeve produces 100,000 pieces of stainless steel kitchen sinks per month and exports 90% of the capacity to all over the world.



## 2008

Livinox was born as a brand name by Kromeve, for export stainless steel kitchen sinks.



## 2009

We are very proud of 30 successful years in business life.



## 2010

We established a factory in Russia to supply for domestic needs.



## 2011

We established a new production line in new factory area for economic series of Stainless Steel Kitchen sinks.

## 2015

We are celebrating 36 years of experience.



# Index

## Classic - Page 16/22



## Bianca - Page 23/27



## Rondo - Page 28/33



## Index


### Oberon - Page 34/36




### Cupid - Page 37/40



### Triton - Page 41/46



### Xtrend **new** - Page 47/48



### Colea - Page 49/51



## Index

### Fuga - Page 52/54

Fuga 326 49 x 78 cm



Fuga 328 49 x 78 cm



Fuga 188 50 x 100 cm



Fuga 316 50 x 116 cm



Fuga 317 50 x 116 cm



### Palмира - Page 55/56

Palмира 313 50 x 100 cm



Palмира 311 50 x 116 cm



### Lay-on 40-45's - Page 57/58

Lay-on 40's 104 40 x 50 cm



### Lay-on 50's - Page 59/60

Lay-on 50's 107 50 x 50 cm



Lay-on 50's 117 50 x 60 cm



Lay-on 50's 114 50 x 80 cm



Lay-on 50's 116 50 x 80 cm



Lay-on 50's 126 50 x 100 cm



Lay-on 50's 119 50 x 100 cm



Lay-on 50's 127 50 x 120 cm



### Lay-on 60's - Page 61/64

Lay-on 60's 108 60 x 50 cm



Lay-on 60's 109 60 x 60 cm



Lay-on 60's 120 60 x 80 cm



Lay-on 60's 132 60 x 80 cm



Lay-on 60's 121 60 x 100 cm



Lay-on 60's 133 60 x 100 cm



Lay-on 60's 314 60 x 100 cm



Lay-on 60's 134 60 x 120 cm



Lay-on 60's 312 60 x 120 cm




Lay-on 60's 315 60 x 120 cm



## Index


# Undermount - Page 65/68




# Glame - Page 69/72



# Pearl **new** - Page 73/75



# Kitchen Taps - Page 76



# Siphons/Wastes/Accessories - Page 78





Classic

# Classic

## Classic 105

40 x 50 cm



Installation profile



Surfaces



Suitable Siphons




S705 S700K

Optional Accessories




S803 S804 S608

Overall size



Cabinet size < 45 cm >



Code	N105	EC105
Bowl Size	400x330x150	400x330x165
Thickness	0,50	0,60
Surface	Satin	Satin Linen

## Classic 179

41 x 44 cm



Installation profile



Surfaces



Suitable Siphons




S705 S700K S701K

Optional Accessories




S605

Overall size



Cabinet size < 45 cm >



Code	EC179
Bowl Size	300x330x165
Thickness	0,60
Surface	Satin Linen

## Classic 144

48 x 48 cm



Installation profile



Surfaces



Suitable Siphons




S705 S700K S701K

Optional Accessories




S803 S804 S608

Overall size



Cabinet size < 45 cm >



Code	N144	EC144	EX144
Bowl Size	405x355x155	405x355x170	405x355x180
Thickness	0,50	0,60	0,80
Surface	Satin	Satin Linen	Polished

# Classic

## Classic 140

43.5 x 76 cm


Installation profile



Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 45 cm >



Code	N140	EC140
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 141

43.5 x 76 cm


Installation profile



Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 50 cm >



Code	N141	EC141
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 301

43.5 x 78 cm


Installation profile



Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 45 cm >



Code	N301	EC301
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

# Classic

## Classic 302

43.5 x 78 cm

Installation profile



Surfaces



Suitable Siphons



S738D S701D



Optional Accessories



S803 S804 S605

Overall size

Cabinet size < 50 cm >



Code	N302	EC302
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 189

43.5 x 78 cm

Installation profile



Surfaces



Suitable Siphons



S707 S731K S730K



Optional Accessories



S803 S804 S608

Overall size

Cabinet size < 80 cm >



Code	N189	EC189
Bowl Size	335x365x145	335x365x160
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 142

43.5 x 86 cm

Installation profile



Surfaces



Suitable Siphons



S738K S700K S701K



Optional Accessories



S803 S804 S605

Overall size

Cabinet size < 45 cm >



Code	N142	EC142
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

# Classic

## Classic 143

43.5 x 86 cm

Installation profile



Surfaces



Suitable Siphons



S738D S701D



Optional Accessories



S803 S804 S605

Overall size

Cabinet size < 50 cm >



Code	N143	EC143
Bowl Size	377x342x150	377x342x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 175

43.5 x 86 cm

Installation profile



Surfaces



Suitable Siphons



S738D S701D



Optional Accessories



S803 S804 S610

Overall size

Cabinet size < 40 cm >



Code	N175	EC175
Bowl Size	342x377x150	342x377x165
Thickness	0.50	0.60
Surface	Satin	Satin Linen

## Classic 113

45 x 80 cm

Installation profile



Surfaces



Suitable Siphons



S707 S731K S730K



Optional Accessories



S803 S804 S608

Overall size

Cabinet size < 80 cm >



Code	N113	EC113	EX113
Bowl Size	345x377x135	345x377x150	345x377x160
Thickness	0.50	0.60	0.80
Surface	Satin	Satin Linen	Polished

# Classic

## Classic 173

50 x 79 cm

Installation profile



Surfaces



Code **N173**  
 Bowl Size 350x400x150  
 Thickness 0,50  
 Surface Satin

Suitable Siphons




S700K

Optional Accessories




S803 S804 S906 S605

Overall size



Cabinet size < 45 cm >



## Classic 178

50 x 86 cm

Installation profile



Surfaces



Code **N178**  
 Bowl Size 350x400x150  
 Thickness 0,50  
 Surface Satin

Suitable Siphons




S700K

Optional Accessories




S803 S804 S906 S605

Overall size



Cabinet size < 45 cm >



## Classic 336

50 x 100 cm

Installation profile



Surfaces



Code **EC336**  
 Bowl Size 350x400x160  
 160x300x130  
 Thickness 0,60  
 Surface Satin  
 Linen

Suitable Siphons




S730K

Optional Accessories




S803 S804 S809 S805 S906 S616

Overall size



Cabinet size < 60 cm >



# Classic

## Classic 138

50 x 116 cm

Installation profile



Surfaces




Satin

Linen



Suitable Siphons




S707

S731K

S730K

Optional Accessories



S803

S804

S906



S608

Overall size

Cabinet size

80 cm

Code EC138  
Bowl Size 350x400x150  
Thickness 0.60  
Surface Satin  
Linen





Bianca



## Bianca 149

46 x 48 cm



<b>Code</b>	EC149	EX149
<b>Bowl Size</b>	360x390x165	360x390x180
<b>Thickness</b>	0,60	0,80
<b>Surface</b>	Satin Linen	Polished Linen

Installation profile



Surfaces



Suitable Siphons



S701K

Optional Accessories




S803

S804


S907

S607

Overall size



Cabinet size < 45 cm >



## Bianca 305

48 x 62 cm



<b>Code</b>	EC305	EX305
<b>Bowl Size</b>	360x390x165	360x390x180
<b>Thickness</b>	0,60	0,80
<b>Surface</b>	Satin Linen	Polished Linen

Installation profile



Surfaces



Suitable Siphons



S701K



S702K-D

Optional Accessories




S803

S804


S907

S607

Overall size



Cabinet size < 45 cm >



## Bianca 154

48 x 62 cm



<b>Code</b>	EC154	EX154
<b>Bowl Size</b>	360x390x165	360x390x180
<b>Thickness</b>	0,60	0,80
<b>Surface</b>	Satin Linen	Polished Linen

Installation profile



Surfaces



Suitable Siphons



S701D



S702K-D

Optional Accessories



S803


S804

S809


S907

S607

Overall size



Cabinet size < 50 cm >



## Bianca 155

48 x 62 cm

Installation profile



Surfaces



Code **EX155**  
 Bowl Size 360x390x180  
 160x300x130  
 Thickness 0,80  
 Surface Polished  
 Linen

Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S809 S805 S907 S614

Overall size



Cabinet size

< 60 cm >



## Bianca 150

48 x 73 cm

Installation profile



Surfaces




Code **EC150** | **EX150**  
 Bowl Size 360x390x165 | 360x390x180  
 Thickness 0,60 | 0,80  
 Surface Satin | Polished  
 Linen | Linen

Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S907 S603

Overall size



Cabinet size

< 45 cm >



## Bianca 151

48 x 73 cm

Installation profile



Surfaces



Code **EC151** | **EX151**  
 Bowl Size 360x390x165 | 360x390x180  
 Thickness 0,60 | 0,80  
 Surface Satin | Polished  
 Linen | Linen

Suitable Siphons




S701D S702K-D

Optional Accessories




S803 S804 S907 S603

Overall size



Cabinet size

< 50 cm >



## Bianca 152

48 x 83 cm

Installation profile



Surfaces



Code EC152  
Bowl Size 360x390x165  
Thickness 0,60  
Surface Satin

Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S907 S603

Overall size



Cabinet size < 45 cm >



## Bianca 153

48 x 83 cm

Installation profile




Surfaces




Code EC153 | EX153  
Bowl Size 360x390x165 | 360x390x180  
Thickness 0,60 | 0,80  
Surface Satin | Polished  
Linen | Linen

Suitable Siphons




S701D S702K-D

Optional Accessories




S803 S804 S907 S603

Overall size



Cabinet size < 50 cm >



## Bianca 193

48 x 83 cm

Installation profile



Surfaces



Code EX193  
Bowl Size 360x410x170  
Thickness 0,80  
Surface Polished  
Linen

Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S614

Overall size



Cabinet size < 80 cm >



## Bianca 156

48 x 100 cm

Installation profile



Surfaces



Code | EX156  
 Bowl Size | 360x390x180  
 160x300x130  
 Thickness | 0,80  
 Surface | Polished  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 80 cm >



## Bianca 329

50 x 116 cm

Installation profile



Surfaces



Code | EX329K\*  
 Bowl Size | 340x400x200  
 330x350x200  
 Thickness | 0,80  
 Surface | Polished  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 80 cm >



## Bianca 335

50 x 120 cm

Installation profile



Surfaces



Code | EX335  
 Bowl Size | 350x400x160  
 350x400x160  
 Thickness | 0,70  
 Surface | Satin


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 80 cm >



# Rondo



## Rondo 192

ø 43.5 cm



Installation profile



Surfaces



Suitable Siphons




S700K S701K

Optional Accessories




S801 S902 S605

Overall size



Cabinet size < 45 cm >



Code	EC192	EX192
Bowl Size	ø380x175	ø380x195
Thickness	0,60	0,80
Surface	Satin Linen	Polished

## Rondo 310

ø 43.5 cm



Installation profile



Surfaces



Suitable Siphons



S705

Optional Accessories




S902 S605

Overall size



Cabinet size < 45 cm >



Code	EC310
Bowl Size	ø380x40
Thickness	0,60
Surface	Satin

## Rondo 145

ø 48 cm



Installation profile



Surfaces



Suitable Siphons



S700K S701K

Optional Accessories




S801 S608

Overall size



Cabinet size < 45 cm >



Code	EC145	EX145
Bowl Size	ø370x170	ø370x190
Thickness	0,60	0,80
Surface	Satin Linen	Polished Linen

# Rondo

## Rondo 146

ø 51 cm



<b>Code</b>	EC146	EX146
<b>Bowl Size</b>	ø390x170	ø390x190
<b>Thickness</b>	0.60	0.80
<b>Surface</b>	Satin Linen	Polished Linen

Installation profile



Surfaces



Suitable Siphons




S700K S701K

Optional Accessories




S801 S903 S605

Overall size



Cabinet size < 45 cm >



## Rondo 157

45 x 57 cm



<b>Code</b>	EC157	EX157
<b>Bowl Size</b>	ø360x160	ø360x180
<b>Thickness</b>	0.60	0.80
<b>Surface</b>	Satin Linen	Polished Linen

Installation profile



Surfaces



Suitable Siphons




S700K S701K S702K-D

Optional Accessories




S801 S901 S605

Overall size



Cabinet size < 45 cm >



## Rondo 158

45 x 57 cm



<b>Code</b>	EC158
<b>Bowl Size</b>	ø360x160
<b>Thickness</b>	0.60
<b>Surface</b>	Satin Linen

Installation profile



Surfaces



Suitable Siphons




S700D S701D S702K-D

Optional Accessories




S801 S901 S605

Overall size



Cabinet size < 50 cm >



## Rondo 165

44 x 74 cm


Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code	EC165	EX165
Bowl Size	ø360x160	ø360x180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen

## Rondo 166

44 x 74 cm


Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 50 cm >



Code	EC166	EX166
Bowl Size	ø360x160	ø360x180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen


## Rondo 159

48 x 77 cm


Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code	EC159	EX159
Bowl Size	ø390x160	ø390x180
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen



# Rondo

## Rondo 160

48 x 77 cm

Installation profile



Surfaces



Suitable Siphons




S701D S702K-D

Optional Accessories




S801 S903 S603

Overall size



Cabinet size < 50 cm >



Code	EC160	EX160
Bowl Size	ø390x160	ø390x180
Thickness	0,60	0,80
Surface	Satin Linen	Polished Linen

## Rondo 325

43.5 x 83 cm

Installation profile



Surfaces



Suitable Siphons




S701K S702K-D

Optional Accessories




S801 S901 S603

Overall size



Cabinet size < 45 cm >



Code	EC325	EX325
Bowl Size	ø360x160	ø360x180
Thickness	0,60	0,80
Surface	Satin	Polished Linen

## Rondo 186

43.5 x 78 cm

Installation profile



Surfaces



Suitable Siphons




S730K

Optional Accessories




S801 S809 S603

Overall size



Cabinet size < 80 cm >



Code	EC186
Bowl Size	ø355x150
Thickness	0,60
Surface	Satin Linen

## Rondo 139

43.5 x 83 cm

Installation profile



Surfaces



Suitable Siphons




S730K S704K-D

Optional Accessories




S801 S809 S616

Overall size



Cabinet size

< 80 cm >



<b>Code</b>	EC139	EX139
<b>Bowl Size</b>	ø355x150	ø355x170
<b>Thickness</b>	0,60	0,80
<b>Surface</b>	Satin Linen	Polished Linen



Oberon

## Oberon 176

50 x 50 cm

Installation profile



Surfaces



Code **EX176**  
 Bowl Size 410x340x190  
 Thickness 0.80  
 Surface Polished  
 Linen

Suitable Siphons



S701K

Optional Accessories



S803


S804

S809


S905

S605

Overall size



Cabinet size < 45 cm >



## Oberon 163

49 x 78 cm

Installation profile



Surfaces



Code **EC163** | **EX163**  
 Bowl Size 350x400x165 | 350x400x180  
 Thickness 0.60 | 0.80  
 Surface Satin | Polished  
 Linen | Linen

Suitable Siphons




S701K



S702K-D

Optional Accessories




S803

S804


S906

S607

Overall size



Cabinet size < 45 cm >




## Oberon 164

49 x 78 cm

Installation profile



Surfaces



Code **EC164** | **EX164**  
 Bowl Size 350x400x165 | 350x400x180  
 Thickness 0.60 | 0.80  
 Surface Satin | Polished  
 Linen | Linen

Suitable Siphons



S701D



S702K-D

Optional Accessories




S803

S804


S906

S607

Overall size



Cabinet size < 50 cm >



# Oberon

## Oberon 174

49 x 78 cm

Installation profile



Surfaces



Suitable Siphons



S730K

Optional Accessories



S803

S804

S809

S805



S906

S603

Overall size

Cabinet size

< 60 cm >



Code EC174  
Bowl Size 350x400x160  
160x300x130  
Thickness 0.60  
Surface Satin  
Linen

## Oberon 318

49 x 96 cm

Installation profile



Surfaces



Suitable Siphons



S730K

Optional Accessories



S803

S804

S809

S805



S906

S603

Overall size

Cabinet size

< 60 cm >



Code EC318  
Bowl Size 350x400x160  
160x300x130  
Thickness 0.60  
Surface Satin  
Linen



Cupid

# Cupid

## Cupid 161

49 x 78 cm

Installation profile



Surfaces



Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S809 S906 S607

Overall size



Cabinet size

< 90° cm  
40 cm



Code	EC161	EX161
Bowl Size	350x400x160	350x400x180
Thickness	0,60	0,80
Surface	Satin Linen	Polished Linen

## Cupid 162

49 x 78 cm


Installation profile



Surfaces



Suitable Siphons




S701D S702K-D

Optional Accessories




S803 S804 S809 S906 S614

Overall size



Cabinet size

< 90° cm  
50 cm



Code	EC162	EX162
Bowl Size	350x400x160	350x400x180
Thickness	0,60	0,80
Surface	Satin Linen	Polished Linen

## Cupid 323

49 x 78 cm


Installation profile



Surfaces



Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S809 S906 S614

Overall size



Cabinet size

< 90° cm  
40 cm



Code	EC323	EX323
Bowl Size	350x400x160	350x400x180
Thickness	0,60	0,80
Surface	Satin Linen	Polished

# Cupid


## Cupid 172

50 x 77 cm

Installation profile




Surfaces



Code **EX172**  
 Bowl Size 350x400x180  
 Thickness 0.80  
 Surface Polished  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size




## Cupid 171

50 x 77 cm

Installation profile



Surfaces



Code **EX171**  
 Bowl Size 350x400x180  
 160x300x130  
 Thickness 0.80  
 Surface Polished  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size



## Cupid 190

50 x 92 cm

Installation profile



Surfaces



Code **EX190K\***  
 Bowl Size 340x400x200  
 Thickness 0.80  
 Surface Polished  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size



\*Welded Bowls



# Cupid

## Cupid 191

50 x 92 cm

Installation profile



Surfaces



Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S809 S806 S904 S600

Overall size



Cabinet size

< 90 cm >  
< 80 cm >



\*Welded Bowls

Code	EX191K*
Bowl Size	340x400x200 220x270x140
Thickness	0,80
Surface	Polished Linen

Triton



## Triton 309

48 x 48 cm



Installation profile



Surfaces



Suitable Siphons




S705 S700K

Optional Accessories




S803 S804 S809 S906 S603

Overall size



Cabinet size < 45 cm >



Code	N309	EC309	EX309
Bowl Size	405x355x155	405x355x170	405x355x180
Thickness	0,50	0,60	0,80
Surface	Satin	Satin Linen	Polished Linen

## Triton 327

49 x 57 cm



Installation profile



Surfaces



Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S809 S908 S603

Overall size



Cabinet size < 60 cm >



Code	EX327
Bowl Size	340x480x185
Thickness	0,80
Surface	Polished Linen

## Triton 177

50 x 50 cm



Installation profile



Surfaces




Suitable Siphons

Optional Accessories




S803 S804 S809 S607

Overall size



Cabinet size < 50 cm >



Code	EX177
Bowl Size	400x400x190
Thickness	0,80
Surface	Polished

## Triton 196

50 x 58 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm



Code	EC196	EX196
Bowl Size	340x410x170	340x410x190
Thickness	0.60	0.80
Surface	Satin Linen	Polished Linen

## Triton 187

49 x 62 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 60 cm



Code	EX187
Bowl Size	340x410x180 170x300x140
Thickness	0.80
Surface	Polished Linen

## Triton 180

50 x 65 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 50 cm



Code	EX180
Bowl Size	400x400x190
Thickness	0.80
Surface	Polished Linen

# Triton

## Triton 338

50 x 80 cm


Installation profile



Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 45 cm >



\*Welded Bowls

Code	EC338	EX338	EX338K*
Bowl Size	340x410x170	340x410x185	340x400x210
Thickness	0,60	0,80	0,80
Surface	Satin	Polished	Polished

## Triton 195

50 x 80 cm


Installation profile




Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 80 cm >



Code	EC195	EX195	EX195K*
Bowl Size	340x410x155	340x410x170	340x400x200
Thickness	340x410x155	340x410x170	340x400x200
Surface	0,60	0,80	0,80
	Satin	Polished	Polished
	Linen	Linen	Linen

## Triton 320

50 x 86 cm

Installation profile




Surfaces



Suitable Siphons





Optional Accessories



Overall size

Cabinet size < 45 cm >



\*Welded Bowls

Code	EC320	EX320
Bowl Size	340x410x170	340x410x190
Thickness	0,60	0,80
Surface	Satin	Polished
	Linen	

## Triton 321

50 x 86 cm

Installation profile




Surfaces



Code **EX321**  
 Bowl Size 340x410x190  
 Thickness 0,80  
 Surface Polished  
 Linen

Suitable Siphons




S701D S702K-D

Optional Accessories




S803 S804 S905 S603

Overall size



Cabinet size < 50 cm >



## Triton 322

50 x 86 cm

Installation profile



Surfaces



Code **EC322** | **EX322**  
 Bowl Size 340x410x150 | 340x410x170  
 Thickness 0,60 | 0,80  
 Surface Satin | Polished

Suitable Siphons




S731K S730K S704K-D

Optional Accessories




S803 S804 S905 S603

Overall size



Cabinet size < 80 cm >



## Triton 304

50 x 98 cm

Installation profile



Surfaces



Code **EX304**  
 Bowl Size 340x410x190  
 170x300x140  
 Thickness 0,80  
 Surface Polished  
 Linen

Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S809 S811 S905 S600

Overall size



Cabinet size < 60 cm >



## Triton 330

50 x 100 cm

Installation profile



Surfaces



Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S809 S811 S905 S614

Overall size



Cabinet size < 60 cm >



Code **EC330**  
 Bowl Size 450x400x170  
 Thickness 0.60  
 Surface Satin

## Triton 334

50 x 116 cm

Installation profile



Surfaces



Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S809 S811 S905 S614

Overall size



Cabinet size < 80 cm >



Code **EC334**  
 Bowl Size 350x400x160  
 350x400x160  
 Thickness 0.70  
 Surface Satin



Xtremend



## Xtrend 331

new

Installation profile



Surfaces



50 x 86 cm



Code | EX331K\*  
Bowl Size | 400x400x200  
Thickness | 0.80  
Surface | Polished

Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S905 S600

Overall size



Cabinet size < 45 cm >



\*Welded Bowls

## Xtrend 332

new

Installation profile



Surfaces



50 x 100 cm



Code | EX332K\*  
Bowl Size | 400x400x200  
170x300x140  
Thickness | 0.80  
Surface | Polished

Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S811 S905 S600

Overall size



Cabinet size < 80 cm >



\*Welded Bowls

## Xtrend 333

new

Installation profile



Surfaces



50 x 116 cm



Code | EX333K\*  
Bowl Size | 350x400x200  
350x400x200  
Thickness | 0.80  
Surface | Polished  
M. Linen

Suitable Siphons




S730K S704K-D

Optional Accessories




S803 S804 S904 S600

Overall size



Cabinet size < 80 cm >



\*Welded Bowls



Colea

## Colea 147

43.5 x 58 cm




Installation profile




Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code EC147  
Bowl Size 390x360x165  
Thickness 0.60  
Surface Satin  
Linen

## Colea 198

43.5 x 78 cm




Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code EC198  
Bowl Size 390x360x165  
Thickness 0.60  
Surface Satin  
Linen

## Colea 199

43.5 x 78 cm




Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 50 cm >



Code EC199  
Bowl Size 390x360x165  
Thickness 0.60  
Surface Satin  
Linen

## Colea 306

50 x 80 cm

Installation profile



Surfaces



Code **EX306**  
 Bowl Size 340x410x190  
 170x300x140  
 Thickness 0.80  
 Surface Polished  
 Linen

Suitable Siphons



S730K S704K-D



Optional Accessories



S803 S804 S809 S811 S905 S615

Overall size

Cabinet size < 60 cm >



## Colea 197

50 x 98 cm

Installation profile



Surfaces



Code **EX197**  
 Bowl Size 340x410x190  
 170x300x140  
 Thickness 0.80  
 Surface Polished  
 Linen

Suitable Siphons



S730K S704K-D



Optional Accessories



S803 S804 S809 S811 S905 S615

Overall size

Cabinet size < 60 cm >



## Colea 319

50 x 98 cm

Installation profile



Surfaces



Code **EX319K\***  
 Bowl Size 340x400x200  
 170x300x140  
 Thickness 0.80  
 Surface Polished

Suitable Siphons



S719K



Optional Accessories



S803 S804 S809 S811 S904 S903

Overall size

Cabinet size < 100 cm >



\*Welded Bowls



FUGA

## Fuga 326

49 x 78 cm

Installation profile




Surfaces




Code EC326  
Bowl Size 350x400x165  
Thickness 0.60  
Surface Satin  
Linen

Suitable Siphons




S701K S702K-D

Optional Accessories




S803 S804 S906 S607

Overall size



Cabinet size < 45 cm >



## Fuga 328

49 x 78 cm

Installation profile



Surfaces



Code EC328  
Bowl Size 350x400x160  
160x300x130  
Thickness 0.60  
Surface Satin  
Linen

Suitable Siphons




S730K

Optional Accessories




S803 S804 S809 S805 S906 S610

Overall size



Cabinet size < 60 cm >



## Fuga 188

50 x 100 cm

Installation profile



Surfaces



Code EC188  
Bowl Size 350x400x160  
160x300x130  
Thickness 0.60  
Surface Satin  
Linen

Suitable Siphons




S730K

Optional Accessories




S803 S804 S809 S805 S906 S614

Overall size



Cabinet size < 60 cm >




## Fuga 316

50 x 116 cm

Installation profile



Surfaces



Suitable Siphons



S730K S704K-D



Optional Accessories



S803 S804 S809 S906 S603

Overall size

Cabinet size < 80 cm >



\*Welded Bowls

Code EX316K\*  
Bowl Size 350x400x210  
Thickness 0,80  
Surface Polished  
Linen  
M. Linen

## Fuga 317

50 x 116 cm

Installation profile



Surfaces



Suitable Siphons



S730D S704K-D



Optional Accessories



S803 S804 S809 S906 S616

Overall size

Cabinet size < 90 cm >



\*Welded Bowls

Code EX317K\*  
Bowl Size 350x400x210  
Thickness 0,80  
Surface Polished  
Linen  
M. Linen



Palmira



# Palmira

## Palmira 313

50 x 100 cm

Installation profile



Surfaces



Suitable Siphons



S730D S704K-D



Optional Accessories



S803 S804 S809 S811 S904 S600

Overall size

Cabinet size < 60 cm >



Code EX313K\*  
Bowl Size 340x400x200  
170x300x140  
Thickness 0.80  
Surface Polished  
Linen

## Palmira 311

50 x 116 cm

Installation profile



Surfaces



Suitable Siphons



S730D S704K-D



Optional Accessories



S803 S804 S809 S904 S600

Overall size

Cabinet size < 80 cm >



Code EX311K\*  
Bowl Size 340x400x200  
330x350x200  
Thickness 0.80  
Surface Polished  
Linen  
M. Linen

Lay-on



# Lay-on 40-50's

## 40's series 104

40 x 50 cm

Installation profile



Lay-on

Surfaces



Satin



Suitable Siphons



S705

S700K

Optional Accessories




S803

S804


S608

Overall size



Cabinet size

< 45 cm >



Code	N104	EC104
Bowl Size	400x330x150	400x330x165
Thickness	0.50	0.60
Surface	Satin	Satin

## 50's series 107

50 x 50 cm

Installation profile



Lay-on

Surfaces



Satin



Linen



Suitable Siphons



S705

S700K

Optional Accessories




S803

S804


S608

Overall size



Cabinet size

< 50 cm >



Code	N107	EC107
Bowl Size	404x354x150	404x354x165
Thickness	0.50	0.60
Surface	Satin	Linen

## 50's series 117

50 x 60 cm

Installation profile



Lay-on

Surfaces



Satin



Suitable Siphons



S705

S700K

Optional Accessories




S803

S804


S610

Overall size



Cabinet size

< 45 cm >



Code	N117
Bowl Size	354x404x150
Thickness	0.50
Surface	Satin

# Lay-on 50's

## 50's series 114

50 x 80 cm

Installation profile



Surfaces



Code **EC114**  
 Bowl Size 342x377x150  
 Thickness 0,60  
 Surface Satin  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 80 cm >



## 50's series 116

50 x 80 cm

Installation profile



Surfaces




Code **N116** | **EC116**  
 Bowl Size 404x354x150 | 404x354x165  
 Thickness 0,50 | 0,60  
 Surface Satin | Satin  
 Linen


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



## 50's series 126

50 x 100 cm

Installation profile




Surfaces




Code **N126**  
 Bowl Size 400x350x135  
 Thickness 0,50  
 Surface Satin


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 90 cm >



# Lay-on 50's

## 50's series 119

50 x 100 cm

Installation profile



Lay-on

Surfaces



Satin



Code **N119**  
 Bowl Size 404x354x150  
 Thickness 0,50  
 Surface Satin

Suitable Siphons




S705 S700K

Optional Accessories




S803 S804 S610

Overall size



Cabinet size < 45 cm >



## 50's series 127

50 x 120 cm

Installation profile



Lay-on

Surfaces



Satin



Code **N127**  
 Bowl Size 350x400x130  
 Thickness 0,50  
 Surface Satin

Suitable Siphons




S707 S731K

Optional Accessories




S803 S804 S610

Overall size



Cabinet size < 80 cm >



# Lay-on 60's

## 60's series 108

60 x 50 cm

Installation profile



Lay-on

Surfaces



Satin



Code **N108**  
Bowl Size 354x404x150  
Thickness 0,50  
Surface Satin

Suitable Siphons



S705

S700K

Optional Accessories




S803


S804

S608

Overall size



Cabinet size < 45 cm >



## 60's series 109

60 x 60 cm

Installation profile



Lay-on

Surfaces



Satin

Linen



Code **N109** | **EC109**  
Bowl Size 354x404x150 | 354x404x165  
Thickness 0,50 | 0,60  
Surface Satin | Linen

Suitable Siphons



S705

S700K

Optional Accessories




S803


S804

S605

Overall size



Cabinet size < 40 cm >



## 60's series 120

60 x 80 cm

Installation profile



Lay-on

Surfaces



Satin

Linen



Code **N120** | **EC120**  
Bowl Size 360x390x150 | 360x390x165  
Thickness 0,50 | 0,60  
Surface Satin | Linen

Suitable Siphons



S705

S700K

Optional Accessories




S803


S804

S610

Overall size



Cabinet size < 40 cm >



\*Welded Bowls

# Lay-on 60's

## 60's series 132

60 x 80 cm

Installation profile



Lay-on

Surfaces



Satin

Linen



Suitable Siphons



S707

S731K

S730K

Optional Accessories




S803

S804


S608

Overall size



Cabinet size

< 80 cm >



\*Welded Bowls

Code	N132	EC132
Bowl Size	345x377x135	345x377x150
Thickness	0,50	0,60
Surface	Satin	Satin Linen

## 60's series 121

60 x 100 cm

Installation profile



Lay-on

Surfaces



Satin



Suitable Siphons



S705

S700K

Optional Accessories




S803

S804


S605

Overall size



Cabinet size

< 45 cm >



Code	N121	EC121
Bowl Size	404x354x150	404x354x165
Thickness	0,50	0,60
Surface	Satin	Satin

## 60's series 133

60 x 100 cm

Installation profile



Lay-on

Surfaces



Satin



Suitable Siphons



S707

S731K

S730K

Optional Accessories




S803

S804


S608

Overall size



Cabinet size

< 90 cm >



Code	EC133
Bowl Size	350x400x150
Thickness	0,60
Surface	Satin

# Lay-on 60's

## 60's series 314

60 x 100 cm

Installation profile



Surfaces



Code **EX314K\***  
 Bowl Size 340x400x200  
 170x300x140  
 Thickness 0.80  
 Surface Polished  
 Linen

Suitable Siphons




S730D S704K-D

Optional Accessories




S803 S804 S809 S811 S904 S615

Overall size



Cabinet size < 60 cm >



## 60's series 134

60 x 120 cm

Installation profile



Surfaces



Code **N134** | **EC134**  
 Bowl Size 350x400x135 | 350x400x150  
 Thickness 0.50 | 0.60  
 Surface Satin | Satin

Suitable Siphons




S707 S731K S730K

Optional Accessories




S803 S804 S809 S610

Overall size



Cabinet size < 80 cm >



## 60's series 312

60 x 120 cm

Installation profile



Surfaces



Code **EX312K\***  
 Bowl Size 340x400x200  
 330x350x200  
 Thickness 0.80  
 Surface Polished  
 Linen  
 M.Linen

Suitable Siphons




S730D S704K-D

Optional Accessories




S803 S804 S809 S904 S615

Overall size



Cabinet size < 80 cm >





# Lay-on 60's

60's series 315


60 x 120 cm

Installation profile



Lay-on

Surfaces



Polished

Linen



Suitable Siphons



S730D

S704K-D

Optional Accessories




S803

S804

S809


S615

Overall size



Cabinet size

< 90 cm >



\*Welded Bowls

Code | EX315K\*  
 Bowl Size | 350x400x210  
 Thickness | 0,80  
 Surface | Polished  
 Linen



Undermount

# Undermount

## Undermount 001

16 x 30 cm



Installation profile



Surfaces



Suitable Siphons




S701K

Optional Accessories




S805

Overall size



Cabinet size < 45 cm



Code EX001  
Bowl Size 160x300x130  
Thickness 0.80  
Surface Polished  
Linen

## Undermount 003

17 x 30 cm



Installation profile



Surfaces



Suitable Siphons




S701K

Optional Accessories




S811

Overall size



Cabinet size < 45 cm



Code EX003  
Bowl Size 170x300x140  
Thickness 0.80  
Surface Polished  
Linen

## Undermount 006

33 x 35 cm



Installation profile



Surfaces



Suitable Siphons



S701K



S702K-D

Optional Accessories



S803




S804




S608

Overall size



Cabinet size < 45 cm



Code EX006  
Bowl Size 330x350x190  
Thickness 0.80  
Surface Polished  
Linen

# Undermount

## Undermount 005

34 x 40 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code EX005  
Bowl Size 340x400x190  
Thickness 0,80  
Surface Polished  
Linen

## Undermount 008

34 x 40 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code EX008  
Bowl Size 340x400x190  
Thickness 0,80  
Surface Polished  
Linen

## Undermount 103

ø 38 cm



Installation profile



Surfaces




Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



Code	N103	EC103	EX103
Bowl Size	ø380x160	ø380x170	ø380x200
Thickness	0,50	0,60	0,80
Surface	Satin	Satin	Polished

# Undermount

## Undermount 101

35 x 40 cm

Installation profile




Surfaces



Code	N101	EC101
Bowl Size	350x400x165	350x400x180
Thickness	0,50	0,60
Surface	Satin	Satin


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



## Undermount 007

40 x 40 cm

Installation profile



Surfaces



Code	EX 007
Bowl Size	400x400x200
Thickness	0,80
Surface	Polished


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 45 cm >



## Undermount 102

40 x 45 cm

Installation profile



Surfaces



Code	N102	EC102	EX102
Bowl Size	400x450x165	400x450x180	400x450x190
Thickness	0,50	0,60	0,80
Surface	Satin	Satin	Polished


Suitable Siphons




Optional Accessories



Overall size



Cabinet size < 50 cm >





Glame



## SW 5086

50 x 86 cm

Installation profile



Included Siphons



S740K

Optional Accessories



S803


S804

S809


S635

S634

Overall size



Cabinet size < 45 cm >



Code **SW 5086**  
Bowl Size 330x420x217

## SS 5086

50 x 86 cm

Installation profile



Included Siphons



S740K

Optional Accessories



S803


S804

S809


S630

S632

Overall size



Cabinet size < 45 cm >



Code **SS 5086**  
Bowl Size 330x420x217

## SN 5086

50 x 86 cm

Installation profile



Included Siphons



S740K

Optional Accessories



S803


S804

S809


S631

S633

Overall size



Cabinet size < 45 cm >



Code **SN 5086**  
Bowl Size 330x420x217

## SW 5010

50 x 100 cm

Installation profile



Included Siphons



S741K

Optional Accessories



S803

S804



S809

S635

S634

Overall size

Cabinet size < 60 cm >



Code SW 5010  
Bowl Size 320x420x217  
150x352x175

## SS 5010

50 x 100 cm

Installation profile



Included Siphons



S741K

Optional Accessories



S803

S804



S809

S630

S632

Overall size

Cabinet size < 60 cm >



Code SS 5010  
Bowl Size 320x420x217  
150x352x175

## SN 5010

50 x 100 cm

Installation profile



Included Siphons



S741K

Optional Accessories



S803

S804



S809

S631

S633

Overall size

Cabinet size < 60 cm >



Code SN 5010  
Bowl Size 320x420x217  
150x352x175



## SW 5016

50 x 116 cm

Installation profile



Included Siphons



S742K

Optional Accessories



S803

S804



S809

S635

S634

Overall size

Cabinet size < 80 cm >



Code SB 5016  
Bowl Size 320x420x217  
320x420x217

## SS 5016

50 x 116 cm

Installation profile



Included Siphons



S742K

Optional Accessories



S803

S804



S809

S630

S632

Overall size

Cabinet size < 80 cm >



Code SB 5016  
Bowl Size 320x420x217  
320x420x217

## SN 5016

50 x 116 cm

Installation profile



Included Siphons



S742K

Optional Accessories



S803

S804



S809

S631

S633

Overall size

Cabinet size < 80 cm >



Code SB 5016  
Bowl Size 320x420x217  
320x420x217



Pearl




## TG5086B

new

Installation profile



Suitable Siphons



50 x 86 cm





Optional Accessories



Overall size

Cabinet size < 45 cm >



Code | TG5086B  
Bowl Size | 340x400x200  
Thickness | 0.80  
Surface | Polished Bowls  
Extraclear Tempered Glass


## TG5086S

new

Installation profile



Suitable Siphons



50 x 86 cm





Optional Accessories



Overall size

Cabinet size < 45 cm >



Code | TG5086S  
Bowl Size | 340x400x200  
Thickness | 0.80  
Surface | Polished Bowls  
Extraclear Tempered Glass

## TG50100B

new

Installation profile



Suitable Siphons



50 x 100 cm





Optional Accessories



Overall size

Cabinet size < 60 cm >



Code | TG50100B  
Bowl Size | 340x400x200  
170x300x130  
Thickness | 0.80  
Surface | Polished Bowls  
Extraclear Tempered Glass

## TG50100S

new

Installation profile



Suitable Siphons



S730K S704K-D


Optional Accessories



S803 S804 S809 S904 S811 S600

Overall size

Cabinet size < 60 cm >



Code TG50100S  
 Bowl Size 340x400x200  
 170x300x130  
 Thickness 0.80  
 Surface Polished Bowls  
 Extraclear Tempered Glass

## TG5016B

new

Installation profile



Suitable Siphons



S730K S704K-D


Optional Accessories



S803 S804 S809 S904 S616

Overall size

Cabinet size < 80 cm >



Code TG5016B  
 Bowl Size 340x400x200  
 340x400x200  
 Thickness 0.80  
 Surface Polished Bowls  
 Extraclear Tempered Glass

## TG5016S

new

Installation profile



Suitable Siphons



S730K S704K-D


Optional Accessories



S803 S804 S809 S904 S616

Overall size

Cabinet size < 80 cm >



Code TG5016S  
 Bowl Size 340x400x200  
 340x400x200  
 Thickness 0.80  
 Surface Polished Bowls  
 Extraclear Tempered Glass




Kitchen Taps  
Siphons  
Accessories

# Kitchen Taps


## PREMIUM LINE

**S600**



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout, Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

**S607**




Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment, With swivel spout, Length of outlet is 195 mm, Height of outlet 275 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

**S614**




Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with flow rate adjustment - With swivel spout, Length of outlet is 190 mm - Height of outlet is 255 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

**S615**



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout, Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar

**S616**



Special water saving perlator (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment- With swivel spout, Length of outlet 190 mm, Height of outlet 295 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal operation pressure is 3 - 4 Bar


## CLASSIC LINE

**S601**



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

**S603**




Special perlator with water saving, Special cartridge with heat and flow rate adjustment, With swivel spout, Removable hand shower head with 2 functions (Rain, Straight flow), Length of outlet is 225 mm - 125 cm helical hose (brass) - Height of outlet is 140 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

**S605**



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 170 mm - Height of outlet 215 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

**S608**



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

**S610**



Special perlator with water saving (Bubble flow, with Lime breaker, Flow rate: 8 l/min), Special cartridge with heat and flow rate adjustment - With swivel spout, Length of outlet is 200 mm, Height of outlet 150 mm, Measurements of Hot & Cold water flex hose connection are M10x1- 3/8"40 cm, Ideal working pressure is 3-4 bar

# Kitchen Taps

## GRANITE KITCHEN TAPS

**S630**



Sahra color kitchen mixer. Special perlator with water saving. 35 Ø cartige.

**S632**



Sahra color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving. 40 Ø cartige.

**S635**



Nero color kitchen mixer. Special perlator with water saving. 35 Ø cartige

**S634**



Beige color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving. 40 Ø cartige.

**S631**



Nero color kitchen mixer. Special perlator with water saving. 35 Ø cartige

**S633**



Nero color kitchen mixer. Removable hand shower head with 2 functions (rain, straight flow). Special perlator with water saving. 40 Ø cartige.

# Siphons

<p><b>S705</b></p>  <p>Ø 50 mm valve waste siphon without overflow</p>	<p><b>S700K</b></p>  <p>Ø 50 mm valve waste siphon with overflow from bowl</p>	<p><b>S700D</b></p>  <p>Ø 50 mm valve waste siphon with overflow from drainer</p>	<p><b>S738K</b></p>  <p>Ø 50 mm valve waste siphon with overflow from bowl</p>
<p><b>S707</b></p>  <p>Ø 50 mm Double valve waste siphon without overflow</p>	<p><b>S731K</b></p>  <p>Ø 50 mm valve waste double siphon with/without o/f</p>	<p><b>S701K</b></p>  <p>Ø 90 mm Valve siphon with overflow from bowl</p>	<p><b>S738D</b></p>  <p>Ø 50 mm Valve siphon with overflow from drainer</p>
<p><b>S701D</b></p>  <p>Ø 90 mm Valve waste siphon with overflow from drainer</p>	<p><b>S730K</b></p>  <p>Ø 90 mm Double valve waste siphon with/ without overflow</p>	<p><b>S730D</b></p>  <p>Ø 90 mm Double valve waste siphon with overflow from drainer</p>	<p><b>S740K</b></p>  <p>Ø 90mm single waste siphon with overflow composite sinks siphon</p>
<p><b>S719K</b></p>  <p>Ø 90 mm Triple valve waste siphon with overflow from bowl</p>	<p><b>S702K-D</b></p>  <p>Ø 90 mm Pop up waste valve big head siphon with/o/f</p>	<p><b>S704K-D</b></p>  <p>Ø 90 mm Double pop up waste valve big head siphon with/o/f</p>	<p><b>S741K</b></p>  <p>Ø90mm double waste siphon with overflow composite sinks siphon</p>
<p><b>S742K</b></p>  <p>Ø 90mm double waste siphon with overflow composite sinks siphon</p>	<p><b>S743K</b></p>  <p>Ø 50mm small head siphon with chain overflow from bowl</p>	<p><b>S744D</b></p>  <p>Ø 50mm small head siphon with overflow from drainer</p>	<p><b>S717</b></p>  <p>Ø 50mm Lavatory flower siphon</p>
<p><b>S710</b></p>  <p>Ø 50mm Bathroom tray siphon</p>	<p><b>S816</b></p>  <p>Strainer for Ø 90mm Walve siphons</p>		



# Accessories

## BASKETS



## COLANDERS



## FIXING EQUIPMENT



## CHOPPING BOARDS



## OTHERS

