

Product fiche concerning the COMMISSION DELEGATED REGULATION (EU) No 1061/2010 of 28 September 2010

Supplier name or brand	SMEG
Product code	LST127-2
Rated capacity in kg of cotton for the standard 60 °C cotton programme at full load or the 40 °C cotton programme at full load, whichever is the lower	7 Kg
Energy efficiency class	A++
Energy consumption "X" kWh per year, based on 220 standard washing cycles for cotton programmes at 60 °C and 40 °C at full and partial load, and the consumption of the low-power modes. Actual energy consumption will depend on how the appliance is used	193 KWh
Energy consumption - 60 °C cotton programme at full load	1.03 KWh
Energy consumption - 60 °C cotton programme at partial load	0.82 KWh
Energy consumption - 40 °C cotton programme at partial load	0.64 KWh
Weighted power consumption of the off-mode	0.2 W
Weighted power consumption of the left-on mode	0.8 W
Water consumption "X" litres per year, based on 220 standard washing cycles for cotton programmes at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used	10340 litres
Spin-drying efficiency class "X" on a scale from G (least efficient) to A (most efficient)	C
Maximum spin speed attained for the standard 60 °C cotton programme at full load or the standard 40 °C cotton programme at partial load, whichever is the lower, and remaining moisture content attained for the standard 60 °C cotton programme at full load o	1200 rpm
Standard washing programmes to which the information in the label and the fiche relates. These programmes are suitable to clean normally soiled cotton laundry and they are the most efficient programmes in terms of combined energy and water consumption	Cotton 60° and Cotton 40°
Programme time of the 'standard 60 °C cotton programme' at full load	150 min
Programme time of the 'standard 60 °C cotton programme' at partial load	150 min
Programme time of the 'standard 40 °C cotton programme'	150 min
Airborne acoustical noise emissions expressed in dB(A) re 1 pW during the washing phase for the standard 60 °C cotton programme at full load	56 dB(A) re 1pW
Airborne acoustical noise emissions expressed in dB(A) re 1 pW during the spinning phase for the standard 60 °C cotton programme at full load	70 dB(A) re 1pW
Installation	Fully integrated

20 November 2018