

EHEIM



Innovative aquarium technology

Trade catalogue



Aquariums | Filters | Filter media
Pumps | Accessories
Food | Water care

Product range

2017/18

New products for your success.

EHEIM

Dear business partner,

Welcome to our new 2017/2018 EHEIM catalogue. On the following pages you will find details of our extensive range of aquatic novelties and technical products.

As pioneers, we have spent decades concentrating our focus on the technical aspect of water treatment and our most recent example of this is the new „**professional 4+**“ external filter (page 39). At EHEIM, you will find a comprehensive product range for both fresh and marine water aquariums.

We have recently launched our new „**incipria marine**“ combination comprising of a 600 lt aquarium and powerLED+ lighting (page 21) as well as the open top „**proxima reef**“ (page 22). For beginners, we have introduced the „**aquastar63 marine**“ set (page 8) and, for nano enthusiasts, the „**nanomarine35**“ (page 13) complete with technical equipment.

The new „**powerLED+**“ lighting concept for fresh and marine water aquariums has proven to be both efficient and durable and can be adapted to fit most aquariums (pages 70-73).

The new „**vivalineLED**“ fresh water aquarium combination has interchangeable colour panels allowing you to create countless possible and individual colour combinations (pages 18/19). Last but not least, important accessories for aquarium enthusiasts include the „**rapidCleaner**“ glass cleaner (page 76), the „**thermopreset**“ aquarium heater with a preset temperature (page 74) and the new generation „**compactOn**“ compact pump (pages 50/51).

Our product ranges show that new ideas and technical innovations are, and will remain in the future, the main focus for EHEIM.

Let us inspire you with our ideas and products.

Your EHEIM team



Contents

More and more people are turning to fish keeping these days. In Germany alone, 85 million fish are swimming around in 3 million aquariums.

There are many reasons why people love aquariums. The bold and fascinating colours of an underwater world help you get lost in a calm and relaxing environment and, for the adults, it makes a statement in a home. Children love aquariums because it brings them a little closer to nature. If you look closely, aquarium life is exciting – a lot is happening in there.

EHEIM has always offered leading technology, aesthetic and functional design and lasting solutions. Our ground breaking inventions, ingenious innovations and highest quality have set the benchmark worldwide. Aquarists love to see Made in Germany on their products.

The name EHEIM is synonymous with quality, durability and reliability. Going back more than half a century our founder and engineer, Gunther Eheim, invented the aquarium suction filter and the engineer Eugen Jäger invented the “stick” heater. Both of these inventions helped pave the way to the modern aquarium and fish keeping hobby we know today. We are pioneers and market leaders for this reason.

Aquariums



Starter sets

Aquarium sets

| | Page | |
|------------|------|------------|
| aquastar | 8 | new |
| aquabay | 9 | |
| aquapro | 9 | |
| terrastyle | 10 | |
| terra set | 11 | |

Terrarium

Terrarium sets

| | | |
|-----------|----|--|
| terra set | 11 | |
|-----------|----|--|

Stands for sets

| | | |
|-------------|----|------------|
| aquacab/DUO | 12 | new |
|-------------|----|------------|



Combinations

Nano-aquatics

| | | |
|-------------------------|----|------------|
| nano shrimp/nano marine | 13 | new |
| aquastyle | 13 | |



Fresh water

| | | |
|--------------|-------|------------|
| incpiria | 14/15 | new |
| proxima | 16 | |
| proxima plus | 17 | |
| vivalineLED | 18/19 | new |



Marine water

| | | |
|-----------------|-------|------------|
| incpiria marine | 20/21 | new |
| proxima reef | 22 | new |

Glass tanks

| | | |
|------------------|----|--|
| Glass aquariums | 24 | |
| Glass terrariums | 25 | |

Filter

Micro filters

| | | |
|------------|----|--|
| miniUP | 28 | |
| miniFLAT | 29 | |
| LiBERTY | 31 | |
| PowerLine | 32 | |
| pick up | 33 | |
| aquaball | 34 | |
| biopower | 35 | |
| classic | 36 | |
| ecco pro | 37 | |
| eXperience | 38 | |

Hang-on filters

Internal filters

| | | |
|------------------|-------|------------|
| professional 4+ | 39 | new |
| professional 3 | 39 | |
| professional 4*+ | 40 | new |
| professional 3* | 40/41 | |
| Thermofilter | 42/43 | |

External canister filters

electronic

thermo



Filter media

44-49



Pumps

Marine water

| | | |
|--------------------|-------|------------|
| compactON | 50/51 | new |
| streamON/streamON+ | 52/53 | |
| universal | 54 | |
| air pump | 55 | |

Fresh water

Accessories


UV-sterilizer

Cleaning/care

56-83

| | | |
|----------------|-------|------------|
| reeflexUV | 57 | |
| skim350 | 58 | |
| skimmarine | 59 | new |
| freshpower T5 | 60 | |
| marinepower T5 | 61 | |
| powerLED Nano | 62/63 | |
| classicLED | 64 | new |
| powerLED | 66-69 | |
| powerLED+ | 70-73 | new |
| thermopreset | 74 | new |

Lighting



Aquarium heater

Fish feeder

| | | |
|---------------|----|--|
| thermocontrol | 75 | |
| autofeeder | 78 | |
| TWINfeeder | 78 | |
| turtlefeeder | 78 | |
| autoliquid | 79 | |

Liquidoser

Food

Fresh water

Marine water

| | | |
|-------------------|-------|--|
| professional food | 84-87 | |
| professional food | 86/87 | |
| professional food | 87 | |

Water care

water care 88

Plant care

plant care 89

Service

Technical data

| | | |
|----------------------|-------|--|
| Filter | 90/91 | |
| Pumps | 92/93 | |
| Aquariums/Terrariums | 94 | |
| Recommended filters | 95 | |
| Brochures | 96/97 | |
| Technical support | 98 | |

Sales aids (POS)

shopDesign

Shop fitting systems 100-105





EHEIM incipiria 500 marine

EHEIM lighting – two ideally matched lighting concepts. Technically perfect. Safe and efficient. With a daylight spectrum similar to sunlight.

EHEIM powerLED+ light

- An alternative to our already efficient T5 fluorescent tubes
- A further 30% saving in energy compared with T5 (comparison: T5 = 88 lm/W; LED = 120 lm/W, old performance classes)
- Optimum light output with full depth light penetration – even in deeper aquariums
- Ideal balance of spectrums and combined light colours for plants and/or corals
- Full sunlight spectrum
- Promote photosynthesis

EHEIM T5 Technology

- Improved light output: compact T5 HO (high-output) light tubes with a 20% increase in efficiency compared with T8 (comparison: T8 = 73 lm/W, T5: 88 lm/W)
- Optimum light output with full depth light penetration
- Also suitable for larger and deeper aquariums (over 50 cm in height)
- Suitable for both saltwater and reef aquariums
- Use of superior fluorescent tubes
- Optimum colour reproduction of fish and plants due to a daylight spectrum similar to sunlight
- Promote photosynthesis



Highest quality combined with good design, simple convenience and reliable safety

Decades of experience in the production of aquariums and aquarium furniture, forward-looking innovations and a wide product range make EHEIM one of the outstanding brands in the aquatics world. Quality made by EHEIM.

- All glass aquariums for all-round viewing; no unnecessary frames or braces
- High quality float glass, flaw free with diamond cut edges
- Extra thick glass with secure joints to withstand high water pressure
- Hidden crosspiece strengthens the upper area; the full volume of the aquarium can be utilised
- Bottom trims and aquarium hoods are manufactured using the new EHEIM thermo-bonding process; a further technical innovation

- Hermetic sealing and precise production according to ISO standard and DIN 32622 guarantees the highest security
- VARILUX aquarium hoods with sliding light units, "Air-flow"-technology, wider access to the aquarium and many more advantages
- Specially adapted T5 (on some models T8) lighting concept
- Customised Tech Packs, furniture and Starter Sets complete the range

A wide choice of aquarium and furniture designs with a variety of possible combinations can satisfy every taste and compliment every environment.



new

EHEIM vivalineLED 126

EHEIM Starter sets are the ideal solution for beginners.

EHEIM



Starter sets

| | | Fresh water | Fresh water + LED | Fresh water | Marine water |
|----------------------------|-------|-------------|-------------------|-------------|---------------------|
| Technical data | | aquastar 54 | aquastar 54 LED | aquastar 96 | aquastar 63 marine |
| Volume approx. | l | 54 | 54 | 96 | 63 |
| Tank dim. WxDxH | cm | 60x30x30 | 60x30x30 | 80x30x40 | 60x30x35 |
| Glass thickness | mm | 4 | 4 | 6 | 5 |
| Lighting | W | 1x15 | LED daylight 1x12 | 1x18 | LED hybrid 2x12 |
| Weight | kg | 11 | 9 | 18 | 14 |
| Art. No. (Europe) | black | 0340677 | 0340645 | 0340806 | 0340701 |
| Art. No. (UK) | black | 0340887 | 0340647 | 0340807 | 0340703 |
| Art. No. (Europe) | white | 0340606 | 0340646 | - | 0340702 |
| Art. No. (UK) | white | 0340607 | 0340648 | - | 0340704 |
| Accessories | | | | | |
| EHEIM internal filter/pump | | 2008 | 2008 | 2010 | 2204/3701/1070/3551 |
| EHEIM heater | | 50 W | 50 W | 100 W | - |
| Thermometer | | + | + | + | + |
| Fish net | | - | - | - | - |
| Extras | | | | | |
| Bottom trim | | - | + | - | + |

| | | Fresh water | Fresh water |
|----------------------------|-------|-------------|---------------|
| Technical data | | aquabay 58 | aquabay 104 |
| Volume approx. | l | 58 | 104 |
| Tank dim. WxDxH | cm | 60x30/35x33 | 80x30/37,5x40 |
| Glass thickness | mm | 4 | 6 |
| Lighting | W | 1x15 | 2x18 |
| Weight | kg | 12 | 18 |
| Art. No. (Europe) | black | 0346000 | 0348000 |
| Art. No. (UK) | black | 0346080 | 0348080 |
| Art. No. (Europe) | white | - | - |
| Art. No. (UK) | white | - | - |
| Accessories | | | |
| EHEIM internal filter/pump | | 2401 | 2402 |
| EHEIM heater | | 50 W | 100 W |
| Thermometer | | + | + |
| Fish net | | + | + |
| Extras | | | |
| Bottom trim | | + | + |

| | | Fresh water | Fresh water | Fresh water |
|----------------------------|-------|-------------|-------------|-------------|
| Technical data | | aquapro 84 | aquapro 126 | aquapro 180 |
| Volume approx. | l | 84 | 126 | 180 |
| Tank dim. WxDxH | cm | 60x35x40 | 80x35x45 | 100x40x45 |
| Glass thickness | mm | 6 | 6/8 | 6/8 |
| Lighting | W | 2x15 | 2x18 | 2x30 |
| Weight | kg | 16 | 23,8 | 31 |
| Art. No. (Europe) | black | 0340635 | 0340835 | 0341035 |
| Art. No. (UK) | black | 0340622 | 0340831 | 0341031 |
| Art. No. (Europe) | white | - | - | - |
| Art. No. (UK) | white | - | - | - |
| Accessories | | | | |
| EHEIM internal filter/pump | | 2402 | 2402 | 2403 |
| EHEIM heater | | 75 W | 100 W | 150 W |
| Thermometer | | + | + | + |
| Fish net | | + | + | + |
| Extras | | | | |
| Bottom trim | | + | + | + |



aquastar aquarium set
 Complete with high quality accessories.
 Available as fresh and marine water sets. With T8 tubes or LED lighting.
 Can be combined with the "aquacab" stand (page 12).



New vistas
 The bow front glass gives an extra depth effect. Complete with high quality accessories EHEIM internal "aquaball" filter and EHEIM heater. Hood has cut-out for the EHEIM automatic fish feeder. Can be combined with "DUO" stand (page 12).



Professional aquarium set
 Complete starter kit with EHEIM internal filter "aquaball" and EHEIM heater. Certified safety standard. Extra large tank volume. Can be combined with „aquacab“ (aquapro 84/126) and cabinet „vivalineLED“ (aquapro 180) page 12.



A completely new kind of terrarium.
Intelligently designed, practical
and easy to maintain.

EHEIM
terrastyle

EHEIM



Terrarium

Technical data

| | | terrastyle 30 | terrastyle 50 | terrastyle 70 |
|-------------------|------|---------------|---------------|---------------|
| Tank dim. WxDxH | cm | 31x31x36 | 31x31x55 | 40x40x45 |
| Volume approx. | l | 30 | 50 | 70 |
| Glass thickness | mm | 4 | 4 | 4 |
| powerLED | W | 7 | 7 | 7 |
| Kelvin | K | 6500 | 6500 | 6500 |
| Lumen | (lm) | 670 | 670 | 670 |
| Lux | | 3100 | 3100 | 3100 |
| Art. No. (Europe) | | 0472310 | 0472311 | 0472410 |
| Art. No. (UK) | | 0473310 | 0473311 | 0473410 |

Practical tilting glass pane ①

- The front pane can be tilted or removed completely
- Easy and practical front access
- Can be adjusted to tilt on two settings (with safety catch) - for either feeding or cleaning
- Insects/inhabitants legs won't get trapped
- No slide sections to trap larvae
- Quiet closing mechanism
- Lockable (key lock optional - see accessories) ②



Effective ventilation ③

- Ensures the movement of air and prevents condensation, also prevents glass panes from steaming up and the formation of mildew etc
- Air intake through bottom (front) ventilation grille
- Air outlet through top ventilation grille (stainless steel/fine gauze, close-meshed, max. 0.63 mm)



LED-lighting - EHEIM powerLED ④

- Lamp is simply clipped on to the open fixing ring in the cover glass
- Light shines directly into the terrarium
- Does not increase the temperature in the terrarium (2-3 °C above room temperature) – good for inhabitants that prefer a lower temperature
- Humidity is maintained for long periods
- The heat is conducted upwards (convection/chimney effect)

terrastyle accessories (optional)

① EHEIM powerLED actinic blue Art. No. 7602958

With an enhanced blue-light/UV element for scorpions (fluorescence) – an exact fit and easy to replace

② EHEIM terrastyle key lock, Art. No. 6470150

Protects against the accidental opening of the tilting pane of glass (important if there are children around, party guests etc. or if you keep any dangerous species)

new

| | |
|--------------------------|--------------|
| Desert sand „Sahara“ | Art. 6470240 |
| Desert sand „Namibia“ | Art. 6470250 |
| Cork-background 30x35 cm | Art. 6470300 |
| Cork-background 30x54 cm | Art. 6470310 |
| Cork-background 39x44 cm | Art. 6470320 |
| Sprayer | Art. 6470170 |
| Thermo-/Hygrometer | Art. 6470700 |



CE

Starter terrarium


Technical data

| | | terra set 60 | terra set 80 |
|-------------------|-------|--------------|--------------|
| Tank dim. WxDxH | cm | 60x37x40 | 80x40x50 |
| Glass thickness | mm | 4 | 5 |
| Lighting | W | 1x15 | 1x18 |
| Weight | kg | 13,9 | 26,8 |
| Art. No. (Europe) | black | 0460610 | 0460810 |
| Art. No. (UK) | | 0460620 | 0460820 |

Extras

extra depth

extra depth



Optional accessory: EHEIM miniFLAT

Micro internal filter for a terrarium or paludarium with a shallow water area or water bowls (e.g. for frogs, semi-aquatic reptiles, cray fish etc.). Dimensions 127 x 33,4 x 54 mm (page 29). Not included.



DIN CE

EHEIM furniture kits – suitable for starter sets.
Value for money and easy to assemble.

The mini underwater world as a decoration.
An invitation to look, to watch and to dream.

EHEIM



Furniture

| Technical data | aquacab 54 | aquacab 84 | aquacab 126 | DUO 60 | DUO 80 |
|---------------------------|---|------------|-------------|---------|-----------|
| Dimensions w x d | 61x31 | 61x36 | 81x36 | | |
| Panel 1 cm | - | - | - | 60x30 | 81x36 |
| Panel 2 cm | - | - | - | 60,5x36 | 80,5x37,5 |
| Height cm | 85 | 85 | 85 | 68 | 68 |
| Weight kg | 14 | 14,5 | 20 | 10 | 16 |
| Art. No. black | 0220639 | 0220649 | 0220839 | 0220616 | 0220888 |
| EAN 4010251 | 133019 | 133033 | 133057 | 095966 | 096581 |
| Art. No. white | 0220633 | 0220643 | 0220833 | - | - |
| EAN 4010251 | 133002 | 133026 | 133040 | - | - |
| Suitable for set | | | | | |
| aquastar 54/LED/63 marine | ● | | | ●* | |
| aquastar 96 | | | ● | | ● |
| aquabay 58 | | | | ● | |
| aquabay 104 | | | | | ● |
| aquapro 84 | | ● | | | |
| aquapro 126 | | | ● | | ● |
| aquapro 180 | MB vivalineLED 180 walnut (0251002) / white (0251003) / wenge (0251004) | | | | |

*only aquastar 54 (T8)



EHEIM aquacab – customised cabinet kit for the EHEIM complete sets.
Reasonable price, easy to assemble.

- Ideally suited for EHEIM aquastar54/54 LED complete sets, aquastar63 marine, aquapro84 and aquapro126
- Pleasant viewing height of 85 centimeters
- Reasonable price and easy to assemble
- Additional storage space for your aquarium accessories

The DUO cabinets have different sized bottom and top plates. By turning the cabinet over, it can be used for a different sized tank.



black white

black



Nano

| | | Fresh water nano shrimp 35 | Marine water nano marine 35 | Frsh water aquastyle 35 |
|-----------------------------------|-------------------|-------------------------------------|--|-------------------------|
| Nano tank | Art. No. (Europe) | 6406020 | 6410020 | 6402020 |
| | Art. No. (UK) | 6406 510 | 6410 510 | 6402 510 |
| Cabinet (optional) | Decor black | Art. No. 6502020 | 6502020 | 6502020 |
| | | EAN 4011708 000663 | 000663 | 000663 |
| | Decor white | Art. No. 6502023 | 6502023 | 6502023 |
| | | EAN 4011708 000670 | 000670 | 000670 |
| Technical data | | | | |
| Aquarium | | | | |
| Volume approx. | l | 35 | 35 | 35 |
| Tank dimensions WxDxH | cm | 31x31x36 | 31x31x36 | 31x31x36 |
| Glass thickness | mm | 5 | 5 | 5 |
| Lighting | W | 7 | 2x7 | 7 |
| powerLED | | daylight | daylight & actinic blue actinic blue | daylight |
| Including EHEIM technology | | under gravel filter 300 l/h pump | internal corner filter circulation pump | internal corner filter |

Convenient cabinet with additional storage for accessories



EHEIM nano shrimp 35

The new Nano Aquariums

EHEIM nano shrimp 35 – The unique shrimp paradise Specifically designed for keeping and breeding shrimp. With easy-care soil filter system – undergravel filter (priming principle) and EHEIM pump 300 l/h.

Marine water aquarium EHEIM nano marine 35

Including flow pump with magnetic holder and adjustable flow rate 1400 – 2000 l/h. The 3D setting allows for directional flow to the mini coral reef as well as optimal water circulation.

EHEIM aquastyle 35

Suitable as a planted aquarium or for keeping shrimps and snails.

Powerful internal corner filter, fully equipped with filter cartridge and bio-filter-material (SUBSTRATpro* recommendation: for fresh water use only)



Accessories EHEIM nano marine 35

Filter media

| EHEIM filter nano marine/aquastyle 35 | | | Pk |
|---------------------------------------|--------|---------|----|
| Filter sponge | 2 x | 2616000 | 6 |
| EHEIM SUBSTRATpro* | 250 ml | 2510021 | 6 |
| EHEIM AKTIV | 250 ml | 2513021 | 6 |
| EHEIM phosphateout | 390 g | 2515051 | 6 |



High Quality in High Gloss

All-inclusive aquarium combination.
Complete with high quality technology.

EHEIM
incpiria

Pre-assembled

Combination



Technical data

| | incpiria 200 | | | incpiria 300 | | | incpiria 400 | | | incpiria 500 | | | incpiria 600 | | |
|-----------------------------|---------------------------|---------------------|--------------------|---------------------------|---------------------|--------------------|---------------------------|---------------------|--------------------|---------------------------|---------------------|--------------------|---------------------------|---------------------|--------------------|
| Volume approx. | 200 | | | 300 | | | 400 | | | 500 | | | 600 | | |
| Tank dim. WxDxH | 70x55x65 | | | 100x55x65 | | | 130x55x65 | | | 160x55x65 | | | 200x55x65 | | |
| Glass thickness | 8 | | | 10 | | | 12 | | | 12 | | | 12 | | |
| Lighting T5 | 2x24 | | | 2x39 | | | 2x54 | | | 2x80 | | | - | | |
| Lighting powerLED+ | 1x17 daylight/1x20 plants | | | 1x26 daylight/1x30 plants | | | 1x35 daylight/1x39 plants | | | 1x43 daylight/1x49 plants | | | 2x26 daylight/2x30 plants | | |
| Complete dim. WxDxH | 70x55x140 | | | 100x55x140 | | | 130x55x140 | | | 160x55x140 | | | 200x55x140 | | |
| Decor | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** |
| Art. No. (Europe) powerLED+ | 0672023 | 0672028 | 0672029 | 0673023 | 0673028 | 0673029 | 0674023 | 0674028 | 0674029 | 0675023 | 0675028 | 0675029 | 0676023 | 0676028 | 0676029 |
| Art. No. (UK) powerLED+ | 0672033 | 0672038 | 0672039 | 0673033 | 0673038 | 0673039 | 0674033 | 0674038 | 0674039 | 0675033 | 0675038 | 0675039 | 0676033 | 0676038 | 0676039 |
| Art. No. (Europe) T5 | 0672003 | 0672008 | 0672009 | 0673003 | 0673008 | 0673009 | 0674003 | 0674008 | 0674009 | 0675003 | 0675008 | 0675009 | - | - | - |
| Art. No. (UK) T5 | 0672013 | 0672018 | 0672019 | 0673013 | 0673018 | 0673019 | 0674013 | 0674018 | 0674019 | 0675013 | 0675018 | 0675019 | - | - | - |

*black = black high gloss / **silver = silver metallic

EHEIM incpiria – T5 or LED. The choice is yours.

- Tanks are 55 cm deep (ample room for decoration)
- Doors with recessed cup handles
- Internally fitted lighting (T5 incl. light tubes and reflectors)
- Convenient sliding top cover made of high quality black glass
- Integrated maintenance shaft (black glass) for hiding the water inlet and electricity cables
- Water outlet can be configured as required using the „InstallationsSet 2“ included (Art. 4005310)
- Discreet water return to the external filter via bottom drilled hole at the back of the tank
- Cabinet with high gloss finish (white or black)
- Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)
- Fully assembled

EHEIM incpiria 500



- Designed for use with external filters with 2 x suction hoses (professional 3 1200/1200 XLT)
- Includes InstallationsSet 1

NEW: EHEIM incpiria 600

- 2 holes drilled in the back (base) of the aquarium for external filter pipework
- Reinforced cabinet with double side walls



incpiria 500 + professional 3 1200XL
(Filter not included)



Power-Kit for light intensive aquarium applications
additional lighting system consisting of: light unit, light tubes and reflectors

| Art. No. EU/UK | Power-Kit | Watt |
|-----------------|----------------|-----------|
| 0582002/0582003 | (incpiria 200) | 2x24 (T5) |
| 0583002/0583003 | (incpiria 300) | 2x39 (T5) |
| 0584002/0584003 | (incpiria 400) | 2x54 (T5) |

incpiria 200-600 extendable with powerLED+

Accessories (optional): double tap Art. 4005410



incpiria sliding cover

Recommended EHEIM technology

Page 95

Made in Germany




Mix of modern materials combined with mocha - the latest colour trend – a classic

EHEIM
proxima

Open aquarium combinations – New dimensions for aquarium enthusiasts

EHEIM
proximaplus



white high gloss
mocha brown gloss



Combination

Technical data

| | | proxima 175 | proxima 250 | proxima 325 |
|------------------------------|-------------|-----------------|-----------------|-----------------|
| Volume approx. | l | 175 | 250 | 325 |
| Tank dim. WxDxH | cm | 70x50x50 | 100x50x50 | 130x50x50 |
| Glass thickness | mm | 8 | 8/10* | 12 |
| Lighting T5 | W | 2x24 | 2x39 | 2x54 |
| Lighting | W | 1x17/1x20 | 1x26/1x30 | 1x35/1x39 |
| powerLED+ | | daylight/plants | daylight/plants | daylight/plants |
| Complete dim. WxDxH | cm | 71x51x132 | 101x51x132 | 131x51x132 |
| Decor white high gloss T5 | Art. (Euro) | 0602203 | 0602223 | 0602243 |
| Decor white high gloss T5 | Art. (UK) | 0602303 | 0602323 | 0602343 |
| Decor mocha brown gloss T5 | Art. (Euro) | 0602206 | 0602226 | 0602246 |
| Decor mocha brown gloss T5 | Art. (UK) | 0602306 | 0602326 | 0602346 |
| Decor white gloss powerLED+ | Art. (Euro) | 0602403 | 0602423 | 0602443 |
| Decor white gloss powerLED+ | Art. (UK) | 0602503 | 0602523 | 0602543 |
| Decor mocha brown gloss LED+ | Art. (Euro) | 0602406 | 0602426 | 0602446 |
| Decor mocha brown gloss LED+ | Art. (UK) | 0602506 | 0602526 | 0602546 |

* Side glass panes/Front

EHEIM proxima 175/250/325

Closed aquarium combination with a brushed aluminium Varilux light support and bottom frame

- Sliding glass covers made from high quality black glass
- Integrated lighting with efficient T5 technology and original **EHEIM freshpower daylight fluorescent tubes**
- Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)



white high gloss
mocha brown gloss

Recommended EHEIM technology

Page 95

Cover with glass tank and cabinet are also available separately.

Technical data

| | | proxima plus 175 | proxima plus 250 | proxima plus 325 |
|-----------------------------------|----|------------------|------------------|------------------|
| Volume approx. | l | 175 | 250 | 325 |
| Tank dim. WxDxH | cm | 70x50x50 | 100x50x50 | 130x50x50 |
| Glass thickness | mm | 8 | 8/10* | 12 |
| Lighting | W | 1x17/1x20 | 1x26/1x30 | 1x35/1x39 |
| powerLED+ | | daylight/plants | daylight/plants | daylight/plants |
| Complete dim. WxDxH | cm | 71x51x145 | 101x51x145 | 131x51x145 |
| Decor white gloss Art. No. (Euro) | | 0602213 | 0602233 | 0602253 |
| Decor white gloss Art. No. (UK) | | 0602313 | 0602333 | 0602353 |
| Decor mocha brown gloss (Euro) | | 0602216 | 0602236 | 0602256 |
| Decor mocha brown gloss (UK) | | 0602316 | 0602336 | 0602356 |

* Side glass panes/Front

new

Simple elegance for modern homescapes

- Combination of glass, brushed aluminium and modern cabinets
- 50cm openings to accommodate the trend for "aquascaping" and "biotope aquariums"
- Sturdy cabinet in a gloss finish (white or mocha) with a subtle, recessed frame in brushed aluminium
- Doors (without handles) include "push to open" technology

The **open aquarium combination** offers greater freedom in underwater design

- Open top aquarium with no brace bars
- Brushed aluminium bottom frame
- Original **EHEIM powerLED+** lighting (1 x daylight/1 x fresh plants) with suspension wires for ceiling mounting or mounting brackets for fitting lights directly onto the aquarium

Recommended accessories for EHEIM proxima plus 175/250/325

InstallationsSET 1 (suction side)
InstallationsSET 2 (pressure side)
(Page 77)



(filter/filter media not included)

Made in Germany



Individual home environments fully equipped with high quality technical equipment



Combination

Technical data

| | | vivalineLED 126 | | | vivalineLED 150 | | | vivalineLED 180 | | | vivalineLED 240 | | |
|---------------------|----|-----------------|---------|------------|-----------------|---------|------------|-----------------|---------|------------|-----------------|---------|------------|
| Volume approx. | l | 126 | | | 150 | | | 180 | | | 240 | | |
| Tank dim. WxDxH | cm | 80x35x45 | | | 60x50x50 | | | 100x40x45 | | | 120x40x50 | | |
| Glass thickness | mm | 6/8 | | | 8 | | | 6/8 | | | 8/10 | | |
| Lighting classicLED | W | 1x13 | | | 2x12 | | | 1x17 | | | 1x20 | | |
| Complete dim. WxDxH | cm | 81x36x119 | | | 61x51x124 | | | 101x41x119 | | | 121x41x124 | | |
| Decor | | oak grey | white | anthracite | oak grey | white | anthracite | oak grey | white | anthracite | oak grey | white | anthracite |
| Art. No. (Europe) | | 0613001 | 0613003 | 0613009 | 0613021 | 0613023 | 0613029 | 0613041 | 0613043 | 0613049 | 0613061 | 0613063 | 0613069 |
| Art. No. (UK) | | 0615001 | 0615003 | 0615009 | 0615021 | 0615023 | 0615029 | 0615041 | 0615043 | 0615049 | 0615061 | 0615063 | 0615069 |

EHEIM vivalineLED is the new fresh water aquarium combination in four different sizes and countless colour combinations.

- Trendy cabinet – in three different basic colours (white, anthracite, oak grey)
- Including energy efficient and high performance EHEIM classic LED lighting
- Interchangeable decorative panel in different trendy colours
- Sliding LED lights for easy access
- Glued frame with cut outs for all pipework and cables
- Sliding panes made of high quality aluminium composite panels
- Fully equipped with high quality EHEIM technical equipment and biological filter media



Sliding panes made of high quality aluminium composite panels

Including EHEIM technology:

| Filter | biopower | ecco pro | Heater thermocontrol |
|-----------------|----------|----------|----------------------|
| vivalineLED 126 | 160 | - | 100 W |
| vivalineLED 150 | 200 | - | 100 W |
| vivalineLED 180 | 200 | - | 150 W |
| vivalineLED 240 | - | 300 | 150 W |

All vivalineLED cabinets are supplied with matching decorative boards in oak grey, white and anthracite. As well as these three standard colours, the interchangeable panels are also available in bordeaux, candy, lemon, sky and urban (light grey). The panels are simple to replace and can be screwed onto the cabinet even when the aquarium is full.



EHEIM vivalineLED 180 - white with decorative board in bordeaux

Made in Germany

Cover with glass tank and cabinet are also available separately.

Pre-assembled



new

Marine water

Technical data

| | incpiria 200 marine | | | incpiria 300 marine | | | incpiria 400 marine | | | incpiria 500 marine | | | incpiria 600 marine | | |
|------------------------------|----------------------|------------------|-----------------|----------------------|------------------|-----------------|----------------------|------------------|-----------------|----------------------|------------------|-----------------|----------------------|------------------|-----------------|
| Volume approx. | 200 | | | 300 | | | 400 | | | 500 | | | 600 | | |
| Tank dim. WxDxH | 70x55x65 | | | 100x55x65 | | | 130x55x65 | | | 160x55x65 | | | 200x55x65 | | |
| Glass thickness | 8 | | | 10 | | | 12 | | | 12 | | | 12 | | |
| Lighting T5 | 4x24 | | | 2x39 | | | 4x54 | | | - | | | - | | |
| Lighting powerLED+ | 4x19,7 marine hybrid | | | 4x29,5 marine hybrid | | | 4x39,4 marine hybrid | | | 4x49,2 marine hybrid | | | 8x29,5 marine hybrid | | |
| Complete dim. WxDxH | 70x55x140 | | | 100x55x140 | | | 130x55x140 | | | 160x55x140 | | | 200x55x140 | | |
| Filtration tank | | | | | | | | | | | | | | | |
| Normal operation | 22 | | | 27 | | | 33 | | | 41 | | | 51 | | |
| Rev. osmosis water supply | - | | | 13 | | | 25 | | | 32 | | | 13 | | |
| Tank dimensions WxDxH | 27x42,5x45 | | | 41x42,5x45 | | | 56x42,5x4 | | | 72x43x40 | | | 86x40x35 | | |
| EHEIM pump compactON+ | | | | | | | | | | | | | | | |
| | 2000 | | | 2000 | | | 3000 | | | 3000 | | | 3000 | | |
| Decor | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** | white high gloss | black high gloss | black* silver** |
| Art. No. (Europe) powerLED+ | 0672243 | 0672248 | 0672249 | 0673243 | 0673248 | 0673249 | 0674243 | 0674248 | 0674249 | 0675203 | 0675208 | 0675209 | 0676203 | 0676208 | 0676209 |
| Art. No. (UK) powerLED+ | 0672253 | 0672258 | 0672259 | 0673253 | 0673258 | 0673259 | 0674253 | 0674258 | 0674259 | 0675213 | 0675218 | 0675219 | 0676213 | 0676218 | 0676219 |
| Art. No. (Europe) T5 | 0672203 | 0672208 | 0672209 | 0673203 | 0673208 | 0673209 | 0674203 | 0674208 | 0674209 | - | - | - | - | - | - |
| Art. No. (UK) T5 | 0672213 | 0672218 | 0672219 | 0673213 | 0673218 | 0673219 | 0674213 | 0674218 | 0674219 | - | - | - | - | - | - |

*black = black high gloss / **silver = silver metallic

Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)



Maintenance shaft rear view

white high gloss black high gloss silver metallic + black high gloss

- Natural underwater colours exposed due to the use of pure white glass
- Sliding glass covers made from high quality black glass
- Integrated shaft for cables etc.
- Patented, silent overflow shaft
- Sump tank in the cabinet
- Filter tank with constant water level chamber (important for constant skimming quality)
- Overflow protection (emergency overflow even in the event of a power cut)
- Internal edges of the cabinet are sealed
- Doors with recessed handles (Incpiria marine) and soft-close hinges
- All pipe-work is pre-assembled (Plug & Play System)

Accessories - optional:
EHEIM streamON circulation pump, Page 52
EHEIM SKIMmarine protein skimmer, Page 59



EHEIM marine aquarium combinations.
The smart concept with a sump in the cabinet.

EHEIM
proximareef

white
high
gloss

mocha
brown
gloss

new

new

new

Marine water

Technical data

| | | proxima reef 175 | | proxima reef 250 | | proxima reef 325 | |
|-----------------------------|-----|------------------|---------|------------------|---------|------------------|---------|
| Volume approx. | l | 175 | | 250 | | 325 | |
| Tank dim. WxDxH | cm | 70x50x50 | | 100x50x50 | | 130x50x50 | |
| Glass thickness | mm | 8 | | 8/10 | | 12 | |
| Complete dim. WxDxH | cm | 71x51x125 | | 101x51x125 | | 131x51x125 | |
| Filtration tank | | | | | | | |
| Normal operation | l | 23 | | 30 | | 36 | |
| Maximal | l | 52 | | 74 | | 100 | |
| Rev. osmosis water supply | l | - | | 10 | | 20 | |
| Tank dimensions WxDxH | cm | 27x42,5x45 | | 41x42,5x45 | | 56x42,5x45 | |
| Glass thickness filtr. tank | mm | 6 | | 6 | | 6 | |
| EHEIM pump | | | | | | | |
| compact+ | l/h | 2000 | | 2000 | | 3000 | |
| Weight | kg | 84 | | 108 | | 149 | |
| Decor gloss | | white | mocha | white | mocha | white | mocha |
| Art. No. (Europe) | | 0670703 | 0670706 | 0671003 | 0671006 | 0671303 | 0671306 |
| Art. No. (UK) | | 0670713 | 0670716 | 0671013 | 0671016 | 0671313 | 0671316 |

Plain but stylish – bringing the sea into your home

- Open top marine water aquarium
- Lights not included to allow for individual choice of lighting
- High quality black backing foil already attached at the factory
- Tried and tested EHEIM marine concept with patented, silent overflow shaft and a sump in the cabinet
- Pump included
- All pipework pre-assembled
- Internal cabinet edges sealed



EHEIM proxima reef 175 sump tank



EHEIM proxima reef maintenance shaft

Accessories

Original EHEIM accessories for marine aquariums

UV-steriliser - EHEIM reflexUV

Reduces germs in water, quickly and effectively
Removes clouding caused by algae or bacteria

reflexUV 350 Art. (Europe) 3721210/Art. (UK) 3721350
reflexUV 500 Art. (Europe) 3722210/Art. (UK) 3722350
reflexUV 800 Art. (Europe) 3723210/Art. (UK) 3723350
Page 57

Surface skimmer - EHEIM skim350

Small surface skimmer for aquariums up to 350 litres.
Removes deposits of dirt and microorganisms from the surface of the water

skim350 Art. (Europe) 3536220/Art. (UK) 3536340
Page 58

Nanoskimmers - EHEIM skimmarine

For aquariums up to 300 lt

skimmarine 100 Art. 3551000
skimmarine 300 Art. 3549220 (Europe)/Art. (UK) 3549340
Page 59

Circulation pumps – EHEIM streamON/streamON+

Optimum water circulation with a gentle, natural flow

Compact circulation pumps with suction cup mounting bracket - for aquariums between 150 and 350 litres

EHEIM streamON 1800 Art. 1070220/Art. (UK) 1070340
EHEIM streamON 3000 Art. 1071220/Art. (UK) 1071340
EHEIM streamON 3800 Art. 1072220/Art. (UK) 1072340
Page 52

Compact circulation pumps with magnetic mounting bracket - for aquariums between 35 and 500 litres

EHEIM streamON+ 2000 Art. 1080220/Art. (UK) 1080340
EHEIM streamON+ 4000 Art. 1081220/Art. (UK) 1081340
EHEIM streamON+ 5000 Art. 1082220/Art. (UK) 1082340
Page 53

For further details visit: www.eheim.com

new

new



Tanks for customised solutions.

Whether used as a breeding tank, as an individual tank in a home environment, in combination with our furniture kits or as a complete set – you can be certain of one thing: with our glass tanks you have made the right choice. Because high quality, strong glass, the best of workmanship and additional strengtheners ensure complete safety.



Comfortable living space for tree and ground dwellers. Suitable for use with aquarium cabinets.



EHEIM

Aquariums

| | | Volume litre | Weight kg | Glass mm | Art. No. | EAN 4010251 | Dim. cm WxDxH |
|----------------|--|-----------------|--------------|-------------|----------|----------------|------------------|
| GB 30 | Breeder tank | 12 | 2,8 | 4 | 0330300 | 074121 | 30x20x20 |
| GB 40 | Breeder tank | 25 | 4,2 | 4 | 0330400 | 074138 | 40x25x25 |
| GB 52 | Breeder tank | 45 | 6,3 | 4 | 0330520 | 074152 | 50x30x30 |
| GB 60 | Tank for set aquastar, MB aquacab 54 | 54 | 7,4 | 4 | 0330604 | 114049 | 60x30x30 |
| GB 60XL | Tank for MB aquacab 84 | 84 | 12,5 | 6 | 0330612 | 096437 | 60x35x40 |
| GB 61 | Tank for set aquastar marine, MB aquacab 54 | 63 | 10,3 | 5 | 0330613 | 117729 | 60x30x35 |
| GB 62 | Tank for vivalineLED | 150 | 28 | 8 | 0336050 | 132289 | 60x50x50 |
| GB 80 | Tank for set aquastar | 96 | 16,8 | 6 | 0330800 | 083918 | 80x30x40 |
| GB 81 | Tank for MB aquacab 126 | 112 | 18 | 6 | 0330810 | 074176 | 80x35x40 |
| GB 82 | Tank for set aquapro, vivalineLED and MB aquacab 126 | 126 | 19,2 | 6/8 | 0330820 | 089194 | 80x35x45 |
| GB 85 | Tank for MB vivalineLED und MB aquacab 126 | 140 | 28,0 | 8 | 0330851 | 119624 | 80x35x50 |
| GB 100 | Tank for MB vivalineLED | 200 | 37,9 | 8 | 0331070 | 119631 | 100x40x50 |
| GB 102 | Tank for MB vivalineLED | 160 | 23,5 | 6 | 0331020 | 074206 | 100x40x40 |
| GB 105 | Tank for set aquapro, vivalineLED | 180 | 28,3 | 6/8 | 0331060 | 116821 | 100x40x45 |
| GB 123 | Tank for vivalineLED | 240 | 47 | 8/10 | 0331230 | 131558 | 120x40x50 |
| GB 133 | Tank for aquascaper | 460 | 91 | 12 | 0331330 | 085943 | 130x60x60 |
| GB 183 | Tank for aquascaper | 640 | 120 | 12 | 0331830 | 096444 | 180x60x60 |
| GB proxima 175 | | 175 | 29,5 | 8 | 0330750 | 122600 | 70x50x50 |
| GB proxima 250 | | 250 | 43 | 8/10 | 0331031 | 122617 | 100x50x50 |
| GB proxima 325 | | 325 | 71 | 12 | 0331310 | 122471 | 130x50x50 |



All aquariums comply with DIN standards and, depending on the size, come in various versions including strengthened front glass panes, glass struts 1 or additional strengthening bars 2.


EHEIM all glass aquariums/terrariums are available in a wide range of sizes.

EHEIM Guarantee of quality:
3 years' guarantee with the silicone sealing on all aquariums and terrariums.



Terrariums


| | | Volume litre | Weight kg | Glass mm | Art. No. | EAN 4010251 | Dim. cm WxDxH |
|---------|--|-----------------|--------------|-------------|----------|----------------|------------------|
| GTE 40 | Terrarium for spiders and breeding | 29 | 5,7 | 4 | 0470400 | 074251 | 40x25x29 |
| GTE 60 | Terrarium for breeding and MB aquacab 54 | 66 | 10,4 | 4 | 0470600 | 074268 | 60x30x37 |
| GTE 80 | Terrarium for MB aquacab 126, MB vivalineLED | 112 | 17,8 | 5 | 0470800 | 074275 | 80x35x40 |
| GTE 100 | Terrarium for MB vivalineLED | 200 | 31,8 | 6 | 0471000 | 074282 | 100x40x50 |
| GTE 101 | Terrarium for MB vivalineLED | 320 | 50,9 | 6 | 0471100 | 084779 | 100x40x80 |
| GTE 103 | Terrarium for tropical and tree dwellers, MB proxima | 400 | 63,6 | 6 | 0471120 | 085998 | 100x50x80 |
| GTE 120 | Terrarium for ground dwellers | 360 | 57,3 | 6 | 0471200 | 086001 | 120x50x60 |
| GTE 121 | Terrarium for ground dwellers | 480 | 76,3 | 6 | 0471210 | 086018 | 120x50x80 |
| GTE 131 | Terrarium for tree dwellers | 780 | 92 | 8 | 0471310 | 076575 | 130x60x100 |



Details: top and bottom ventilation system.
Removable cap for subsequent assembly of lighting fixtures, etc.
Sliding doors fitted with soft edges.



Terrarium tank GTE 120 (120x50x60 cm)



EHEIM filter technology
From the classic to the newest high-tech models with electronic control. With or without a heater.

EHEIM pumps – the all purpose product range for aquariums and ponds, for fresh and salt water and for large and small applications – range includes air pumps.

EHEIM internal filter
Versatile, functional and made with exceptional quality.

Whether for breeding, quarantine tanks or simply for typically smaller “home” aquariums: internal filters are ideal. They take up little room and are extremely flexible. EHEIM offers various options for aquariums from 45 up to 260 litres: all of them (apart from the pickup) are modular and can be extended or reduced to suit all requirements. They can all be filled with various types of filter media. Technically perfect filters of outstanding quality, with reliable performance and guaranteed durability.

EHEIM external canister filters

With our large range of external filters you are sure to find exactly the right filter to suit your needs – for the smallest breeding tanks to aquariums up to 1500 lt.

All EHEIM aquariums have one thing in common: **QUALITY**. We work with the best materials, precise engineering and, with over 60 years of experience, we guarantee the highest quality products. Our canister filters are consistent, reliable and offer a long service life. Furthermore, you can be sure that the filter, accessories and filter media are tailored to complement each other.

EHEIM High Performance Ceramics

The impeller shafts and bushings (axles and bearings) (eccopro, eXperience, professionnel 3 and professionnel 4+) are made of high performance ceramics. This means exceptionally smooth and quiet running, maximum resilience and an extremely long service life.

With EHEIM pumps you can move a lot of water – reliably, quietly and continuously.

With an output of between 100 and 5000l/h, the EHEIM range of pumps and air pumps can be used in all aquatic applications, from small to large aquariums and planted aquascapes to ponds, water features and fountains. EHEIM pumps can be used anywhere to provide air and clean water conditions. They can be used in or out of water, for fresh or marine aquariums – whatever the application; EHEIM has a comprehensive range of products and features that can match any requirements. Their quality upholds the EHEIM promise: innovative technology, the best materials, outstanding workmanship, quiet running and guaranteed reliable continuous performance.

Small and large compact pumps, circulation pumps, a marine water pump for protein skimmers, universal pumps and air pumps – the choice is yours.



Designed for the smallest tanks.
Attractive, slim design.

EHEIM
miniUP

For frogs, amphibians & co.
Simple to install, connect and start up.

EHEIM
miniFLAT



Micro filter

Technical data

| | | miniUP |
|-----------------------|-----------------|---------------|
| Aquarium size up to | l | 30 |
| Pump output | l/h | 300 |
| Delivery head | Hmax m | 0,5 |
| Filter volume | cm ³ | 78,9 |
| Hose connection | | |
| pressure side | ø mm | 13 |
| Power consumption | W | 5 |
| Dimension HxWxD | mm | 128x33,4x54 |
| Art.No. (Europe) | | 2204020 |
| Art.No. (UK) | | 2204510 |
| Packing dim. HxWxD | cm | 13,5x9,0x8,15 |
| Master pack quantity | pcs. | 4 |
| Filter media included | media+ | + |



The micro-internal filter for the smallest of aquariums (nano tanks) 25 to 30 l

It is small, attractive, gives excellent performance and is easy to attach to the tank with suction cups. The filter draws in the water from the front through vents, pumps it through the filter sponge and directs it, filtered, back into the tank. You can also attach an outflow hose to enable you to adjust the outlet direction.

- Attractive, slim design
- Front water intake
- Connector for outlet hose
- Comes fully equipped with filter sponge, ready for immediate use
- Only 5 W energy usage



Accessories (optional)

| | |
|-----------------|---------|
| Suction cups 4x | 7445848 |
| Connector- Set | 7481200 |



Filter media

| EHEIM miniUP | | Pk |
|------------------|-------------|----|
| Filter cartridge | 2 x 2616030 | 1 |

Micro filter

Technical data

| | | miniFLAT |
|-----------------------|-----------------|---------------|
| Pump output | l/h | 300 |
| Delivery head | Hmax m | 0,5 |
| Filter volume | cm ³ | 39,4 |
| Hose connection | | |
| pressure side | ø mm | 13 |
| Power consumption | W | 5 |
| Dimension HxWxD | mm | 127x33,4x54 |
| Art.No. (Europe) | | 2203020 |
| Art.No. (UK) | | 2203510 |
| Packing dim. HxWxD | cm | 13,5x9,0x8,15 |
| Master pack quantity | pcs. | 4 |
| Filter media included | media+ | + |




Micro internal filter for terrariums and paludariums with a shallow water area or water bowls

(e.g. for frogs, semi-aquatic reptiles, cray fish etc.)

This unique little flat water filter is designed differently to an internal aquarium filter: It doesn't hang on to anything, but rather sits horizontally in the water. It is fixed to the tank/bowl with suction cups. It draws the water in from below, pumps it through the filter sponge and directs it out, filtered, at the top. The surface water movement makes the reptiles drinking water visible. If you want to adjust the outflow direction, you can attach an outlet hose.

- Water intake from below
- Connection for water outlet hose
- Completely equipped with original EHEIM filter pad and ready to use
- Only 5 Watt power consumption



Example of usage with inlet pipe

Filter media

| EHEIM miniFLAT | | Pk |
|------------------|-------------|----|
| Filter cartridge | 2 x 2616030 | 1 |

Accessories (optional)

| | |
|-----------------|---------|
| Suction cups 4x | 7445848 |
| Connector- Set | 7481200 |
| Inlet pipe | 7304450 |





Fully equipped and ready to use. Ideal for beginners but also for professionals and breeders.

EHEIM
LIBERTY




Hang-on filter

Technical data

| | | LIBERTY 75 | LIBERTY 130 | LIBERTY 200 |
|-----------------------------|-----------------|----------------|----------------|--------------|
| Aquarium size up to approx. | l | 75 | 130 | 200 |
| Pump output approx. | l/h | 150-380 | 220-570 | 320-760 |
| Power consumption | W | 2,5 | 3 | 4 |
| Canister volume approx. | l | 0,6 | 1,0 | 1,3 |
| Filter volume approx. | cm ³ | 240 | 400 | 650 |
| Dimensions HxWxD approx. | mm | 180x105x135 | 180x145x135 | 180x195x135 |
| Art. No. (Europe) | | 2040020 | 2041020 | 2042020 |
| Packing dimensions HxWxD | cm | 18,9x11,3x13,9 | 18,9x13,9x15,5 | 20x14,1x18,9 |
| Master pack quantity | pcs. | 3 | 3 | 3 |
| Filter media included | media+ | + | + | + |

- **media+**: Comes complete with filter media
- Large filter sponge for high biological filter efficiency and longer life – can be removed for cleaning
- Various filtration options with different inserts
- Ready for immediate use
- Recommended for breeding tanks (use cartridge 2615270 on intake), goldfish and quarantine tanks
- Adjustable priming tube

- ❶ Silent inlet and perfect water distribution through water slides
- ❷ Adjustable pump output



Silent inflow and output control

Filter media



| EHEIM LIBERTY | | 75/130/200 | Pk |
|----------------------------|------|------------|----|
| Filter sponge cartridge | 1 x | 2617411 | 6 |
| Activated carbon cartridge | 12 x | 2628411 | 1 |
| Activated carbon cartridge | 2 x | 2628401 | 6 |
| Biofilter cartridge | 2 x | 2617401 | 6 |

The tried and tested internal filter for powerful water circulation and intense oxygen enrichment.

EHEIM
PowerLine




Internal filter

| | | PowerLine 200 | PowerLine XL |
|-----------------------|-----------------|---------------|---------------|
| Technical data | | | |
| Aquarium size up to | l | 100-200 | 200 |
| Pump output approx. | l/h | 600 | 1200 |
| Delivery head | Hmax m | 1,5 | 2,0 |
| Power consumption | W | 10 | 28 |
| Filter volume approx. | cm ³ | 390 | 700 |
| Dim. HxWxD | mm | 285x65x75 | 335x75x80 |
| Art. No. (Europe) | | 2048020 | 2252020 |
| Packing dim. HxWxD | cm | 31,8x12,5x8,5 | 36,5x12,7x8,7 |
| Master pack quantity | pcs. | 1 | 1 |
| Filter media included | media+ | + | + |

- Adaptor for connecting EHEIM installationSET 2 (on pressure side)
- Efficient modular internal filter for powerful flow in the aquarium
- Intense oxygen enrichment through supplied diffuser
- ① Variable filter volume: can be extended with additional modules
- ② Alternate partial cleaning of the cartridges in order to maintain good bacteria modular design

- **Easy fit media+** complete with Original EHEIM filter media



includes adaptor and diffuser



Upgrade-Kit
PowerLine 200
Art. 7478860

Accessories (optional)

| | |
|---------------------------------|--------------|
| Additional modules 2048 | Art. 7478860 |
| Additional modules 2252 | Art. 7478050 |
| Spray bar for InstallationSET 2 | Art. 4009620 |
| Wide-jet nozzle | Art. 4009680 |
| Nozzles and adapters | Art. 4009700 |

Filter media

| EHEIM PowerLine | 200 | Pk | XL | Pk |
|------------------|------------|----|---------|----|
| Filter cartridge | 2x 2615480 | 6 | 2615510 | 1 |
| Carbon cartr. | 2x 2625480 | 6 | 2625520 | 1 |



2252



Made in Germany

Fully equipped and ready to use. Ideal for beginners.

EHEIM
pickUp



Internal filter

| | | pickup 45 | pickup 60 | pickup 160 | pickup 200 |
|--------------------------|-----------------|-----------|---------------|---------------|---------------|
| Technical data | | | | | |
| Aquarium size up to | l | max. 45 | 30-60 | 60-160 | max. 200 |
| Pump output approx. | l/h | 50-180 | 150-300 | 220-500 | 220-570 |
| Delivery head | Hmax m | 0,35 | 0,35 | 0,40 | 0,40 |
| Power consumption | W | 3,5 | 4 | 6 | 6 |
| Filter volume approx. | cm ³ | 85 | 195 | 330 | 470 |
| Dim. HxWxD | mm | 135x50x63 | 163x75x96 | 218x75x96 | 275x75x96 |
| Art. No. (Europe) | | 2006020 | 2008020 | 2010020 | 2012020 |
| Art. No. (UK) | | 2006510 | 2008510 | 2010510 | 2012510 |
| Packing dimensions HxWxD | cm | 19x11x6,5 | 20,1x15,5x7,9 | 22,8x15,5x7,9 | 28,5x15,5x7,9 |
| Master pack quantity | pcs. | 4 | 4 | 4 | 2 |
| Filter media included | media+ | + | + | + | + |

A special feature of the pickup is that the filter canister and the cartridge can be removed from above but the pump unit remains in the water. This is a practical solution for cleaning or changing the filter cartridge and impeller without having to remove the entire filter.

- Water inlet is in the bottom of the filter
- Outlet nozzle rotates so that you can adjust the direction of the flow
- Filter canister and cartridge are easy to remove from above
- **Easy fit media+** Complete with filter cartridge
- Activated carbon cartridges can also be used (recommended during aquarium start-ups or after treating with medication)



Filter media

| EHEIM pickup | | 45 | Pk | 60 | Pk | 160 | Pk | 200 | Pk |
|------------------|----|---------|----|---------|----|---------|----|---------|----|
| Filter cartridge | 2x | 2615060 | 6 | 2617080 | 6 | 2617100 | 6 | 2617120 | 6 |
| Carbon cartr. | 2x | 2625060 | 6 | 2627080 | 6 | 2627100 | 6 | 2627120 | 6 |



Spherical head provides all round flexibility.

EHEIM
aquaball



Internal filter

Technical data

| | aquaball 60 | aquaball 130 | aquaball 180 | aquaball powerhead 650 |
|-------------------------------------|---------------|---------------|---------------|------------------------|
| Aquarium size up to approx. l | 30-60 | 60-130 | 80-180 | - |
| Pump output approx. l/h | 150-480 | 180-550 | 210-650 | 210-650 |
| Delivery head approx. Hmax m | 0,37 | 0,43 | 0,43 | 0,43 |
| Power consumption W | 5 | 6 | 6 | 6 |
| Filter volume approx. cm³ | 180 | 320 | 460 | - |
| Dimensions WxH mm | 96x160 | 96x215 | 96x270 | 96x150 |
| Art. No. (Europe) | 2401020 | 2402020 | 2403020 | 1212010 |
| Art. No. (UK) | 2401510 | 2402510 | 2403510 | 1212110 |
| Packing dim. HxWxD cm | 22,3x9,5x10,8 | 27,8x9,5x10,8 | 33,5x9,5x10,8 | 13,5x9,5x11 |
| Master pack quantity pcs. | 4 | 4 | 2 | 1 |
| Filter media included media+ | + | + | + | |

- Multi-directional head for individual adjustment of the outflow direction
 - Accessories include: power diffusor for extra aeration and spray bar for natural water surface movement
 - Filter clip ensures secure support and ease of removal
 - Filter media box for different filter media solutions. New blue foam filter pad **5** = mechanical / biological filtration
Fine filter pad = fine filtration
SUBSTRATpro = the best biological filtration
EHEIM AKTIV = adsorptive filtration
- Easy fit media+** complete with Original EHEIM filter media



EHEIM aquaball powerhead 650
Universal pump for general water circulation and under-gravel filters



Accessories (optional)
Wide-jet nozzle Art. 4009680
Nozzle and adapter set Art. 4009700
Extension piece for InstallationSET1 Art. 4009610
Spray bar for InstallationSET2 Art. 4009620

Made in Germany


Accessories (optional)

| | |
|---------------------------------|--------------|
| Up-grade-kit | Art. 4024000 |
| Wide-jet nozzle | Art. 4009680 |
| Nozzle and adapter set | Art. 4009700 |
| Spray bar for InstallationSET 2 | Art. 4009620 |

Filter media

| EHEIM aquaball | 60/130/180 | Pk |
|--------------------|----------------|----|
| Filter cartridge | 2x 2618080 | 6 |
| Carbon cartridge | 2x 2628080 | 6 |
| Fine filter pad* | 3x 2616080 | 6 |
| Foam filter pad* | 2x 2616085 | 6 |
| EHEIM phosphateout | 2x 2638080 | 6 |
| EHEIM SUBSTRATpro | 250 ml 2510021 | 6 |
| EHEIM AKTIV | 250 ml 2513021 | 6 |
| EHEIM bioMECH | 1l 2508051 | 6 |
| EHEIM phosphateout | 130 g 2515021 | 6 |

* for filter media box (4)



The first internal filter with external filter technology and multi-layer filtration.

EHEIM
biopower



Internal filter

Technical data

| | biopower 160 | biopower 200 | biopower 240 |
|-------------------------------------|--------------|--------------|--------------|
| Aquarium size up to approx. l | 80-160 | 100-200 | 160-240 |
| Pump output approx. l/h | 180-550 | 210-650 | 280-750 |
| Delivery head approx. Hmax m | 0,43 | 0,43 | 0,60 |
| Power consumption W | 6 | 6 | 8 |
| Filter volume approx. cm³ | 380 | 530 | 680 |
| Dimensions WxH mm | 96x215 | 96x270 | 96x325 |
| Art. No. (Europe) | 2411020 | 2412020 | 2413020 |
| Art. No. (UK) | 2411510 | 2412510 | 2413510 |
| Packing dim. HxWxD cm | 25x12x10,6 | 30x12x10,6 | 34x12x10,6 |
| Master pack quantity pcs. | 4 | 4 | 2 |
| Filter media included media+ | + | + | + |

biopower – High performance internal filter

- Multi-layer filtration just like an external filter
- Modular construction with closed filter baskets, filled with EHEIM SUBSTRATpro; inlet basket with filter cartridge
- Easy-Klick function to easily put together and take apart filter baskets with a single click
- Fitted with power diffusor for strong oxygen enrichment and a wide jet nozzle for natural surface water movement
- Easy fit media+** fully equipped

Accessories (optional)


| | |
|---------------------------------|--------------|
| Wide-jet nozzle | Art. 4009680 |
| Nozzle and adapter set | Art. 4009700 |
| Spray bar for InstallationSET 2 | Art. 4009620 |

Filter media

| EHEIM biopower | 160/200/240 | Pk |
|--------------------|----------------|----|
| Filter cartridge | 2x 2618060 | 6 |
| Filter cartridge | 2x 2618080 | 6 |
| Carbon cartridge | 2x 2628080 | 6 |
| EHEIM phosphateout | 2x 2638080 | 6 |
| EHEIM SUBSTRATpro | 250 ml 2510021 | 6 |
| EHEIM AKTIV | 250 ml 2513021 | 6 |
| EHEIM bioMECH | 1l 2508051 | 6 |
| EHEIM phosphateout | 130 g 2515021 | 6 |



Made in Germany



biopower 200



Outstanding quality and economically priced.

EHEIM
classic



External filter

| | classic 150 | classic 250 | classic 350 | classic 600 | classic 1500XL |
|-------------------------------|-------------------|-------------------------------|---------------------------|---------------------------|----------------|
| Technical data | | | | | |
| Aquarium size up to approx. | l 50-150 | 80-250 | 120-350 | 180-600 | 300-1500 |
| Pump output approx. | l/h 300 | 440 | 620 | 1000 | 2400 |
| Delivery head approx. | Hmax m 1,2 | 1,5 | 1,8 | 2,3 | 3,7 |
| Power consumption | W 5 | 8 | 15 | 20 | 65 |
| Canister volume | l 1,3 | 3,5 | 4,8 | 6,6 | 23 |
| Filter volume | l 1 | 3 | 4 | 6 | 18 |
| Hose- ø suction/pressure side | mm 12/16 / 9/12 | 12/16 / 12/16 | 12/16 / 12/16 | 16/22 / 12/16 | 25/34 / 16/22 |
| Dimensions WxH | mm 110x290 | 160x355 | 185x370 | 205x400 | 355x570 |
| Art. No. (Europe) | 2211010 | 2213 010/020/050 ¹ | 2215 010/020 ¹ | 2217 010/020 ¹ | 2260010 |
| Art. No. (UK) | - | 2213 500/510/520 ² | 2215520 | 2217520 | 2260500 |
| Packing dimensions HxWxD | cm 36,5x17,8x16,3 | 37x22x16 | 41x29x21 | 41x29x21 | 59x33x33 |
| Master pack quantities | pcs. 1 | 1 | 1 | 1 | 1 |

¹ 010 without filter media/020 with pads and double taps/050 with bio media and double taps
² 500 without filter media/510 with pads and double taps/520 with bio media and double taps

- Permo-elastic silicon sealing ring ①, fixed on the pump head for easy and safe closing after cleaning
- Equipped with filter sponges and/or loose filter media
- Many different accessories
- classic 150 compact sized and stand supplied ② (fits the filter securely and safely)
- classic 250 with filter basket, each with one filter sponge, one filter pad and one activated carbon pad
- classic 1500XL for large aquariums, pump unit can be operated separately from the canister
- classic 1500XL with practical drain tap



Accessories included

Filter basket (only classic 250), spray bar, inlet pipe, hose and installation accessories (more accessories on page 76-83)



| Filter media | 150 | | Pk 250 | | Pk 350 | | Pk 600 | | Pk |
|----------------------------|-----|----------|--------|----------|--------|----------|--------|----------|----|
| | QTY | Art. No. | QTY | Art. No. | QTY | Art. No. | QTY | Art. No. | |
| Coarse filter pad | 2x | 2616111 | 6 | 2616131 | 6 | 2616151 | 6 | 2616171 | 6 |
| Fine filter pad | 3x | 2616115 | 4 | 2616135 | 6 | 2616155 | 5 | 2616175 | 5 |
| Carbon pad | 3x | 2628110 | 1 | 2628130 | 6 | 2628150 | 1 | 2628170 | 1 |
| Filter wadding | 1x | - | - | 2616130 | 1 | - | - | - | - |
| Complete filter media set* | - | - | - | 2522130 | 1 | 2522150 | 1 | 2522170 | 1 |

*MEDIA SET page 47

Made in Germany (classic 1500XL)



Less energy consumption with more power.

EHEIM
ecco pro



5 Watt



5 Watt



8 Watt


External filter

| | ecco pro 130 | ecco pro 200 | ecco pro 300 |
|-------------------------------|-----------------------|---------------------|---------------------|
| Technical data | | | |
| Aquarium size up to approx. | l 60-130 | 100-200 | 160-300 |
| Pump output approx. | l/h 500 | 600 | 750 |
| Delivery head approx. | Hmax m 1,4 | 1,4 | 1,9 |
| Power consumption | W 5 | 5 | 8 |
| Canister volume | l 3,0 | 4,0 | 5,0 |
| Filter volume | l 1,2+0,3 (prefilter) | 2,0+0,3 (prefilter) | 2,8+0,3 (prefilter) |
| Hose- ø suction/pressure side | mm 12/16 / 12/16 | 12/16 / 12/16 | 12/16 / 12/16 |
| Dimensions WxH | mm 205x298 | 205x355 | 205x416 |
| Art. No. (Europe) | 2032020 | 2034020 | 2036020 |
| Art. No. (UK) | 2032510 | 2034510 | 2036510 |
| Packing dimensions HxWxD | cm 38,7x20,7x18,4 | 42,2x23,5x18,4 | 44,0x24,5x18,4 |
| Master pack quantities | pcs. 1 | 1 | 1 |
| Filter media included | media+ + | + | + |

- Low energy consumption with high performance
- Excellent biological and mechanical filtration due to optimum water throughflow
- ① Multi-function handle (for carrying + opening/closing + priming)
- Large volume self-priming
- ② Rotating shut off taps (more convenient handling)
- Runs extremely quietly due to ceramic axles and sleeves
- ③ Practical filter baskets, can be filled according to individual requirements
- ④ Additional prefilter (giving longer cleaning intervals for the other filter media)
- Long-life elastic silicon sealing ring in pumphead
- ⑤ **media+**: Completely equipped with original EHEIM filter media (pre-filled baskets)

Accessories included

2 x shut-off taps, outlet elbow, suction pipe, EHEIM quality hose, set-up accessories (further accessories on page 76-83)



Filter media

| EHEIM ecco pro | 130/200/300 | Pk |
|----------------------------------|-------------|----|
| 1x prefilter/4x fine filter pads | 2616320 | 3 |
| Filter pad | 3x 2616315 | 6 |
| Activated carbon pad | 3x 2628310 | 6 |

You can find a film clip of the external canister filter on our website at www.eheim.com

Made in Germany



37

36

The sturdy basic model in our external filter generation with a square shape.

EHEIM
eXperience



External filter

Technical data

| | | eXperience 150 | eXperience 250 | eXperience 350 |
|-------------------------------|---------------|----------------|----------------|----------------|
| Aquarium size up to approx. | l | 80-150 | 120-250 | 180-350 |
| Pump output approx. | l/h | 500 | 700 | 1050 |
| Delivery head approx. | Hmax m | 1,3 | 1,5 | 2,0 |
| Power consumption | W | 8 | 8 | 24 |
| Canister volume | l | 5 | 6 | 9 |
| Filter volume | l | 2,3 | 3,0 | 4,9 |
| Hose- ø suction/pressure side | mm | 12/16 / 12/16 | 12/16 / 12/16 | 16/22 / 16/22 |
| Dimensions HxWxD | mm | 290x178x178 | 340x178x178 | 375x210x210 |
| Art. No. (Europe) | | 2422020 | 2424020 | 2426020 |
| Art. No. (UK) | | 2422510 | 2424510 | 2426510 |
| Packing dimensions HxWxD | cm | 34x27x19,5 | 38x27x19,5 | 42x29x22 |
| Master pack quantities | pcs. | 1 | 1 | 1 |
| Filter media included | media+ | + | + | + |

- Square base shape for large filter volume and high stability
- Detachable hose adapter with integrated shut-off taps, hose safety cut-off and locking lever as complete unit
- Removable filter media baskets with fold-away handles for easy handling and convenient cleaning

Accessories (included)

Spray bar, suction pipe, outlet pipe, EHEIM quality hose, all set-up accessories (further accessories on page 76-83)



Filter media

| EHEIM eXperience | 150/250 | Pk | 350 | Pk |
|--------------------------------------|------------|----|---------|----|
| 1 x coarse filter/2x fine filter pad | 2616220 | 6 | 2616260 | 5 |
| Coarse filter pad | 3x 2616221 | 6 | 2616261 | 5 |
| Fine filter pad | 3x 2616225 | 6 | 2616265 | 5 |
| Activated carbon pad | 3x 2628220 | 4 | 2628260 | 4 |
| Complete filter media set* | 2522240 | 1 | 2520260 | 1 |

*MEDIA SET page 47

Made in Germany



High-end, top quality technology.

EHEIM
professional4+

EHEIM
professional3



Xtender



External filter

Technical data

| | | professional 4+ 250 | professional 4+ 350 | professional 4+ 600 | professional 3 1200XL |
|-------------------------------|---------------|---------------------|---------------------|---------------------|-----------------------|
| Aquarium size up to approx. | l | 120-250 | 180-350 | 240-600 | 400-1200 |
| Pump output approx. | l/h | 950 | 1050 | 1250 | 1700 |
| Delivery head approx. | Hmax m | 1,5 | 1,8 | 1,8 | 2,6 |
| Power consumption | W | 12 | 16 | 16 | 25 |
| Canister volume | l | 6,1 | 7,4 | 9,2 | 25 |
| Filter volume | l | 3,0+0,5 (prefilter) | 4,5+0,5 (prefilter) | 6,0+0,5 (prefilter) | 12,0+1,5 (prefilter) |
| Hose- ø suction/pressure side | mm | 16/22 / 16/22 | 16/22 / 16/22 | 16/22 / 16/22 | 2x16/22 / 16/22 |
| Dimensions HxWxD | mm | 358x238x244 | 398x238x244 | 453x238x244 | 567x330x330 |
| Art. No. (Europe) | | 2271020 | 2273020 | 2275020 | 2080010 |
| Art. No. (UK) | | 2271510 | 2273510 | 2275510 | 2080500 |
| Packing dim. HxWxD | cm | 40x29,5x24 | 44,3x29,8x24 | 49,5x29,8x24 | 70x38x38 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 |
| Filter media included | media+ | + | + | + | |

EHEIM professional 4+

The latest evolutionary development with emergency button (Xtender)

- Additional control function to counteract blocked filter media and extend intervals between cleaning
- Also available with integrated heater, page 42 „thermofilters”

Accessories (included)

1 x suction pipe (1200XL only = 2x suction pipes)
1 x spray bar, EHEIM quality hoses, set up accessories, prefilter drip tray (1200XL only)



professional 4+ Normal operation (-)

professional 4+ Xtender opened (+)

EHEIM professional 3 1200XL

- Triple hose connector (2x inlet pipes, 1x outlet pipe) for perfect water circulation in large aquariums
- Handling features: recessed handles, transport castors, 4 sturdy clips, multifunction adapter
- Maintenance and flow rate indicator (1200XL)
- Also available with integrated heater p. 43



Filter media EHEIM

| | professional 4+ 250/350/600 | Pk | professional 3 1200XL | Pk |
|----------------------------------|-----------------------------|----|-----------------------|----|
| 1x pre-filter/4x fine filter pad | 2617710 | 3 | 2616802 | 1 |
| Activated carbon pad 3x | 2628710 | 4 | - | |
| Complete filter media set* | - | | 2520800 | 1 |

* MEDIA SET page 47

Made in Germany



The first aquarium filter in the world with electronic control.

Multiple features, constant monitoring, easy to regulate – even via a PC.

EHEIM
professional 3^e



USB connection



electronic

External filter

Technical data

| | | professional 4 ^e + 350 | professional 3 ^e 450 | professional 3 ^e 700 |
|-------------------------------|--------|--------------------------------------|------------------------------------|------------------------------------|
| Aquarium size up to approx. | l | 180-350 | 240-450 | 300-700 |
| Pump output approx. | l/h | 1500 | 1700 | 1850 |
| Delivery head approx. | Hmax m | 2,2 | 2,4 | 2,6 |
| Power consumption | W | 10-35 | 10-35 | 10-35 |
| Canister volume | l | 7,4 | 12,5 | 14,5 |
| Filter volume | l | 4,5+0,5 (prefilter) | 6,0+0,6 (prefilter) | 8,0+0,6 (prefilter) |
| Hose- ø suction/pressure side | mm | 16/22 / 16/22 | 16/22 / 16/22 | 16/22 / 16/22 |
| Dimensions HxWxD | mm | 398x238x244 | 474x264x264 | 534x264x264 |
| Art. No. (Europe) | | 2274020 | 2076010 | 2078010 |
| Art. No. (UK) | | 2274510 | 2076500 | 2078500 |
| Packing dimensions HxWxD | cm | 44,3x29,8x24 | 51x33,5x27 | 57x33,5x27 |
| Master pack quantities | pcs. | 1 | 1 | 1 |
| Filter media included | media+ | + | | |

- 1 Integrated **self primer** for quick filling of the canister
- 2 Easy shut off **Safety hose adapter**; removal of the adapter is only possible when the taps are closed
- 3 **Electronic control** at the touch of a button
- 4 Top **prefilter** effectively traps large dirt particles and allows for longer intervals between cleaning. Easy to remove and simple to clean
- 5 Individual filter baskets professional 4e+ 350 **fully equipped** with Original EHEIM filter media
- 6 **Easy Clean** - simple and easy cleaning of the filter media using the cleaning tray (professional 4e+ 350)
 - **High quality ceramic axle** guarantees extremely quiet running and very long life
 - **Easy fit: media+** Complete with Original EHEIM fine and coarse filter pads and installation accessories



professional 4^e+ 350

Optional EHEIM Interface


Accessories not included

Revolutionary features and multiple settings – from your PC



Art. 4020740

The USB converter (length 3m.) makes it possible to connect the EHEIM professional 3^e/4^e+ external filter via a USB port to a computer. With the EHEIM ControlCenter Software the functions can be easily adjusted, monitored and updated. The EHEIM ControlCenter Software can be downloaded free of charge from www.eheim.de
System requirements:
Windows® 10, Windows® 8/8.1, Windows® 7, Windows® Vista (32/64-Bit), Windows XP™



The user-friendly electronics offer a range of tangible benefits just a touch of a button or a mouse click away!



output control: The water flow can be increased or decreased for optimum conditions at the push of a button.



constant flow: Your selected flow rate is maintained even when the filter media starts to get blocked. The filter adjusts the pump power automatically



stream function: Electronically adjusted alternating flow creating a natural wave-like effect in your aquarium



12h bio function: You can set up two different flow rates within one day - like a day/night effect. Ideal for planted tanks.



service indicator: At the push of a button, the remaining time until the next cleaning interval is displayed by LEDs



auto air out: Air trapped under the pump head is recognised and automatically diverted

electronic error indicator: Permanent electronic system monitoring. Any imbalance is recognised and shown on the display. Simultaneously a programme starts, which automatically attempts to remedy the causes.



Accessories included

- 1x Suction pipe
- 1x Spray bar
- Outlet pipe
- EHEIM quality hose
- Set-up accessories
- Prefilter sponge
- Mains adapter 24V-DC
- CD ControlCenter

You can find a film clip of the external canister filter on our website at www.eheim.com



Filter media EHEIM

| | | professional 3 ^e 450/700 | Pk | professional 4 ^e + 350 | Pk |
|---|----|--|----|--------------------------------------|----|
| 1x coarse pre-filter/4x fine filter pad | | 2616760 | 1 | 2617710 | 3 |
| Activated carbon pad | 3x | 2628760 | 1 | 2628710 | 4 |
| Complete filter media set* | | 2520780 | 1 | - | |

* MEDIA SET page 47



Made in Germany

External thermofilters Filtration plus heating

EHEIM
professionel4+

Only from EHEIM.

EHEIM
professionel3^e



thermo

only for fresh water

External filter

Technical data

| | professionel 4+ 250T | professionel 4+ 350T | professionel 3 1200XLT | professionel 3e 600T |
|-------------------------------|----------------------|----------------------|------------------------|----------------------|
| Aquarium size up to approx. | l | 120-250 | 180-350 | 400-1200 |
| Pump output approx. | l/h | 950 | 1050 | 1700 |
| Delivery head approx. | Hmax m | 1,5 | 1,8 | 2,6 |
| Power consumption | W | 12 | 16 | 25 |
| Heating power | W | 210 | 210 | 500 |
| Canister volume | l | 7,1 | 8,9 | 25 |
| Filter volume | l | 3,0+0,5 (prefilter) | 4,5+0,5 (prefilter) | 12,0+1,5 (prefilter) |
| Hose- ø suction/pressure side | mm | 16/22 / 16/22 | 16/22 / 16/22 | 2x 16/22 / 16/22 |
| Dimensions HxWxD | mm | 398x238x244 | 453x238x244 | 567x330x330 |
| Art. No. (Europe) | | 2371020 | 2373020 | 2180010 |
| Art. No. (UK) | | 2371510 | 2373510 | 2180500 |
| Packing dimensions HxWxD | cm | 44,3x29,8x24 | 49,5x29,8x24 | 70x38x38 |
| Master pack quantities | pcs. | 1 | 1 | 1 |
| Filter media included | media+ | + | + | + |



The powerful and very convenient EHEIM thermofilters are not only equipped with the full range of features of the eXperience and professional 3 filter range, but also with a high quality heating element. They heat and filter your tank easily and simply.


- An easy to read and precise LED display shows the exact water temperature
- With a simple press of a button, the desired temperature can be precisely and easily set
- The integrated temperature control gives an accurate setting of 18-34C (or 65-93 F only on 1200XLT)
- 2+1 safety hose adapter - 2 inlet connections and 1 outlet connection ensure optimum water circulation throughout the aquarium (only on 1200XLT)
- Output display - easily visible in the adapter - shows the filter's performance (only on 1200XLT)
- Heater element protected in the base of the filter canister
- Heat probe located in filter container
- Supplied with 1x coarse filter pad, 1x fine filter pad and filter baskets



Accurate LED display
professionel 4+ 250T/350T
professionel 3e 600T

EHEIM professional 4+ 250T/350T
EHEIM professional 3e 600T
integrated LED Display ①

EHEIM professional 3 1200XLT
integrated LED Display ②



Filter media thermofilters

| EHEIM | professionel 4+ 250T/350T | Pk | professionel 3 1200XLT | Pk | professionel 3 ^e 600T | Pk |
|--|------------------------------|---------|---------------------------|---------|-------------------------------------|---------|
| 1x prefilter pad /4x fine filter pad | Set | 261+710 | 3 | 2616802 | 1 | 2616760 |
| Activated carbon pad | 3x | 2628710 | 4 | - | - | 2628760 |
| Complete filter media set ¹ | - | - | - | 2520800 | 1 | 2520780 |

¹ MEDIA SET page 47





EHEIM Filter media – The Original

EHEIM filter media – highly efficient, developed in our own laboratory, produced from the only the best raw materials, continuously checked and guaranteed free from pollutants.

Even the best internal and external filters are ineffective if they are not filled with the correct filter media. Filter media are made from various materials which perform multiple functions: they trap dirt and fine particles, provide biological decomposition of harmful substances, remove contaminants or effect a chemical change. Depending on the size and stocking levels of the aquarium, the type of filter used and the local water quality – appropriate filter media needs to be used and combined. The correct layering of the filter media is also critical to the water quality.

Mechanical filter media

Mechanical filter media trap dirt and fine particles. This takes place before the water flows through the rest of the cleaning process and also at later stages in the filtration.

Biological filter media

The main task of biological filter media is to offer the best colonisation conditions for bacteria cultures. The purification bacteria convert harmful substances in a natural way.

Mechanical-biological filter media

Dirt-trapping pockets in the media capture particles but at the same time the pore structure provides colonisation for purification bacteria.

Adsorptive filter media

Adsorptive filter media remove and retain harmful substances from the water - for example; chlorine, remains of cleaning agents, water treatments, colouring agents and so on.

Chemical filter media

Depending on which type, these filter media control the ph-value and the water hardness - or lower the phosphate content and inhibit the growth of algae.

Coarse and fine filter pads


Coarse and fine filter pads perform different functions in the media layering in EHEIM filters and, depending on the model, combine mechanical, biological and adsorptive filtration.

Filter cartridge for internal filters

The cartridges consist of special foam material, fit the appropriate internal filters and clean both mechanically and biologically. Adsorptive filter cartridges can be used to remove phosphate.

Media Sets

Filter Media Sets are customised to suit the different EHEIM filters. This means that all the medias necessary for the filtration of any particular filter, are in a single all-in-one pack.



EHEIM filter media for the best water in the world

EHEIM



MEDIA SET



Filter media

Filter media have various functions. They trap dirt and floating matter and perform the biological conversion or chemical alteration of the water. They are therefore divided into the following types: mechanical, biological, adsorptive and chemical filter media.

Mechanical filter media

Coarse material works directly where the filtration process begins. The water is swirled around and larger dirt particles become trapped. The water then flows through the rest of the filtering process. Various media perform this function. Particularly effective are EHEIM MECH and EHEIM bioMECH.

Biological filter media

After the initial mechanical media treatment, biological media begin the most important task in the filter. With the colonisation of important purification bacteria, a kind of bacterial lawn is formed, which feeds on and transforms all kinds of dirt particles harmful to the aquarium. The main role of the biomedium is to offer the best colonisation conditions for the purification bacteria. EHEIM biological media ensure stable conditions in the tank due to the best possible surface structure (eg. EHEIM SUBSTRATpro).

Tip: Never wash or change all the biomedium at the same time. This would destroy the colonies and hinder re-colonisation. The filter baskets in the external filter and the filter module in aquaball are ideal for partial cleaning.

mechanical

| EHEIM SYNTH | Pk |
|-------------------------------|-----------|
| Filterwadding/Fine filtration | |
| 1,0 l | 2504051 6 |
| 2,0 l | 2504101 5 |

| EHEIM FIX | Pk |
|--|-----------|
| Pre-filtering medium/ Fine filtration ● | |
| 1,0 l | 2506051 6 |
| 5,0 l | 2506751 1 |

| EHEIM MECH | Pk |
|------------------------|-----------|
| Pre-filtering medium ● | |
| 1,0 l | 2507051 6 |
| 2,0 l | 2507101 5 |
| 5,0 l | 2507751 1 |

| EHEIM MECHpro | Pk |
|------------------------|-----------|
| Pre-filtering medium ● | |
| 1,0 l | 2505051 6 |
| 2,0 l | 2505101 5 |

mechanical/biological

| EHEIM bioMECH | Pk |
|-----------------|-----------|
| Filter medium ● | |
| 1,0 l | 2508051 6 |
| 2,0 l | 2508101 5 |
| 5,0 l | 2508751 1 |

biological

| EHEIM SUBSTRAT | Pk |
|----------------------------|-----------|
| Sintered glass granulate ● | |
| 1,0 l | 2509051 6 |
| 2,0 l | 2509101 5 |
| 5,0 l | 2509751 1 |

| EHEIM SUBSTRATpro | Pk |
|----------------------------------|-----------|
| Sintered pearl-shaped glass ● | |
| 250 ml * | 2510021 6 |
| 1,0 l | 2510051 6 |
| 2,0 l | 2510101 5 |
| 5,0 l | 2510751 1 |

| EHEIM LAV | Pk |
|-----------------|-----------|
| Volcanic rock ● | |
| 1,0 l | 2519051 6 |
| 5,0 l | 2519751 1 |

* Filter media box aquaball
● reusable

Tip: Use of EHEIM filter media

The use of biological filter media such as EHEIM SUBSTRAT, SUBSTRATpro and LAV as well as mechanical filter media like EHEIM MECHpro and MECH are only recommended for tanks that solely stock fish.

However, EHEIM SYNTH, FIX, AKTIV and phosphateout can be used in marine water aquariums which stock both fish and corals.

Adsorptive filter media

This type of filter material draws out and retains pollutants from the water. These can be chemical compounds, such as chlorine from tap water used when setting up your tank or chemical remains after the treatment of livestock.

TIP: Since adsorptive filter media retain pollutants but do not really convert them, they need to be changed regularly.

Chemical filtration

EHEIM TORFpellets chemically influence the pH value and water hardness.

TIP: TORF expands in water, therefore lightly rinse, not wash, before use. TORF must be changed after 3-6 weeks. Do not use TORF with activated carbon.

EHEIM phosphateout binds phosphate to iron and extracts it from the water circulation – hindering the growth of algae in the aquarium. Free from harmful substances and suitable for both fresh and marine water.

adsorptive

| EHEIM KARBON ** | Pk |
|------------------|-----------|
| Activated carbon | |
| 1,0 l | 2501051 6 |
| 2,0 l | 2501101 5 |
| 5,0 l | 2501751 1 |
| 1,0 l net bag | 2501401 6 |
| 2,0 l net bag | 2501451 5 |

| EHEIM AKTIV | Pk |
|--------------------------|-----------|
| Special activated carbon | |
| 250 ml * | 2513021 6 |
| 1,0 l net bag | 2513101 6 |
| 2,0 l net bag | 2513051 5 |

chemical

| EHEIM TORFpellets** | Pk |
|---------------------|-----------|
| Filter peat | |
| 1,0 l | 2511051 6 |

| EHEIM phosphateout | Pk |
|--------------------|-----------|
| Phosphate remover | |
| 130 g | 2515021 6 |
| 390 g | 2515051 6 |

| Dosage phosphateout | Pk |
|---------------------|---------------|
| 130 g * | 2x 65 g 100 l |
| 390 g | 6x 65 g 300 l |

Made in Germany
(not EHEIM AKTIV)

**only for fresh water
* filter media box aquaball

Perfectly matched

These complete media sets are perfectly matched to our EHEIM filters. Your customers can have the correct media for their filter in one convenient pack.

EHEIM MEDIA SETs

| classic | 2213 Pk | 2215 Pk | 2217 Pk |
|-------------------|-----------|-----------|-----------|
| Art. No. | 2522130 1 | 2522150 1 | 2522170 1 |
| MECH | 1x1l | 1x1l | 1x1l |
| SUBSTRATpro | 2x1l | 3x1l | 4x1l |
| Coarse filter pad | 1x | 1x | 1x |
| Fine filter pad | 1x | 1x | 1x |


| eXperience professional | 2422/2424/2124 Pk | 2222/2322 Pk | 2224/2324 Pk |
|-------------------------|-------------------|--------------|--------------|
| Art. No. | 2522240 | | |
| MECH | 1x 1l | | |
| SUBSTRATpro | 2x 1l | | |
| Coarse filter pad | 1x | | |
| Fine filter pad | 1x | | |

| eXperience professional II | 2426 Pk | 2026/2126 Pk | 2028/2128 Pk |
|----------------------------|---------|--------------|--------------|
| Art. No. | 2520260 | 1 | 2520280 |
| MECH | 2x 1l | | 2x 1l |
| SUBSTRATpro | 2x 1l | | 4x 1l |
| Coarse filter pad | 1x | | 1x |
| Fine filter pad | 1x | | 1x |

| professional 3 | 2080/2180 Pk |
|-----------------|--------------|
| Art. No. | 2520800 |
| MECH | 4x 1l |
| SUBSTRATpro | 8x 1l |
| Pre-filter pad | 1x |
| Fine filter pad | 1x |

| professional 3e | 2076/2078/2178 Pk |
|-----------------|-------------------|
| Art. No. | 2520780 |
| MECHpro | 4x 1l |
| SUBSTRATpro | 2x 1l |
| bioMECH | 2x 1l |
| Pre-filter pad | 1x |
| Fine filter pad | 1x |

Original EHEIM Cartridges and filter pads



EHEIM media set-up



Most EHEIM filters come pre-filled with the correct filter media. For after sales or for customised filtration we offer you a variety of media in complete filter media sets or single packs.

Filter media

EHEIM filter cartridges for internal filters

These are made of phenol-free foam materials and offer a large colonisation area. They can be easily changed and after a short run-in period they provide biological decomposition of harmful pollutants in addition to mechanical water cleaning. Specially treated activated carbon cartridges are also available which are excellent for adsorptive filtration.

EHEIM filter pads / foam filter pads

Specially structured materials provide outstanding purification. Water permeates them evenly, coarse particles and even the finest particle residues are trapped mechanically. After a short run-in period, purification bacteria lodge in the special foam material and ensure the intensive, biological decomposition of toxins. In addition, carbon pads have an adsorptive effect: dissolved pollutants are trapped on their surface and therefore removed from the water cycle.

EHEIM phosphate remover

phosphateout Art. 2638080 for aquaball 60/130/180 biopower 160/200/240 prefilter 4004320

These foam cartridges are soaked in an iron compound for chemical filtration that binds the phosphate to the iron and removes it from the water circulation. This lowers the phosphate content and inhibits the growth of algae in your aquarium. The cartridges are free from harmful substances. When the levels of phosphates in the aquarium begin to rise again, the cartridge is ready to be changed. These cartridges are for one time use only and can be used in fresh or marine water set ups.

All filter cartridges and fleeces can be found on: www.eheim.com

| Filter cartridges | | | | Carbon cartridges | | | |
|---------------------------------------|-----|---|----|--------------------------------|---------|----|--|
| For filter Art. | | Art. No. | Pk | Art. No. | | Pk | |
| 2000 | 2x | 2616000 | 6 | - | | | |
| 2006 | 2x | 2615060 | 6 | 2x | 2625060 | 6 | |
| 2008 | 2x | 2617080 | 6 | 2x | 2627080 | 6 | |
| 2010 | 2x | 2617100 | 6 | 2x | 2627100 | 6 | |
| 2012 | 2x | 2617120 | 6 | 2x | 2627120 | 6 | |
| 2048 | 2x | 2615480 | 6 | 2x | 2625480 | 6 | |
| 2203/2204 | 2x | 2616030 | 1 | - | | | |
| 2206 | 2x | 2618060 | 6 | - | | | |
| 2208-12 | 2x | 2618080 | 6 | 2x | 2628080 | 6 | |
| 2252 | 2x | 2615510 | 1 | 2x | 2625520 | 1 | |
| 3536 | 2x | 2615360 | 1 | - | | | |
| 4003000 | 2x | 2615300 | 6 | - | | | |
| Fine filter pad | | | | Activ. carbon fine filter pads | | | |
| 2004/2005 | | | | 3x | 2628040 | 6 | |
| 2026-2128 | 3x | 2616265 | 5 | - | | | |
| 2208-12 | 3x | 2616080* | 6 | - | | | |
| 2211 | 3x | 2616115 | 4 | 3x | 2628110 | 1 | |
| 2213 | 3x | 2616135 | 6 | 3x | 2628130 | 6 | |
| 2215 | 3x | 2616155 | 5 | 3x | 2628150 | 1 | |
| 2217 | 3x | 2616175 | 5 | 3x | 2628170 | 1 | |
| 2222-2324 | 3x | 2616225 | 6 | - | | | |
| 2226-2328 | 3x | 2616265 | 5 | - | | | |
| 2231/33/35 | 3x | 2616315 | 6 | 3x | 2628310 | 6 | |
| 2232/34/36 | 3x | 2616315 | 6 | 3x | 2628310 | 6 | |
| 2422/2424/2124 | 3x | 2616225 | 6 | - | | | |
| 2426 | 3x | 2616265 | 5 | - | | | |
| Set filter pad/coarse foam filter pad | | | | | | | |
| 2004/2005 | Set | 2616040 (1x prefilter pad/1x filter pad/3x fine filter pad) | | 4 | | | |
| 2026-2128 | Set | 2616260 (1x coarse filter pad/2x fine filter pad) | | 5 | | | |
| 2032-2036 | Set | 2616320 (1x prefilter pad/4x fine filter pad) | | 3 | | | |
| 2071-2075 | Set | 2616710 (1x prefilter pad/4x fine filter pad) | | 3 | | | |
| 2271-2275 | Set | 2617710 (1x prefilter pad/4x fine filter pad) | | 3 | | | |
| 2076/2078 | Set | 2616760 (1x prefilter pad/4x fine filter pad) | | 1 | | | |
| 2080/2180 | Set | 2616802 (1x prefilter pad/4x fine filter pad) | | 1 | | | |
| 2222-2324 | Set | 2616220 (1x coarse filter pad/2x fine filter pad) | | 6 | | | |
| 2226-2328 | Set | 2616260 (1x coarse filter pad/2x fine filter pad) | | 5 | | | |
| 2422/2424/2124 | Set | 2616220 (1x coarse filter pad/2x fine filter pad) | | 6 | | | |
| 2426 | Set | 2616260 (1x coarse filter pad/2x fine filter pad) | | 5 | | | |
| Coarse foam filter pad | | | | Activ. carbon filter pads | | | |
| 2208-12 | 2x | 2616085* | 6 | - | | | |
| 2211 | 2x | 2616111 | 6 | - | | | |
| 2213 | 2x | 2616131 | 6 | - | | | |
| 2215 | 2x | 2616151 | 6 | - | | | |
| 2217 | 2x | 2616171 | 6 | - | | | |
| 2231/33/35 | 3x | 2616310 | 6 | - | | | |
| 2232/34/36 | 3x | 2616310 | 6 | - | | | |
| 2026-2128 | 3x | 2616261 | 5 | 3x | 2628260 | 4 | |
| 2073-2075 | - | - | - | 3x | 2628710 | 4 | |
| 2076/2078 | - | - | - | 3x | 2628760 | 1 | |
| 2222-2324 | 3x | 2616221 | 6 | 3x | 2628220 | 4 | |
| 2226-2328 | 3x | 2616261 | 5 | 3x | 2628260 | 4 | |
| 2422/2424/2124 | 3x | 2616221 | 6 | 3x | 2628220 | 4 | |
| 2426 | 3x | 2616261 | 5 | 3x | 2628260 | 4 | |


* Filter media box aquaball

EHEIM classic

- EHEIM coarse and fine filter pads
These guarantee the basic mechanical and biological filtration.

EHEIM eXperience

- EHEIM fine filter pads – for additional mechanical and biological filtration.
- EHEIM SUBSTRAT – Standard biofilter medium with a large colonisation area for bacterial cultures
- EHEIM coarse filter pads – for mechanical (and biological) filtration




classic 350

eXperience 350

EHEIM ecco pro

- EHEIM filter pad – for additional mechanical and biological filtration.
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – bio-filter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium which although is mainly for trapping dirt particles, also encourages the colonisation of purification bacteria.



ecco pro 130

ecco pro 200

ecco pro 300

EHEIM professional 3 / EHEIM professional 4+

- EHEIM coarse filter pads – for additional mechanical and biological filtration and longer intervals between cleaning
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – biofilter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium



professional 4+ 250

professional 3 350

professional 3+ 600T

Compact, powerful and silent
Improved performance values and versatile accessories.

EHEIM
compactON



new



new



new



new



new



new



Pumps

Technical data

| | | compactON 300 | compactON 600 | compactON 1000 | compactON 2100 | compactON 3000 | compactON 5000 |
|-----------------------------|----------------|---------------|---------------|----------------|----------------|----------------|----------------|
| Pump output approx. | l/h | 170-300 | 250-600 | 400-1000 | 1400-2100 | 1800-3000 | 5000 |
| Delivery head approx. | Hmax m | 0,6 | 1,0 | 1,4 | 2,4 | 2,7 | 3,6 |
| Power consumption | W | 7 | 7 | 15 | 38 | 55 | 70 |
| Connection on pressure side | ø | 12/16 | 12/16 | 16/22 19/27 | 19/27 25/34 | 19/27 25/34 | 25/34 1 1/4" |
| | suction side ø | - | - | 16/22 19/27 | 19/27 25/34 | 19/27 25/34 | 25/34 1 1/4" |
| Dimensions HxWxD | mm | 72x38x62 | 72x38x62 | 79x47x73 | 142x70x109 | 142x70x109 | 154x92x142 |
| Art. No. (Europe) | | 1020220 | 1021220 | 1022220 | 1030220 | 1031220 | 1032220 |
| Art. No. (UK) | | 1020340 | 1021340 | 1022340 | 1030340 | 1031340 | 1032340 |
| Packing dimensions HxWxD | cm | 12x9,7x7,4 | 12x9,7x7,4 | 14x12x7 | 15x14x10 | 15x14x10 | 18x18,7x11 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 |

For optimum flow and clear water

- Successor to the compact and compact+ series
- Attach to aquarium with robust suction cups
- Accessories include strainer and threaded connectors
- Very quiet due to ceramic shaft
- High performance with lower power consumption
- compactON 5000 available as an electronic version for extra efficiency

EHEIM compactON is the compact and yet powerful aquarium pump. Available in six sizes, for flow rates from 170 to 5000 liters per hour.

The EHEIM compactON aquarium pump is characterized by its name through a compact design and is thanks to the included accessory bag appropriate for versatile use – the EHEIM compactON 2100-5000 can also be modified for the use outside of the water. Thanks to the high quality material it is also possible to use them without problems in marine water.

For even more flexibility, the flow rate is adjustable for all models, except for the EHEIM compactON 5000.



Accessories (included)

compactON 300/600

compactON 1000

compactON 2100/3000



compactON 5000

adjustable flow rate
EHEIM compactON
300/600/1000/2100/3000

not adjustable
EHEIM compactON
5000



compactON 600/1000/3000/5000*
* Energy-Saving: up to 37 % compared to the previous model compact/compact+



Marine water flow pump for natural living conditions.

EHEIM
streamON

EHEIM
streamON+

Marine



Pumps

Technical data

| | streamON 1800 | streamON 3000 | streamON 3800 |
|-------------------------------|------------------|------------------|------------------|
| Aquarium size up to approx. l | 150 | 250 | 350 |
| Pump output approx. l/h | 1800 | 3000 | 3800 |
| Power consumption W | 3 | 4,5 | 7,5 |
| Glass thickness mm | | | |
| Dimensions HxWxD mm | 62x46x75 | 90x61x85 | 90x61x85 |
| Art. No. (Europe) | 1070220 | 1071220 | 1072220 |
| Art. No. (UK) | 1070340 | 1071340 | 1072340 |
| Packing dim. HxWxD cm | 13,6x9x8,2 | 16,3x11,5x8,3 | 16,3x11,5x8,3 |
| Master pack quantities pcs. | 4 | 3 | 3 |

Technical data

| | streamON+ 2000 | streamON+ 4000 | streamON+ 5000 |
|-------------------------------|------------------------|-------------------|-------------------|
| | adjustable pump output | | |
| Aquarium size up to approx. l | 35-200 | 150-350 | 350-500 |
| Pump output approx. l/h | 1400-2000 | 2400-4000 | 3800-5000 |
| Power consumption W | 3,5 | 5 | 10 |
| Glass thickness mm | 3-8 | 6-12 | 6-12 |
| Dimensions HxWxD mm | 62x46x75 | 90x61x85 | 90x61x85 |
| Art. No. (Europe) | 1080220 | 1081220 | 1082220 |
| Art. No. (UK) | 1080340 | 1081340 | 1082340 |
| Packing dim. HxWxD cm | 13,6x9x8,2 | 16,3x11,5x8,3 | 16,3x11,5x8,3 |
| Master pack quantities pcs. | 4 | 3 | 3 |

EHEIM streamON – the compact streaming pumps for marine and fresh water.

- Compact and practical design
- Optimum water circulation with enhanced aeration
- Natural and gentle flow pattern
- Recreates natural living conditions
- Flexible positioning due to rotating bracket
- 3D settings; 180° rotation
- Extremely quiet and low maintenance
- Low energy use and high energy efficiency
- High safety and reliability

In a **marine aquarium**, the flow of water from the pump is designed to stimulate the natural and vital currents in a coral reef. These currents provide the sessile corals with nutrients (phytoplankton, zooplankton, dissolved nutrients and oxygen) and simultaneously remove metabolic products from the corals.

In a **freshwater aquarium** the use of a water flow pump improves the aquarium environment due to the higher oxygen supply. Many tropical fish, such as Malawi /Tanganyika cichlids and loaches, react positively to the natural environment recreated by the natural current simulation.



streamON
1800/3000/3800
Quick and easy
fixing with suction
cup bracket



**The EHEIM streamON+ gives you more flexibility than any other streaming pump.
Suitable for both fresh and marine water.**

- Essential for corals in marine aquariums and beneficial for fresh water fish
- Flexible positioning – horizontal or vertical
- Rotates up to 180° (3D adjustable)
- With magnetic mounting bracket for 3-8mm glass thickness (streamON+ 2000) and 6-12mm (streamON+ 4000/5000)
- Outflow adjustable in small increments
- Extremely quiet and very low maintenance

streamON+
2000/4000/5000
with magnetic
bracket



Made in Germany



Made in Germany




Power for all occasions.

EHEIM
universal



Pumps


| Technical data | universal 1005 | universal 300 | universal 600 | universal 1200 | universal 2400 | universal 3400 |
|---------------------------------------|----------------|---------------|---------------|----------------|----------------|----------------|
| Pump output approx. l/h | 270 | 300 | 600 | 1200 | 2400 | 3400 |
| Delivery head Hmax m | 0,75 | 1,2 | 1,5 | 2,0 | 3,7 | 3,6 |
| Power consumption W | 4 | 5 | 10 | 28 | 65 | 80 |
| Connection ø mm/Thread on intake side | 17 / - | 13 / G3/8" | 13 / G3/8" | 18 / G1/2" | 28 / G3/4" | 28 / G3/4" |
| on pressure side | 13 / - | 11 / G1/8" | 13 / G1/4" | 13 / G3/8" | 18 / G3/4" | 18 / G3/4" |
| Dimensions HxWxD mm | 87x66x88 | 103x146x75 | 115x147x75 | 121x178x96 | 161x218x116 | 161x218x116 |
| Art. No. (Europe) 1,5 m | 1005215 | 1046219 | 1048219 | 1250219 | 1260210 | 1262210 |
| Art. No. (UK) 1,5 m | - | - | - | - | 1260350 | 1262350 |
| Art. No. (Europe) 10 m | - | 1046019 | 1048019 | 1250019 | 1260010 | 1262010 |
| Art. No. (UK) 10 m | - | 1046119 | 1048119 | 1250119 | - | - |
| Packing dim. HxWxD cm | 9,8x12,5x15,5 | 10x21x15 | 10x21x15 | 14x26,5x17 | 13,5x26,5x17 | 13,5x26,5x17 |
| Master pack quantities pcs. | 1 | 1 | 1 | 1 | 1 | 1 |



Universal pumps output diagram

EHEIM universal pumps

- Durable
- Ceramic shaft
- Designed for continuous use in or out of the water
- Hermetically sealed motor body guarantees continuous operation
- ① Integrated pre-filter
- ② Inlet connector for hose connection
- ③ Variable fixing options



| Filter media | universal 300 | 600 | 1200 | 2400/3400 Pk 1060 |
|------------------|---------------|---------|---------|-------------------|
| Coarse filter 2x | 2615465 | 2615485 | 2615500 | 2615600 |

Types of usage in marine aquariums

Return (circulation) pump in sump tank

| | Aquarium size up to approx. |
|----------------------|-----------------------------|
| EHEIM universal 1200 | 200 |
| EHEIM universal 2400 | 300-500 |
| EHEIM universal 3400 | 500-600 |



Made in Germany



Silent Air.

EHEIM
air pump



Pumps

| Technical data | air pump 100 | air pump 200 | air pump 400 |
|-----------------------------|--------------|--------------|--------------|
| Pump output approx. l/h | 100 | 200 (2x100) | 400 (2x200) |
| Power consumption W | 3,5 | 3,5 | 4 |
| Delivery head Hmax m | 2 | 2 | 2 |
| Hose connections | 1 | 2 | 2 |
| Hose diameter mm | 4/6 | 4/6 | 4/6 |
| Dimensions HxWxD mm | 152x89x71 | 152x89x71 | 152x89x71 |
| Art. No. (Europe) | 3701010 | 3702010 | 3704010 |
| Art. No. (UK) | 3701110 | 3702110 | 3704110 |
| Packing dimensions HxWxD cm | 24x14,5x8,5 | 24x14,5x8,5 | 24x14,5x8,5 |
| Master pack quantities pcs. | 3 | 3 | 3 |

The **EHEIM air pump** offers several benefits:

- Continuously quiet operation
 - Air flow can be regulated on the pump ①/②
 - Additional adjustment of the air flow and bubble effect using the diffuser ③
 - Fully equipped with
- | | |
|------------------|-----|
| Diffuser | |
| air pump 100 | 1x |
| air pump 200/400 | 2x |
| air hose | |
| air pump 100 | 1 m |
| air pump 200/400 | 2 m |

New: EHEIM diffuser


- Adjustable air flow and bubble pattern
- Replaceable felt pad (Art. No. 7400030)
- Clever design
- Durable

Accessories (optional):


air filter (page 79) Art. No. 4003000




Individually adjustable air flow: air pump 200/400



Air pump output diagram



Practical strap with hole for hanging



Accessories



Everything you need in ease of use products - for cleaning, maintenance, installations and much more ...

Whether you need an automatic fish feeder for when you are on holiday or a useful and perfectly functional cleaning aid for maintaining your aquarium (automatic gravel cleaner), whether you want to adjust the flow in your tank (see installation sets) or you are looking for a safe maintenance spray to keep your filter functioning freely – EHEIM offers a variety of products to give the aquarist more time to enjoy their aquarium with less time spent doing mundane tasks. With original EHEIM accessories, we can offer you well thought out, cleverly constructed, extensively tested and guaranteed high quality products.

The UV-steriliser with a new kind of reflector technology.

EHEIM
reeflexUV



UV-steriliser

Technical data


| | | reeflexUV 350 | reeflexUV 500 | reeflexUV 800 |
|-----------------------------|------|---------------|---------------|---------------|
| Aquarium size up to approx. | l | 80-350 | 300-500 | 400-800 |
| Dimensions HxWxD approx. | mm | 309x106x128 | 383x106x149 | 523x106x149 |
| Hose- ø | mm | ø 12/16 | ø 16/22 | ø 16/22 |
| Pressure max. | bar | 0,8 | 0,8 | 0,8 |
| Turbidity | l/h | 400 | 800 | 1200 |
| Reduction of germs | l/h | 200 | 400 | 600 |
| Power consumption | W | 7 | 9 | 11 |
| Art. No. (Europe) | | 3721210 | 3722210 | 3723210 |
| Art. No. (UK) | | 3721350 | 3722350 | 3723350 |
| Packing dimensions HxWxD | cm | 31,7x18,8x11 | 36,2x18,8x11 | 49,2x18,8x11 |
| Master pack quantities | pcs. | 1 | 1 | 1 |


1,8 times higher effectiveness and less energy consumption compared to conventional technology.

- Quickly and effectively reduces micro-organisms in the water
- Eliminates turbidity caused by algae or bacteria
- Internally fitted high gloss aluminium reflects the UV-C light and ensures extra efficient sterilisation
- No performance loss as, using a special design, the water is not redirected
- Ideal for use in breeding tanks, reduces risk of infection
- Colonised bacteria are retained in the filter as only floating organisms are eradicated
- Simple and safe maintenance and cleaning
- AUTO-OFF: automatic safety cut-off when the light is being changed
- Simple bracket for attaching UV to either the cabinet or the side of the tank

Accessories included

EHEIM UV-C-lamp, bracket, ballast with power cable, 2x hose connection taps
 ø 12/16 mm (reeflexUV 350)
 ø 16/22 mm (reeflexUV 500 und 800).



WARNING: 
 UV-C radiation can harm eyes and skin even in small doses.

| | ø 12/16 mm | ø 16/22 mm |
|--------------|---------------|--------------|
| Hose, 3 m | Art. 4004943 | Art. 4005943 |
| Shut-off tap | Art. 4004512 | Art. 4005510 |
| Reducer | 16/22 > 12/16 | Art. 4004980 |

| Accessories (optional) | | |
|--|------------------|---------|
| Original EHEIM replacement lamp Art. No. | | |
| 7 Watt | for reflexUV 350 | 7315298 |
| 9 Watt | for reflexUV 500 | 7315168 |
| 11 Watt | for reflexUV 800 | 7315308 |



Made in Germany

The micro surface skimmer for smaller aquariums up to 350 l

EHEIM
skim350

Protein skimmer for marine water aquariums

EHEIM
skimmarine

Marine



Accessories

Technical data

| | | skim350 |
|-------------------------------|-----------------|---------------|
| Aquarium size up to | l | 350 |
| Pump output | l/h | 300 |
| Delivery head | Hmax m | 0,5 |
| Prefilter volume | cm ³ | 19,7 |
| Hose connection pressure side | ø mm | 13 |
| Power consumption | W | 5 |
| Dimension HxWxD | mm | 132x40,5x54 |
| Art. No. (Europe) | | 3536220 |
| Art. No. (UK) | | 3536340 |
| Packing dimensions HxWxD | cm | 13,5x9,0x8,15 |
| Master pack quantities | pcs. | 1 |
| Filter cartridge included | media+ | + |



Simple, quick and easy to set up. For alternate use in different aquariums. Ready for immediate use.

- Small surface skimmer for aquariums up to 350 l
- Removes dirt residue and microorganisms from the water surface (surface scum)
- This promotes natural gas exchange
- Practical for constant or intermittent use
- Quick set-up – easy to attach to the tank glass with suction cups
- For use when necessary – also adaptable to a range of different aquariums (be careful that no algae spores etc. are transferred)
- Connector for outlet hose
- Only 5 W energy consumption

Accessories (optional)

| | |
|----------------|---------|
| Suction cup 4x | 7445848 |
| Connector set | 7481200 |



| Filter media | EHEIM skim350 | Pk |
|------------------|---------------|----|
| Filter cartridge | 2 x 2615360 | 1 |



Technical data

| | | skimmarine 100 | skimmarine 300 |
|--------------------------|------|----------------|----------------|
| Aquarium size up to | l | 100 | 300 |
| Pump output | l/h | 100* | 500 |
| Volume skimmer cup | ml | 65 | 270 |
| Dimensions HxWxD | mm | 25x7,5x4,5 | 347x153x91 |
| Art. No. (Europe) | | 3551000 | 3549220 |
| Art. No. (UK) | | 3551000 | 3549340 |
| Packing dimensions HxWxD | cm | 32,5x17,5x5,0 | 39x18,7x11,6 |
| Master pack quantities | pcs. | 1 | 1 |

* only in conjunction with EHEIM airpump 100

EHEIM skimmarine 100 Nano skimmer

- For small marine water aquariums up to approximately 100 litres
- Small and compact design
- Simple installation
- Can be removed for cleaning
- Silent due to the lime wood diffuser
- Does not disturb the natural plankton in the aquarium

Air pump required to operate skimmarine 100

EHEIM airpump 100

| | |
|------------------|---------|
| Art.No. (Europe) | 3701010 |
| Art.No. (UK) | 3701110 |



EHEIM skimmarine 300 Motorised mini skimmer for marine aquariums up to 300 litres

- Easily installed using the magnetic holder
- Completely detachable for cleaning
- Silent
- Highly efficient skimmer pump with a needle wheel impeller
- Air intake: Self-priming (Dispersant principle)
- Adjustable air intake
- Low energy consumption
- High skim rate
- Ozone-resistant
- Compact design



EHEIM skimmarine 300



Aquarium lighting – shown in a new light T5 fluorescent tubes

EHEIM
freshpower

T5 fluorescent tubes - for marine aquariums

EHEIM
marinepower



marine


Lighting

| EHEIM freshpower | | daylight T5 | | | | plants T5 | | | |
|-------------------------|---------|-------------|---------|-----------|-----------|-----------|---------|-----------|-----------|
| | | 24 W | 39 W | 54 W | 80 W | 24 W | 39 W | 54 W | 80 W |
| Technical Data | | | | | | | | | |
| Performance | W | 24 | 39 | 54 | 80 | 24 | 39 | 54 | 80 |
| Overall length | mm | 549 | 849 | 1149 | 1449 | 549 | 849 | 1149 | 1449 |
| Diameter | mm | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| Light colour | K | 6500 | 6500 | 6500 | 6500 | 4000 | 4000 | 4000 | 4000 |
| Rated light flux | lm | 1850 | 3300 | 4750 | 6500 | 1200 | 2050 | 3050 | 4100 |
| Energy efficiency class | | A | A | A | A | B | B | B | B |
| Art. No. | | 4124015 | 4139015 | 4154015 | 4180015 | 4124025 | 4139025 | 4154025 | 4180025 |
| EAN | 4011708 | 410011 | 410028 | 410035 | 410042 | 410059 | 410066 | 410073 | 410080 |
| Packing dimensions H | mm | 678 | 980 | 1285 | 1585 | 678 | 980 | 1285 | 1585 |
| Packing dimensions WxD | mm | 26x26 | 26x26 | 27,5x27,5 | 27,5x27,5 | 26x26 | 26x26 | 27,5x27,5 | 27,5x27,5 |
| Master pack quantities | pcs. | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |


| EHEIM marinepower | | hybrid T5 | | | | actinic blue T5 | | | |
|-------------------------|---------|-----------|---------|-----------|-----------|-----------------|----------|-----------|-----------|
| | | 24 W | 39 W | 54 W | 80 W | 24 W | 39 W | 54 W | 80 W |
| Technical Data | | | | | | | | | |
| Performance | W | 24 | 39 | 54 | 80 | 24 | 39 | 54 | 80 |
| Overall length | mm | 549 | 849 | 1149 | 1449 | 549 | 849 | 1149 | 1449 |
| Diameter | mm | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| Light colour | K | 17.000 | 17.000 | 17.000 | 17.000 | > 25.000 | > 25.000 | > 25.000 | > 25.000 |
| Rated light flux | lm | 1100 | 1950 | 2800 | 3900 | 525 | 850 | 1150 | 1550 |
| Energy efficiency class | | B | B | B | B | B | C | C | C |
| Art. No. | | 4124035 | 4139035 | 4154035 | 4180035 | 4124045 | 4139045 | 4154045 | 4180045 |
| EAN | 4011708 | 410097 | 410103 | 410110 | 410127 | 410134 | 410141 | 410158 | 410165 |
| Packing dimensions H | mm | 678 | 980 | 1285 | 1585 | 678 | 980 | 1285 | 1585 |
| Packing dimensions WxD | mm | 26x26 | 26x26 | 27,5x27,5 | 27,5x27,5 | 26x26 | 26x26 | 27,5x27,5 | 27,5x27,5 |
| Master pack quantities | pcs. | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

The new EHEIM light concept creates considerably better living conditions in the aquarium.

- T5 tube, diameter 16 mm
- Clear light, high level of brightness
- Natural colour reproduction
- Low energy consumption
- Long life (20,000 hours)
- Suitable for most aquariums (tube lengths 549, 849, 1149 and 1449 mm)



Colour spectrum daylight



Colour spectrum plants

For freshwater aquariums

EHEIM freshpower daylight

- Daylight tubes (spectrum similar to sunlight)
- Natural colour reproduction of flora and fauna
- Balanced blue/red ratio for effective plant growth
- Maximum energy efficiency and brightness

EHEIM freshpower plants

- Optimised blue and red spectrum
- For effective growth in demanding plants
- Clear, bright light (no warm tones, no yellowing)
- Natural emphasis on blue and red elements of fish
- Due to light output, can also be used as sole source of light (more than one tube if necessary)

Optimum combination:

EHEIM freshpower daylight + freshpower plants




For marine aquariums

EHEIM marinepower hybrid


- Perfect combination of daylight and deep-blue tubes
- Balanced spectrum and optimum light output
- Ideal for reef aquariums with corals and invertebrates
- Good colour reproduction
- No additional actinic lighting required

EHEIM marinepower actinic blue

- Uses a specific spectrum to promote absorption of chlorophyll (400 – 480 nm)
- Amplifies natural fluorescence of corals and invertebrates
- Can be combined with EHEIM marinepower hybrid tubes



Colour spectrum hybrid



Colour spectrum actinic blue



High efficiency LED for open aquariums

Distributes the ideal light evenly throughout the aquarium, powerful and energy saving.



Lighting

Technical Data

| | | |
|----------------------------|------|-------------|
| Aquarium size up to Height | cm | 35 |
| Dimension HxWxD | mm | 175x265x90 |
| Power consumption | W | 7 |
| Light temperature (blue) | K | - |
| Light temperature (white) | K | 6500 |
| Light colour (blue) | nm | - |
| Light intensity | Lux | 3100 |
| Energy efficiency class | | A |
| Art. No. (Europe) | | 6471220 |
| Art. No. (UK) | | 6471340 |
| Packing dimensions HxWxD | cm | 28x16,5x7,8 |
| Master pack quantities | pcs. | 3 |

powerLED daylight fresh water

High efficiency LED

Power-LED for all open aquariums up to max. 35 cm height

The stylish round lamp with high quality **energy-saving Power LED (up to 80% energy saving)** distributes light evenly throughout the tank and ensures a beautiful underwater world, due to a light spectrum and luminosity specially adapted for plants and their growth requirements.

- High quality LED (81 diodes) for optimum illumination right to the bottom of the tank
- High energy efficiency, only 7 watts
- Long service life approx. 20.000 service hours
- With practical clamps for variable fixing
- Up to 20 mm clamping width, also for open aquariums with frame moulding
- 12 volt mains adapter

EHEIM lighting is available for the following applications:

For fresh water

EHEIM powerLED daylight

For marine water

EHEIM powerLED daylight & actinic blue
EHEIM powerLED actinic blue

Original EHEIM replacement lamp

| | |
|---------|---------------------------|
| 7602718 | „daylight“ |
| 7602858 | „daylight & actinic blue“ |
| 7602958 | „actinic blue“ |

Technical Data

| | | | |
|----------------------------|------|-------------|-------------|
| Aquarium size up to Height | cm | 35 | 35 |
| Dimension HxWxD | mm | 175x265x90 | 175x265x90 |
| Power consumption | W | 7 | 7 |
| Light temperature (blue) | K | >25000 | >25000 |
| Light temperature (white) | K | 6500 | - |
| Light colour (blue) | nm | 450 | 450 |
| Light intensity | Lux | 1800 | 320 |
| Energy efficiency class | | B | C |
| Art. No. (Europe) | | 6471221 | 6471222 |
| Art. No. (UK) | | 6471341 | 6471342 |
| Packing dimensions HxWxD | cm | 28x16,5x7,8 | 28x16,5x7,8 |
| Master pack quantities | pcs. | 3 | 3 |

powerLED daylight & actinic blue marine water

powerLED actinic blue marine water

EHEIM powerLED For fresh water aquariums

- **daylight**
- High quality lighting

EHEIM power LED not only covers the majority of the light spectrum, but also, compared to similar available neon light tubes, offers excellent performance in the range between 400 and 500 nm., which is important for photosynthesis.

Examples of use:



PowerLED with practical clamps

PowerLED attached to the EHEIM aquacorner

EHEIM powerLED

For marine water aquariums

Promotes colour rendition and the growth of corals. The corals appear with the most vivid colours due to the stimulation of their inherent fluorescence. The EHEIM powerLED also gives excellent performance when compared to other comparable commercially available fluorescent lamps in the range of 400 to 500 nm

daylight & actinic blue

- High intensity full spectrum

actinic blue

- Additional blue lighting


Recommended colour combinations for marine water

| | | | |
|-----------|--------------|--|-----------------------------|
| Variant 1 | powerLED ①+② | | ① = daylight & actinic blue |
| Variant 2 | powerLED ①+① | | ② = actinic blue |
| Variant 3 | powerLED ②+③ | | ③ = daylight |
| Variant 4 | powerLED ①+③ | | |



Natural colours – freshwater LED lights

EHEIM
classicLED



Lighting

new

new

new


new

Technical Data

| | | classicLED daylight fresh water | classicLED daylight fresh water | classicLED daylight fresh water | classicLED daylight fresh water |
|-----------------------------|---------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Performance | W | 12 | 13 | 17 | 20 |
| Overall length | mm | 550 | 740 | 940 | 1140 |
| Aquarium size up to | mm | 550-635 | 740-825 | 940-1025 | 1140-1225 |
| Light colour | K | 6500 | 6500 | 6500 | 6500 |
| Rated light flux | lm | 800 | 1000 | 1300 | 1500 |
| Energy efficiency class | | A+ | A+ | A+ | A+ |
| Art. No. | | 4261011 | 4262011 | 4263011 | 4264011 |
| EAN | 4011708 | 002384 | 002407 | 002421 | 002445 |
| Packing dimensions HxVxD | cm | 71,4x15x4 | 71,4x15x4 | 110x15x6 | 130x15x6 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 |
| Replacement for EHEIM T8 | | T8/15 W 438 mm | T8/18 W 590 mm | T8/30 W 895 mm | T8/38 W 1047 mm |
| Replacement for EHEIM T5 | | - | T5/24 W 549 mm | T5/39 W 849 mm | - |
| Replacement for T5 | | T5/24 W 438 mm | T5/28 W 590 mm | T5/45 W 895 mm | T5/54 W 1047 mm |
| Suitable for EHEIM | | vivalineLED 150 | vivalineLED 126 | vivalineLED 180 | vivalineLED 240 |

EHEIM classicLED Freshwater LED light

- Including safety power supply
- Various fitting options
- Waterproof (IPx7)
- Cost effective LED for beginners
- Compact
- Suitable for all aquariums 550 – 1140 mm
- Easy to fit using the extendable brackets
- Can be used to replace T5/T8 fluorescent tubes
- Enables the exchange of high energy fluorescent tubes to energy-saving, environmentally friendly LED lighting
- Beam angle 120°



Original EHEIM Accessories

classicLED Adapterset T5/T8
Art. 4200130 EAN 4011708003275



New dimensions in light: LED light bars for freshwater

Perfectly balanced for individual
lighting requirements.

EHEIM
powerLED

Lighting

EHEIM powerLED

Technical Data

| | | daylight LED | | | | | | | |
|-------------------------|---------|--------------|----------|----------|----------|----------------------|----------|----------|----------------------|
| | | 11 W | 16 W | 20 W | 24 W | 30 W | 34 W | 40 W | 43 W |
| Performance | W | 11 | 16 | 20 | 24 | 30 | 34 | 40 | 43 |
| Overall length | mm | 360 | 487 | 664 | 771 | 969 | 1074 | 1266 | 1374 |
| Light colour | K | 7000 | 7000 | 7000 | 7000 | 7000 | 7000 | 7000 | 7000 |
| Rated light flux | lm | 1320 | 1920 | 2400 | 2880 | 3600 | 4080 | 4800 | 5160 |
| Energy efficiency class | | A+ | A+ | A+ | A+ | A+ | A+ | A+ | A+ |
| Art. No. | | 4211010* | 4216010* | 4220010* | 4224010* | not longer available | 4234010* | 4240010* | not longer available |
| EAN | 4011708 | 420010 | 420058 | 420379 | 420171 | not longer available | 420454 | 420492 | not longer available |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions WxD | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x50,5 | 65x50,5 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |


* While stock last

| | | plants LED | | | | | | | |
|-------------------------|--------|----------------------|----------------------|----------------------|----------------------|----------------------|----------|----------------------|----------------------|
| | | 11 W | 16 W | 20 W | 24 W | 30 W | 34 W | 40 W | 43 W |
| Performance | W | 11 | 16 | 20 | 24 | 30 | 34 | 40 | 43 |
| Overall length | mm | 360 | 487 | 664 | 771 | 969 | 1074 | 1266 | 1374 |
| Light colour | K | 10.000 | 10.000 | 10.000 | 10.000 | 10.000 | 10.000 | 10.000 | 10.000 |
| Rated light flux | lm | 1100 | 1600 | 2000 | 2400 | 3000 | 3400 | 4000 | 4300 |
| Energy efficiency class | | A | A | A | A | A | A | A | A |
| Art. No. | | 4211020* | not longer available | not longer available | 4224020* | not longer available | 4234020* | 4240020* | not longer available |
| EAN | 420027 | not longer available | not longer available | 420188 | not longer available | 420461 | 420508 | not longer available | |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions WxD | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x50,5 | 65x50,5 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |


For freshwater aquariums

EHEIM powerLED daylight

- Bright daylight (7,000 K) with full sunlight spectrum (full spectrum)
- Natural colour reproduction of flora and fauna
- Proportional balance of blue/red spectrum for good plant growth
- Maximum energy efficiency (120 lm/W) and brightness
- **For particularly demanding plants - may be combined with EHEIM powerLED plants**
- Beam angle 120°



Colour spectrum powerLED daylight



Colour spectrum powerLED plants

EHEIM powerLED lamps – the new generation aquarium lighting

- Alternative to efficient T5 fluorescent tubes (including reflector).
- 30% saving on energy (comparison: T5 = 88 lm/W; LED = 120 lm/W)
- Optimum light output and light penetration down to the substrate – even in deep aquariums
- Ideal spectrum and combined light colours for plants and/or corals
- Full sunlight spectrum - Promote photosynthesis

- Natural colour reproduction (CRI > 90 freshwater)
- Average life > 50.000 hours (13–14 years at 10 hours per day)
- Solid aluminium casing (anodised), water-resistant to DIN 8149-1
- Suitable for most aquariums measuring 37 - 154 cm due to extending brackets

The LED lamps can only be used with Original EHEIM safety power supplies (TÜV tested).

A safety power supply is required for the operation of the LED.

| | |
|--|-----------------------|
| EHEIM offers the following LED power supplies: | |
| Power supply 20 Watt | Art. (Europe) 4201220 |
| Power supply 20 Watt | Art. (UK) 4201340 |
| Power supply 100 Watt | Art. (Europe) 4203210 |
| Power supply 100 Watt | Art. (UK) 4203350 |

Original EHEIM Accessories

| | |
|---------------------------|--------------|
| Adapter Set: 1x T5, 1x T8 | Art. 4200000 |
| Connector | Art. 4200010 |
| Suspension wires | Art. 4200060 |
| Double suspension wires | Art. 4200030 |
| Mounting bracket | Art. 4200040 |



For freshwater aquariums

EHEIM powerLED plants

- Bright sunlight (10,000 K) with optimised spectrum (blue 465 nm and red 625 nm) for healthy growth in demanding plants
- Optimum requirements for Lake Malawi and Lake Tanganyika aquariums
- Natural emphasis on blue and red elements of fish and plants
- Maximum energy efficiency (100 lm/W) and brightness
- Due to light output, can also be used as sole source of light or in combination with EHEIM powerLED daylight
- Beam angle 120°

New dimensions in light: LED light bars for marine aquariums



Lighting

Perfectly balanced spectrums for specific lighting requirements



EHEIM
powerLED

Marine



EHEIM powerLED

Technical Data

| | | hybrid LED | | | | | | | |
|-------------------------|---------|------------|----------|----------|----------|----------------------|----------------------|----------|----------------------|
| | | 11 W | 16 W | 20 W | 24 W | 30 W | 34 W | 40 W | 43 W |
| Performance | W | 11 | 16 | 20 | 24 | 30 | 34 | 40 | 43 |
| Overall length | mm | 360 | 487 | 664 | 771 | 969 | 1074 | 1266 | 1374 |
| Light colour | K | 17.000 | 17.000 | 17.000 | 17.000 | 17.000 | 17.000 | 17.000 | 17.000 |
| Rated light flux | lm | 787 | 1152 | 1440 | 1728 | 2160 | 2448 | 2880 | 3096 |
| Energy efficiency class | | A | A | A | A | A | A | A | A |
| Art. No. | | 4211030* | 4216030* | 4220030* | 4224030* | not longer available | not longer available | 4240030* | not longer available |
| EAN | 4011708 | 420034 | 420072 | 420393 | 420195 | not longer available | not longer available | 420515 | not longer available |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions WxD | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x50,5 | 65x50,5 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |


* While stock last

| | | actinic blue LED | | | | | | | |
|-------------------------|------|------------------|----------|----------|----------|----------|----------|----------|----------|
| | | 11 W | 16 W | 20 W | 24 W | 30 W | 34 W | 40 W | 43 W |
| Performance | W | 11 | 16 | 20 | 24 | 30 | 34 | 40 | 43 |
| Overall length | mm | 360 | 487 | 664 | 771 | 969 | 1074 | 1266 | 1374 |
| Light colour | K | > 25.000 | > 25.000 | > 25.000 | > 25.000 | > 25.000 | > 25.000 | > 25.000 | > 25.000 |
| Rated light flux | lm | 253 | 368 | 460 | 552 | 690 | 782 | 920 | 989 |
| Energy efficiency class | | B | B | B | B | B | B | B | B |
| Art. No. | | 4211040* | 4216040* | 4220040* | 4224040* | 4230040* | 4234040* | 4240040* | 4243040* |
| EAN | | 420041 | 420089 | 420409 | 420201 | 420447 | 420485 | 420522 | 420560 |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions WxD | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x50,5 | 65x50,5 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |


For marine aquariums

EHEIM powerLED hybrid

- Optimum mix of white and actinic light (50:50)
- Balanced spectrums and high light output (400 - 500 nm) promote colour and growth in corals
- Ideal for reef aquariums with both corals and invertebrates
- Good colour reproduction and fluorescence
- Can be used as sole source of light with no additional actinic lighting required
- **Can be combined with EHEIM powerLED actinic blue**
- Beam angle 120°



Colour spectrum powerLED hybrid



Colour spectrum powerLED actinic blue

For marine aquariums

EHEIM powerLED actinic blue

- Pure actinic light
- Uses a specific spectrum (400 - 500 nm) to promote absorption of chlorophyll
- Amplifies natural fluorescence of corals and invertebrates
- **Can be combined with EHEIM powerLED hybrid**
- Beam angle 120°

Use of T5/T8-Adapter (for replacement of fluorescent tubes) for
EHEIM powerLED daylight, plants, hybrid and actinic blue

powerLED 11 W
T5: 24 W (438 mm)
T8: 15 W (438 mm)

powerLED 16 W
T5: 24 W (549 mm)
T5: 28 W (549 mm)
T8: 18 W (590 mm)

powerLED 20 W
T5: 35 W (742 mm)

powerLED 24 W
T5: 45 W (895 mm)
T5: 39 W (849 mm)
T8: 30 W (895 mm)

powerLED 30 W
T5: 54 W (1047 mm)
T8: 38 W (1047 mm)

powerLED 34 W
T5: 54 W (1200 mm)
T5: 54 W (1149 mm)
T8: 36 W (1200 mm)

powerLED 40 W
-

powerLED 43 W
T5: 80 W (1449 mm)
T8: 58 W (1500 mm)

Use: extending frame to fit different length aquariums
(suitable for min - max aquarium length) for EHEIM powerLED daylight,
plants, hybrid and actinic blue

powerLED 11 W
372 - 527 mm

powerLED 16 W
524 - 679 mm

powerLED 20 W
680 - 831 mm

powerLED 24 W
784 - 938 mm

powerLED 30 W
985 - 1136 mm

powerLED 34 W
1094 - 1241 mm

powerLED 40 W
1290 - 1433 mm

powerLED 43 W
1400 - 1543 mm

A safety power supply is required for the operation of the LED.

| | |
|--|---------|
| EHEIM offers the following LED power supplies: | |
| 20 Watt (Europe) | 4201220 |
| 100 Watt (Europe) | 4203210 |
| 20 Watt (UK) | 4201340 |
| 100 Watt (UK) | 4203350 |

Original EHEIM Accessories

| | |
|-------------------------|---------|
| Adapter Set T5/T8 | 4200000 |
| Connector | 4200010 |
| Suspension wires | 4200060 |
| Double suspension wires | 4200030 |
| Mounting bracket | 4200040 |

The new and efficient aquarium lighting for optimum illumination down to the bottom.

For fresh water aquariums
Ideal for fish and aquatic plants.

EHEIM+
powerLED+



new



LEDs for a golden sunlight

new

Lighting

| EHEIM powerLED+ | | fresh daylight | | | | | | | |
|-------------------------|---------|----------------|---------|---------|---------|----------|-----------|-----------|-----------|
| Total length | mm | 360 | 487 | 664 | 771 | 953 | 1074 | 1226 | 1349 |
| for aquariums up to | mm | 372-540 | 499-667 | 680-844 | 787-951 | 973-1133 | 1094-1254 | 1250-1406 | 1373-1529 |
| Technical data | | | | | | | | | |
| Power consumption | W | 8,6 | 13,0 | 17,3 | 21,6 | 25,9 | 30,2 | 34,6 | 38,9 |
| Light colour | K | 6750 | 6750 | 6750 | 6750 | 6750 | 6750 | 6750 | 6750 |
| Rated light flux | lm | 1298 | 1946 | 2595 | 3244 | 3893 | 4542 | 5191 | 5839 |
| Energy efficiency class | | A++ | A++ | A++ | A++ | A++ | A++ | A++ | A++ |
| Art. No. | | 4251011 | 4252011 | 4253011 | 4254011 | 4255011 | 4256011 | 4257011 | 4258011 |
| EAN | 4011708 | 000069 | 000113 | 000168 | 000212 | 000267 | 000311 | 000366 | 000410 |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions BxT | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |


| EHEIM powerLED+ | | fresh plants | | | | | | | |
|-------------------------|---------|--------------|---------|---------|---------|----------|-----------|-----------|-----------|
| Total length | mm | 360 | 487 | 664 | 771 | 953 | 1074 | 1226 | 1349 |
| for aquariums up to | mm | 372-540 | 499-667 | 680-844 | 787-951 | 973-1133 | 1094-1254 | 1250-1406 | 1373-1529 |
| Technical data | | | | | | | | | |
| Power consumption | W | 9,8 | 14,8 | 19,7 | 24,6 | 29,5 | 34,4 | 39,4 | 44,3 |
| Light colour | K | 9200 | 9200 | 9200 | 9200 | 9200 | 9200 | 9200 | 9200 |
| Rated light flux | lm | 970 | 1456 | 1941 | 2426 | 2911 | 3397 | 3882 | 4367 |
| Energy efficiency class | | A | A | A | A | A | A | A | A |
| Art. No. | | 4251021 | 4252021 | 4253021 | 4254021 | 4255021 | 4256021 | 4257021 | 4258021 |
| EAN | 4011708 | 000076 | 000120 | 000175 | 000229 | 000274 | 000328 | 000373 | 000427 |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions BxT | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |




For fresh water aquariums

EHEIM powerLED+ fresh daylight

- Bright daylight with sunlight full spectrum
- Maximum energy efficiency (150 lm / W) and light output
- For demanding aquatic plants and brilliant colour reproduction, can also be combined with powerLED+ fresh plants
- One EHEIM powerLED+ fresh daylight replaces one T5-/T8 fluorescent tube of the appropriate length including reflector
- Beam angle 120°



Colour spectrum powerLED+ fresh daylight



Colour spectrum powerLED+ fresh plants

A safety power supply is required for the operation of the LED.

EHEIM offers the following LED power supplies:

| | Art.No Europe | Art.No UK |
|-----------------------|---------------|-----------|
| Power supply 20 Watt | 4204210 | 4204350 |
| Power supply 80 Watt | 4206210 | 4206350 |
| Power supply 130 Watt | 4207210 | 4207350 |
| Power supply 180 Watt | 4208210 | 4208350 |

Original EHEIM Accessories

| | |
|---------------------------|---------|
| 1 Adapter Set: 1xT5, 1xT8 | 4200000 |
| 2 Connector | 4200050 |
| 3 Suspension wires | 4200060 |
| 4 Double suspension wires | 4200030 |
| 5 Mounting bracket | 4200040 |



Application using mounting brackets

For fresh water aquariums

EHEIM powerLED+ fresh plants

- Promotes healthy growth of even the most demanding aquatic plants
- Emphasizes blue and red colouring of fish and aquatic plants in a natural way
- Very natural colour reproduction (simulates sunshine in the aquarium)
- Very high energy efficiency and light output
- Can be used as the sole source of light or in combination with EHEIM powerLED+ fresh daylight
- Beam angle 120°

EHEIM LEDcontrol (optional) Art.No 4200120

- From dawn to midday sun and sunset to moonlight: It is possible to simulate complete daily cycles
- Can be adapted to the individual taste and lighting requirements for special biotopes (Amazon, African, etc.)



The new and efficient aquarium lighting for optimum illumination down to the substrate.

For marine water aquariums
Ideal for corals and invertebrates.

EHEIM+
powerLED+



marine

Lighting

| EHEIM powerLED+ | | marine hybrid | | | | | | | |
|-------------------------|---------|---------------|---------|---------|---------|----------|-----------|-----------|-----------|
| Total length | mm | 360 | 487 | 664 | 771 | 953 | 1074 | 1226 | 1349 |
| for aquariums up to | mm | 372-540 | 499-667 | 680-844 | 787-951 | 973-1133 | 1094-1254 | 1250-1406 | 1373-1529 |
| Technische Daten | | | | | | | | | |
| Power consumption | W | 9,8 | 14,8 | 19,7 | 24,6 | 29,5 | 34,4 | 39,4 | 44,3 |
| Rated light flux | lm | 770 | 1156 | 1541 | 1926 | 2311 | 2697 | 3082 | 3467 |
| Energy efficiency class | | A | A | A | A | A | A | A | A |
| Art. No. | | 4251032 | 4252032 | 4253032 | 4254032 | 4255032 | 4256032 | 4257032 | 4258032 |
| EAN | 4011708 | 000090 | 000144 | 000199 | 000243 | 000298 | 000342 | 000397 | 000441 |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions BxT | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

| EHEIM powerLED+ | | marine actinic | | | | | | | |
|-------------------------|---------|----------------|---------|---------|---------|----------|-----------|-----------|-----------|
| Total length | mm | 360 | 487 | 664 | 771 | 953 | 1074 | 1226 | 1349 |
| for aquariums up to | mm | 372-540 | 499-667 | 680-844 | 787-951 | 973-1133 | 1094-1254 | 1250-1406 | 1373-1529 |
| Technische Daten | | | | | | | | | |
| Power consumption | W | 8,6 | 13,0 | 17,3 | 21,6 | 25,9 | 30,2 | 34,6 | 38,9 |
| Rated light flux | lm | 89 | 134 | 179 | 223 | 268 | 313 | 358 | 402 |
| Energy efficiency class | | D | D | D | D | D | D | D | D |
| Art. No. | | 4251041 | 4252041 | 4253041 | 4254041 | 4255041 | 4256041 | 4257041 | 4258041 |
| EAN | 4011708 | 000106 | 000151 | 000205 | 000250 | 000304 | 000359 | 000403 | 000519 |
| Packing dimensions H | mm | 544 | 544 | 828 | 828 | 1129 | 1129 | 1405 | 1405 |
| Packing dimensions BxT | mm | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 | 65x49 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Examples of use
EHEIM powerLED+



With single suspension wires



With double suspension wires



With mounting bracket




with T5 or T8 adapter

For marine water aquariums

EHEIM powerLED+ marine hybrid

- Optimal combination of white and royal blue light (1:1)
- High light output and coordinated spectrum in the areas important for photosynthesis
- Promotes colour reproduction (fluorescence) and the growth of corals
- One EHEIM powerLED+ marine hybrid replaces one T8-/T5 fluorescent tube of the appropriate length including reflector
- Royal blue LEDs (445 nm)
- Beam angle 120°



Colour spectrum powerLED+ marine hybrid

A safety power supply is required for the operation of the LED.
EHEIM offers the following LED power supplies:

| | Art.No Europe | Art.No UK |
|-----------------------|---------------|-----------|
| Power supply 20 Watt | 4204210 | 4204350 |
| Power supply 80 Watt | 4206210 | 4206350 |
| Power supply 130 Watt | 4207210 | 4207350 |
| Power supply 180 Watt | 4208210 | 4208350 |

Original EHEIM Accessories


| | |
|---------------------------|---------|
| 1 Adapter Set: 1xT5, 1xT8 | 4200000 |
| 2 Connector | 4200050 |
| 3 Suspension wires | 4200060 |
| 4 Double suspension wires | 4200030 |
| 5 Mounting bracket | 4200040 |



For marine water aquariums

EHEIM powerLED+ marine actinic

- Pure actinic light
- Royal blue LEDs (445 nm)
- Enhances the natural fluorescence of corals and invertebrates
- Can be combined with EHEIM powerLED+ marine hybrid
- Beam angle 120°



Colour spectrum powerLED+ marine actinic

EHEIM LEDcontrol (optional) Art. 4200120

- Can be adjusted to suit individual blue:white preference



Aquarium heater with preset temperature.

EHEIM
thermopreset



Preset heater

EHEIM thermopreset

Technical data

| | | 50 | 100 | 150 | 200 |
|--------------------------|------|--------------|--------------|------------|------------|
| Aquarium size up to | l | 25-60 | 100-150 | 200-300 | 300-400 |
| Performance | W | 50 | 100 | 150 | 200 |
| Total length | mm | 168,5 | 183,5 | 223,5 | 253,5 |
| Diameter | mm | 28,2 | 28,2 | 28,2 | 28,2 |
| Art. No. (Europe) | | 3652010 | 3654010 | 3656010 | 3657010 |
| Art. No. (UK) | | 3652110 | 3654110 | 3656110 | 3657110 |
| Packaging diameter HxWxD | cm | 24,5x8,1x4,2 | 24,5x8,1x4,2 | 32x8,1x4,2 | 32x8,1x4,2 |
| Master pack quantities | pcs. | 1 | 1 | 1 | 1 |



NEW: EHEIM thermopreset Preset aquarium heater at 25°C

- Compact and user-friendly
- High temperature accuracy by electronic control
- Mechanical stability due to plastic protection
- With thermo-safety control (auto shut-off)
- Even heat distribution by highly efficient heating element
- Suction cups (included) for secure attachment
- Suitable for fresh and marine water



On/off indicator light



Precision aquarium heater.

EHEIM
thermocontrol



Heater

EHEIM thermocontrol

Technical data

| | | 25 | 50 | 75 | 100 | 125 | 150 | 200 | 250 | 300 |
|----------------------|------|------------|---------|---------|------------|---------|---------|------------|---------|----------|
| Aquarium size up to | l | 20-25 | 25-60 | 60-100 | 100-150 | 150-200 | 200-300 | 300-400 | 400-600 | 600-1000 |
| Performance | W | 25 | 50 | 75 | 100 | 125 | 150 | 200 | 250 | 300 |
| Total length | mm | 243 | 243 | 270 | 319 | 319 | 345 | 406 | 452 | 506 |
| Diameter | mm | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| Art. No. (Europe) | | 3611010 | 3612010 | 3613010 | 3614010 | 3615010 | 3616010 | 3617010 | 3618010 | 3619010 |
| Art. No. (UK) | | 3611110 | 3612110 | 3613110 | 3614110 | 3615110 | 3616110 | 3617110 | 3618110 | 3619110 |
| Packing dim. HxWxD | cm | 34,5x6,5x5 | | | 42,5x6,5x5 | | | 58,5x6,5x5 | | |
| Master pack quantity | pcs. | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

With the EHEIM precision heater your fish have exactly the right temperature – in any aquarium.

- 1 Precise temperature adjustment from 18 to 34 °C
- 2 Simple and safe recalibration (± 2 °C)
 - Temperature control accuracy $\pm 0,5$ °C
 - Heat kept at a constant level
- 3 Heating function is indicated by a control lamp
 - Completely submersible (watertight)
 - With automatic dry run shut-off (Thermo Safety Control)
 - A glass jacket increases the heating surface and ensures optimum even heat emission
 - Practical cable length ca. 170 cm
 - Includes double suction cup holder
 - 9 sizes available for aquariums from 20 to 1000 lt
 - Suitable for fresh and marine water



Heat shield

Chrome-nickel coil

Temperature and shock resistant



Made in Germany

A well-balanced range of useful and functional products. All meeting the highest standard of quality, reliability and functionality.

EHEIM



Accessories



Glass scraper for fresh and marine water aquariums
rapidCleaner Art. No. 3591000 EAN 4011708350355 **Pk 1**

For easy and effective cleaning of interior aquarium glass

- Removes algae and dirt quickly and effectively from aquarium glass panes
- No tools necessary to change the blade
- Quick cleaning due to the extra wide 8cm working width
- Precision cut blade and blade protection
- Long life blade durability
- Integrated silicone protection prevents the blade cutting into the sealant
- Unbreakable glass fibre bar

Accessories: Algae brush (Art. 3591001), cleaning sponge (Art. 3591002), cleaning sponge 90° (Art. 3591003), blade holder (Art. 3591004)




Automatic gravel cleaner
Quick Vacpro Art. No. 3531000 EAN 4011708 350140 **Pk 4**

The battery operated gravel cleaner is used to clean the gravel substrate and can also be used between water changes. The power of the cleaner is designed to remove dirt without disturbing the gravel and the purifying bacteria. The mesh filter compartment retains the dirt while letting the filtered water straight back into the aquarium.

The filter compartment is simple to remove and easy to clean. Not suitable for sand.


- Batteries included



Gravel cleaner set Art. No. 4002510 EAN 4011708 401651 **Pk 3**

The perfect tool for the convenient and safe cleaning of the aquarium substrate while doing a partial water change. A number of new functions and fittings have improved use, safety and convenience.

- Integrated priming support for a convenient and hygienic start to the process
- Quick stop button, stalls the water flow immediately
- The hose clip 1 (also available separately, Art. no. 4002520) safely attaches the hose to the bucket
- Supplied complete with EHEIM quality hose and hose clip. Length 492 mm, can be extended with installation SET accessories
- Rounded triangular shape enables optimum cleaning in all areas of the tank base and guarantees easy access to corners



Surface skimmer Art. 3535000 EAN 4011708 350027 **Pk 1**

With floating inlet and automatic valve control.

The device ensures a permanently clean water surface without film residue.

For all EHEIM external filters (apart from 2074/2076/2078/2178/2274).



InstallationsSET 1 (suction/inlet side)

Modular installation set for easy connection to all external filters. Safe and water tight connection to hose. (The hose can be easily cleaned without removing the connection hose.) The inlet pipe can be lengthened or shortened as required. Safe and permanent fixing in the tank with EHEIM quality suction cup.

Versions:

Hose diameter 12/16 mm Art. No. 4004300 EAN 4011708 401378

Hose diameter 16/22 mm Art. No. 4005300 EAN 4011708 401361

InstallationsSET 2 (pressure/outlet side)

Ideal for the customised design of the outlet. Safe and water tight connection from the to hose to InstallationSET 2. The hose can be easily cleaned without disconnecting the kit.

Versions:


Hose diameter 12/16 mm Art. No. 4004310 EAN 4011708 401392

Hose diameter 16/22 mm Art. No. 4005310 EAN 4011708 401385

There are a wide range of clever accessories for the installationsSETs 1 + 2. They can be used to create different water movement and flow possibilities in the aquarium.

Accessories for InstallationsSET 1+2

| Art. No. | EAN | 4011708 | |
|----------|--------|---------|--|
| 4003651 | 401668 | ① | Diffuser for InstallationsSET 2 and for hose ø 12/16 mm, suitable for filters 2213, 2222/2224, 2322/2324, 2422/2424/2124 |
| 4004651 | 401606 | ① | Diffuser for InstallationsSET 2 and for hose ø 12/16 und 16/22 mm, suitable for filters 2048, 2215/17, 2226/28, 2250 |
| 4005651 | 401613 | ① | Diffuser for InstallationsSET 2 and for hose ø 16/22 mm, suitable for filters 2026/2028, 2080, 2126/2128, 2252, 2260, 2426 |
| 4005600 | 401576 | ② | Ball joint for InstallationsSET 2 |
| 4009610 | 401491 | | Extension pipe for InstallationsSET 1 (2 pieces) |
| 4009620 | 401507 | | Spray bar for InstallationsSET 2 (2 pieces) |
| 4009630 | 401514 | ③ | Elbow for InstallationsSET 1+2 |
| 4009640 | 401545 | ④ | T piece for InstallationsSET 1+2 |
| 4009650 | 401521 | ⑤ | Flow rate indicator for InstallationsSET 2 |
| 4009660 | 401712 | ⑥ | Nozzle clip, adjustable for InstallationsSET (4 pieces) |
| 4009670 | 401729 | ⑦ | Diffuser clip for InstallationsSET 2 |
| 4009680 | 401736 | ⑧ | Wide-jet nozzle for InstallationsSET 2 |
| 4009690 | 401743 | ⑨ | Adapters from InstallationsSET to hose for hose diameter 12/16 and 16/22 mm |
| 4009700 | 401750 | ⑩ | Nozzles and adapters from hose to InstallationsSET for hose diameter 12/16 and 16/22 mm |
| 7438018 | 744345 | ⑪ | Adapter connector for 1250 and 2252 PowerLine |
| 7440148 | 744338 | ⑫ | Adapter connector for 1048 and 2048 PowerLine |



EHEIM automatic fish feeders

The best care for your fish

EHEIM




Accessories

EHEIM autofeeder Art. No. 3581000 EAN 4011708 350102 **Pk 5**
Compact autofeeder with a rotating feeding chamber – mainly for flake food

EHEIM turtlefeeder Art. No. 3581001 EAN 4011708 350300 **Pk 5**
Feeding unit for terrarium inhabitants (e.g. water turtles)
Types of food: Fresh water shrimps, shrimps, food sticks and granules

- Easy to understand programming, includes batteries
- An additional programme for double feeding
- Actively aerated food chamber
- Capacity approx. 100 ml
- Additional “snacks” possible at the touch of a button
- Function keys are splash resistant
- Warning system quickly indicates low battery level
- Including bracket for mounting on an open-top aquarium or terrarium



Air filter



EHEIM feedingSTATION Art. No. 4001020 EAN 4011708 402030 **Pk 1**
Platform for EHEIM autofeeders

- Universal clamp for attachment to frames, glass brace bars and centre support bars,
Feed chute (without platform) also suitable for the feeder opening in EHEIM Varilux aquarium covers
 Can also be used without the autofeeder (for manual feeding)
 Feeding cylinder can also be used to thaw out diced frozen food
- Less food loss as food doesn't disperse
 - Less water pollution (nitrates and phosphates)
 - No oxygen depletion from bacterial decomposition
 - Less expense due to less wastage
 - All fish gather in one place so ideal for visual inspection of livestock

EHEIM autoliquid Art. No. 3585000 EAN 4011708 350133 **Pk 1**
Compact liquid doser

- Delivers liquid additives to fresh and salt water aquariums (fertiliser, minerals and other nutrients)
- Easy to programme
- LCD display with timer
- Dosage is measured by turns of the drum
- EHEIM autoFERTILISER - one rotation for 100 l aquarium water
- Low battery level is shown on display

Prefilter Art. No. 4004320 EAN 4011708 401910 **Pk 3**

- Traps larger dirt particles in the inlet area, preventing early blocking of the filter media
- The filter basket is simple to remove (Easy-Klick) as well as easy to clean
- All round suction for gentle filtration
- Comprises 2 filter containers with filter cartridges
- Can be extended at will and fit InstallationsSET 1
- For all EHEIM external filters (apart from 2274/2074/2076/2078/2178/2260)

Air filter

EHEIM air filter Art. No. 4003000 EAN 4011708 401828 **Pk 1**

For quarantine and breeding tanks.
 Modular construction for use with the EHEIM air pump or other aquarium air pumps.
 The compact filter cartridge ensures good filtration and protects small and weak aquarium inhabitants.

Extendable in many different ways using the EHEIM installationSET accessories.

Art. 4003010 EAN 4011708 401835 ExtensionSET for air filter 4003000

Art. 2615300 EAN 4011708 260920 Filter cartridge to air filter 4003000 (2 pieces)

Contents of ExtensionSET
 Examples of use



You can completely rely on original EHEIM accessories – in every respect.

EHEIM




Accessories

EHEIM flowpipe Art. No. 4005730 EAN 4011708 402061

Lily Pipe, natural flow pipe

- Gentle water flow
- Appropriate for fish preferring calmer water with plant growth
- Variable outlet direction



Undergravel filter

Reverse flow principle 1 Art. No. 3540000 EAN 4011708 350034

The purified water is taken up through the gravel floor and the floating particles of dirt are then taken to the priming area of the filter.

Suction principle 2 Art. No. 3541000 EAN 4011708 350041

It works the opposite way round, operating as an additional biological filter. It is particularly suitable for marine water aquariums and tanks without plants.

Accessories Art. No. 3545000 EAN 4011708 350065

Extension set for undergravel filter (6 plates)




Diffuser

Works with a filter to give a measured supply of oxygen into the aquarium (recommended only for aquariums with little plant growth or high fish stocking levels).

Double tap - quick release

With a flick of the wrist, you can disconnect and connect the hose safely, cleanly and without water backflow. With EHEIM quality hoses, they make safe and functional hose connections. Available in different sizes and types.




Wide-jet pipe and outlet pipe

The wide-jet nozzle with its flat outlet ensures high surface movement. There is less movement with the outlet pipe but the direction of flow can be adjusted as required.

EHEIM hoses

EHEIM quality hoses are available in different sizes and lengths (by the metre, 3m packs and as rolls). EHEIM hose is phenol-free, supple, kink-free but rigid enough to ensure safe hose connections. EHEIM shut-off taps and hose accessories guarantee safe and secure connections for all fishkeeping requirements.

| | | | | |
|------------|-------------|-----|------------------|----------------------------|
| Air line | ø 4/6 mm: | 3 m | Art. No. 4002943 | |
| Hose | ø 9/12 mm: | 3 m | Art. No. 4003943 | |
| | ø 12/16 mm: | 3 m | Art. No. 4004943 | 50 m roll Art. No. 4004949 |
| | ø 16/22 mm: | 3 m | Art. No. 4005943 | 30 m roll Art. No. 4005940 |
| anthracite | ø 16/22 mm: | 3 m | Art. No. 4005843 | |



EHEIM MultiBox Art. No 4001010 EAN 4011708 402009 Pk 1

- Practical, hook-on container for maintenance work and aquascaping
- Compartment for plant remains, algae and other waste
- Can be used to transport wet items (internal filters) to the sink or waste to the bin
- Compartment for acclimatising new inhabitants to a different or new environment
- Can be used for quarantine and/or treatment
- Two-part lid prevents fish from jumping out
- Easy to hang over the aquarium glass or (if the aquarium cover does not permit it) on the cabinet door
- Hanger adjustable from 4 mm (aquarium glass) to 20 mm (cabinet door)
- Spacers for vertical adjustment
- 6 eyelets for hanging tools (tweezers, scissors, fish net, etc.)



Water-neutral aquarium maintenance spray Art. No. 4001000 EAN 4011708 723920

CFC-free, does not contain solvents or oils, free from environmentally toxic substances and harmless to fish. Moving filter parts which are subjected to aquarium water regularly tend to get tight or seize up entirely after some time. Just apply the spray to the part concerned and it soon becomes loose again. Supplied with spray tube for inaccessible areas.

Particularly recommended for ball valves, taps, hose adapter, sealing rings and much more.



TIP

Plant tongs

| | | |
|-------|------------------|--------------------|
| 40 cm | Art. No. 3590050 | EAN 4011708 350096 |
| 60 cm | Art. No. 3590000 | EAN 4011708 350089 |



Cleaning brushes for hoses

| | | | |
|--------|------------------|------------------|--------------------|
| 100 cm | 9/12 mm | Art. No. 4003551 | EAN 4011708 401804 |
| 100 cm | 12/16 mm | Art. No. 4004551 | EAN 4011708 401798 |
| 100 cm | 16/22 mm | Art. No. 4005551 | EAN 4011708 401781 |
| 100 cm | 19/27 + 25/34 mm | Art. No. 4007551 | EAN 4011708 401774 |



Universal-Cleaning brushes Art. No. 4005570 EAN 4011708 401873
for hoses 9/12, 12/16, 16/22, 19/27, 25/34 mm

Cleaning brush-Set Art. No. 4009560 EAN 4011708 401842
For all EHEIM internal and external filters and EHEIM universal and compact pumps



fish nets 5" (12 x 10 cm) Art. No. 0691502 EAN 4010251 090404

Thermometer Art. No. 0360300 EAN 4010251 083512

So you will always recommend the right product:

EHEIM accessories for external canister filters



| | | | classic <i>professionnel</i> eXperience | | | classic <i>professionnel</i> | | professionnel 3°/4+/4°+ eXperience | | classic | |
|-----------------|--|--|---|--|--|--|--|--|--|----------------|--|
| External filter | 2231/2233/2235 comfort 2232/2234/2236 eccopro 2032/2034/2036 | | 2211/2213/2215 2222/2224 / 2322/2324 2422/2424/2124 | | | 2217 2226/2228 / 2326/2328 | | 2026/2028 / 2126/2128 2271/2273/2275/ 2071/2073/2075/2080 2371/2373/2171/2173/2180 2274/2074/2076/2078/2178 / 2426 | | 2260 | |

| Intake side/ Pressure side Diameter mm | Inlet 12/16 | Outlet 12/16 | Inlet 12/16 | Outlet 12/16 | Outlet 9/12 (only 2211) | Inlet 16/22 | Outlet 12/16 | Inlet 16/22 | Outlet 16/22 | Inlet 25/34 | Outlet 16/22 |
|---|----------------|-----------------|----------------|-----------------|----------------------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|
|---|----------------|-----------------|----------------|-----------------|----------------------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|

| | | | | | | | | | | | | |
|--|------------------------------|---------|--|---------|---------|---------|---------|---------|---------|-----------------------|----------|---------|
| | Hoses 3 m/per m | 4004943 | 4004943 | 4004943 | 4004943 | 4003943 | 4005943 | 4004943 | 4005943 | 4005943 | 4007940* | 4005943 |
| | Hoses 3 m/per m (anthracite) | - | - | - | - | - | - | - | 4005843 | 4005843 | - | - |
| | Double tap | 4004412 | 4004412 | 4004412 | 4004412 | 4003412 | 4005410 | 4004412 | 4005410 | 4005410 | 4007410 | 4005410 |
| | Shut-off tap | 4004512 | 4004512 | 4004512 | 4004512 | 4003512 | 4005510 | 4004512 | 4005510 | 4005510 | 4007510 | 4005510 |
| | InstallationsSET 1 | 4004300 | - | 4004300 | - | - | 4005300 | - | 4005300 | - | - | - |
| | InstallationsSET 2 | - | 4004310 | - | 4004310 | - | - | 4004310 | - | 4005310 | - | 4005310 |
| | Quick release coupling | 4004522 | 4004522 | 4004522 | 4004522 | 4003522 | 4005520 | 4004522 | 4005520 | 4005520 | - | 4005520 |
| | Elbow piece | 4014050 | 4014050 | 4014050 | 4014050 | 4013000 | 4015100 | 4014050 | 4015100 | 4015100 | 4017200 | 4015100 |
| | Hose holder | 4014300 | 4014300 | 4014300 | 4014300 | 4013300 | - | 4014300 | - | - | - | - |
| | T-piece | 4004950 | 4004950 | 4004950 | 4004950 | 4003950 | 4005950 | 4004950 | 4005950 | 4005950 | 4007950 | 4005950 |
| | Hose connection piece | 4004970 | 4004970 | 4004970 | 4004970 | 4003970 | 4005970 | 4004970 | 4005970 | 4005970 | 4007970 | 4005970 |
| | Suction cup with clip | 4014100 | 4014100 | 4014100 | 4014100 | 4013050 | 4015150 | 4014100 | 4015150 | 4015150 | 4017300 | 4015150 |
| | Variable outlet pipe | - | 4004600 | - | 4004600 | - | - | 4004600 | - | - | - | - |
| | Diffuser | - | 4003651 ¹⁾ 4004651 ²⁾ | - | 4003651 | 4003660 | - | 4004651 | - | 4005651 ³⁾ | - | 4005651 |
| | Hose clamp | 4004530 | 4004530 | 4004530 | 4004530 | 4003530 | 4005530 | 4004530 | 4005530 | 4005530 | 4007530 | 4005530 |
| | Cleaning brush | 4004551 | 4004551 | 4004551 | 4004551 | 4003551 | 4005551 | 4004551 | 4005551 | 4005551 | 4007551 | 4005551 |
| | All-purpose brush | 4005570 | 4005570 | 4005570 | 4005570 | 4005570 | 4005570 | 4005570 | 4005570 | 4005570 | - | 4005570 |
| | Wide-jet pipe | - | 4004700 | - | 4004700 | 4003700 | - | 4004700 | - | 4005700 | - | - |
| | Outlet pipe | - | 4004710 | - | 4004710 | 4003710 | - | 4004710 | - | 4005710 | - | 4005710 |
| | Outlet pipe (anthracite) | - | - | - | - | - | - | - | - | 4005750 | - | - |



InstallationsSET 1
Modular inlet kit for easy connection to all external filters.



Diffuser
Precisely dosed supply of oxygen into the aquarium.



Wide-jet pipe
Ensures high surface movement.



InstallationsSET 2
Modular outflow kit for easy connection to all external filters – to customise the water flow



Cleaning brush
For thorough cleaning – different sizes for different hose diameters



Quick release joint
With a flick of the wrist, you can disconnect the hose.

¹⁾ 2032/2034 eccopro

²⁾ 2036 eccopro

³⁾ not for professional 3° 2074/2076/2078, 4°+ 2274



EHEIM professional food
Healthy diet – developed for both fish and water

EHEIM has taken another step towards supplying the aquarium-keeper's every need by launching a new food.

EHEIM professional food is a premium food that includes no harmful additives and contains only fresh and natural ingredients. The original nutrients, vitamins and trace elements are retained in their natural form due to a careful new production process and the optimum ratios of protein to fat and unsaturated fatty acids will keep fish healthy and active. The food also has low raw fibre and raw ash components which means better digestion, less excretion and minimal water pollution. The water remains clear with no clouding.

With this premium range of food, EHEIM has ensured clean, clear water and healthy conditions in the aquarium.

Stable consistency – no clouding - clear water

EHEIM professional food does not cloud the water. Any food that is not eaten immediately, doesn't disintegrate but retains its shape so no nutrients are lost and the vitamins do not dissolve. Flakes of food sink slowly to the bottom and then back to the surface so the fish can still eat it and the water remains clear.

Minimal raw fibre – minimal raw ash - less water pollution

In a fish's digestive tract, raw fibre and raw ash form a thick pulp. Too great a concentration will impede digestion and the fish will suffer. The water will also be polluted by an increase of excreta.

Only 2 % raw fibre

Raw fibre refers to the indigestible connective tissue and cellulose which is contained in food. Raw fibre acts as a platform for the bacteria and micro-organisms, which are essential to digestion, but only a very small amount is needed.

A high proportion of raw fibre will inhibit the digestibility of the food and be excreted as mull. At just 2 %, EHEIM professional food is the premium food with the lowest percentages of raw fibre.

Only 8 % raw ash

Raw ash is the non-organic component of the food and includes sand and other indigestible minerals, seeds etc. A high percentage is indicative of high fishmeal content. The lower the proportion of raw ash in fish food, the more nutritious it will be. The food is digested more easily, absorbed more completely, the fish excrete less and the quality of the water is improved. At just 8 %, EHEIM professional food is the premium food with one of the lowest percentages of raw ash.

Optimum ratio of protein to fat – optimum metabolism

Fish food must contain the best possible ratio of raw protein to raw fat, as the two substances have a mutual effect on each other. If the ratio is incorrect and fish have to draw their energy from burning protein, they will excrete more ammonium. For most fish, a protein to fat ratio of 3:1 is ideal. This is the exact ratio EHEIM have used in their professional food.

3 parts protein (raw protein)

Protein in particular assists growth, cell regeneration and the formation of reproductive tissues.

In comparison with the food offered by most other suppliers, EHEIM professional food contains less protein - a ratio of 3:1 (protein to fat) reflects the correct amount. A considerably greater proportion would be harmful.

1 part fat (raw fat)

Fat is the primary source of energy for fish. Thanks to a special production process, the natural fats (e.g. from whole, high-fat herrings) in EHEIM professional food remain in their original state. No "foreign" fats have been added.

Omega fatty acids – in the correct ratio

Omega 3 and 6 are unsaturated fatty acids which are important for the health of the nerves, cell walls and membranes and also for a fish's immune system and brain functions. Although some species of fish produce individual fatty acids themselves, in the context of food, the ratio of Omega 3 to Omega 6 should basically be 2:1 and this ratio is reflected in the EHEIM professional food.

Vitamins, minerals and trace elements

Due to careful processing, the natural ingredients in professional food are retained but, because natural products are involved, they are also subject to natural fluctuations. For this reason we cannot always be sure that all the ingredients are available in sufficient quantities so, to avoid specific shortages, vitamins, minerals and trace elements are added to the food.



The EHEIM comfort programme for fish: food, water care and high-quality equipment – perfectly balanced

EHEIM freshwater food
The highest quality from the aquarium experts.

EHEIM
professionelfood

EHEIM food for demanding fish.

EHEIM
professionelfood

Food



Art. No. EAN 4011708 Content Grams Pk Art. No. EAN 4011708 Content Grams Pk

Main food

tropical fish FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4901010 | 490013 | 160 ml | 15 g | 6 |
| 4901110 | 490020 | 275 ml | 30 g | 3 |
| 4901310 | 490044 | 965 ml | 130 g | 1 |

tropical fish TABS
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4907010 | 490174 | 90 ml | 45 g | 6 |
| 4907110 | 490181 | 160 ml | 80 g | 6 |

tropical micro GRANULES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4924010 | 491843 | 90 ml | 50 g | 6 |
| 4924110 | 491874 | 160 ml | 80 g | 6 |

tropical mini GRANULES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4925010 | 491904 | 90 ml | 50 g | 6 |
| 4925110 | 491935 | 160 ml | 80 g | 6 |

omnivor CICHLID S
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4910010 | 490242 | 160 ml | 90 g | 6 |
| 4910110 | 490259 | 275 ml | 150 g | 3 |

omnivor CICHLID M
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4911010 | 490266 | 275 ml | 120 g | 3 |
|---------|--------|--------|-------|---|

discus GRANULES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4915010 | 490365 | 275 ml | 150 g | 3 |
|---------|--------|--------|-------|---|

goldfish FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4918010 | 490402 | 160 ml | 15 g | 6 |
| 4918110 | 490419 | 275 ml | 30 g | 3 |

Green food

green FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4905010 | 490129 | 160 ml | 15 g | 6 |
| 4905110 | 490136 | 275 ml | 30 g | 3 |

green TABS
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4906010 | 490150 | 160 ml | 80 g | 6 |
| 4906110 | 490167 | 275 ml | 130 g | 3 |

herbivor CICHLID S
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4913010 | 490310 | 160 ml | 90 g | 6 |
| 4913110 | 490327 | 275 ml | 150 g | 3 |

herbivor CICHLID M
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4914010 | 490334 | 275 ml | 120 g | 3 |
|---------|--------|--------|-------|---|

The high quality of the ingredients guarantees a tasty and healthy diet.



new



new



Art. No. EAN 4011708 Content Grams Pk

Special food

delicate TABS FD
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4902010 | 490051 | 90 ml | 45 g | 6 |
| 4902110 | 490068 | 160 ml | 80 g | 6 |

energy FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4903010 | 490075 | 160 ml | 15 g | 6 |
| 4903110 | 490082 | 275 ml | 30 g | 3 |

young fish FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4904010 | 490105 | 90 ml | 25 g | 6 |
| 4904110 | 490112 | 160 ml | 50 g | 6 |

color FLAKES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4908010 | 490204 | 160 ml | 15 g | 6 |
| 4908110 | 490211 | 275 ml | 30 g | 3 |

color GRANULES
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4909010 | 490228 | 275 ml | 150 g | 3 |
|---------|--------|--------|-------|---|

Nutritious Flakes for all ornamental fish

Main food for young fish

The special ingredients ensure optimum growth in young fish during the early stages of life. The nutrients – especially the protein and fat content – as well as vitamins, trace elements, etc., are ideally suited to the needs of young fish.

Marine



Art. No. EAN 4011708 Content Grams Pk

Main food

all fish GRANULES MARINE S
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4931010 | 490433 | 275 ml | 150 g | 3 |
|---------|--------|--------|-------|---|

Green food

green GRANULES MARINE
EHEIM professionelfood

| | | | | |
|---------|--------|--------|------|---|
| 4935010 | 490495 | 275 ml | 30 g | 3 |
|---------|--------|--------|------|---|

green FLAKES MARINE
EHEIM professionelfood

| | | | | |
|---------|--------|--------|-------|---|
| 4936010 | 490501 | 275 ml | 150 g | 3 |
|---------|--------|--------|-------|---|

Complete premium food for marine fish.
The food contains everything that omnivorous fish need in a marine aquarium.



Gentle Water Care – almost natural.

EHEIM
watercare

First-class plant care products from EHEIM.

EHEIM
plantcare



Care

EHEIM water care
Gentle water care – almost natural

With its new line in water care products, EHEIM offers a logical extension to its technical programme and thereby, closes the circle for healthy water in the aquarium. This obviously places greater emphasis on the quality of the products but EHEIM water care is a premium range based on natural ingredients and no harmful chemicals. The ingredients consist, primarily, of microbiological materials which occur naturally. They provide careful but effective maintenance of the underwater environment and present no harmful threat to the ecological balance.

Persons who are interested in aquatics and want to get a preliminary overview will find practical tips and tricks for dealing with fish and plants in the new EHEIM app.



Download
iOS version
(AppStore)

Download
Android
version
(playStore)

Art. No. EAN 4011708 Content Range Pk

water care

water CONDITIONER

EHEIM water care

| | | | | |
|---------|--------|--------|---------|---|
| 4801010 | 480014 | 140 ml | 560 l | 6 |
| 4801110 | 480021 | 250 ml | 1.000 l | 3 |
| 4801210 | 480038 | 500 ml | 2.000 l | 3 |

bio CLEAN

EHEIM water care

| | | | | |
|---------|--------|--------|---------|---|
| 4802010 | 480045 | 140 ml | 1.400 l | 6 |
| 4802110 | 480052 | 250 ml | 2.500 l | 3 |

bacteria STARTER

EHEIM water care

| | | | | |
|---------|--------|-------|---------|---|
| 4803010 | 480076 | 100 g | 1.000 l | 3 |
|---------|--------|-------|---------|---|

Algozid

EHEIM water care

| | | | | |
|---------|--------|--------|---------|---|
| 4806010 | 480144 | 140 ml | 1.400 l | 6 |
| 4806110 | 480151 | 250 ml | 2.500 l | 3 |

life ESSENTIALS

EHEIM water care

| | | | | |
|---------|--------|--------|---------|---|
| 4807010 | 480175 | 140 ml | 1.850 l | 6 |
|---------|--------|--------|---------|---|

pH/KH BUFFER

EHEIM water care

| | | | | |
|---------|--------|------|---------|---|
| 4808010 | 480205 | 85 g | 1.700 l | 6 |
|---------|--------|------|---------|---|

water CONDITIONER

For binding heavy metals and harmful chemicals from the mains water supply

bio CLEAN

Actively breaks down nitrates for initial aquarium set-ups and water changes

bacteria STARTER

Bacteria for seeding filtration material

Algozid

Biocide for controlling algae

life ESSENTIALS

Vitamins, macro-elements and trace elements act as a boost for both fish and plants

pH/KH BUFFER

A basic care product that regulates KH, GH and pH levels



EHEIM plant care
The best for plants – because you love your fish

With first-class plant care products, EHEIM completes its non-technical programme for clean and healthy water. EHEIM plant care fertilisers are an effective, carefully blended mix of top-quality nutrients and trace elements developed from natural ingredients. They do not contain unnecessary additives of any kind or any phosphates or nitrates which might disturb the biological balance in an adverse way. All ingredients are pure, natural and are not harmful to fish. Quality – naturally. From EHEIM.

Art. No. EAN 4011708 Content Range Pk

plant care

EHEIM plant care

24h dayly fertilizer

| | | | | |
|---------|--------|--------|----------|---|
| 4820010 | 480243 | 140 ml | 7.000 l | 6 |
| 4820110 | 480250 | 250 ml | 12.500 l | 3 |

EHEIM plant care

7 day long-term fertilizer

| | | | | |
|---------|--------|--------|---------|---|
| 4821010 | 480274 | 140 ml | 1.400 l | 6 |
| 4821110 | 480281 | 250 ml | 2.500 l | 3 |

EHEIM plant care

Iron complex fertilizer

| | | | | |
|---------|--------|--------|---------|---|
| 4822010 | 480304 | 140 ml | 920 l | 6 |
| 4822110 | 480311 | 250 ml | 1.650 l | 3 |

EHEIM plant care

autoFERTILIZER

| | | | | |
|---------|--------|-----------|---------|---|
| 4823010 | 480335 | 3 ampoule | 3.000 l | 3 |
| 4823110 | 480342 | 6 ampoule | 6.000 l | 1 |

24-hour daily fertilizer

Complete, highly effective daily nourishment for your plants

7 day long-term fertilizer

Complete, weekly nourishment for your plants

Iron complex fertilizer

For healthy growth and green leaves

autoFERTILIZER

Concentrate for liquidoser

Additionally: EHEIM has of course complied with the requirements of the new, stricter Biocide Product Regulation under which, with effect from July 2015, only approved agents will be permitted.

So you will always recommend the right product:

Technical data of filters



| Type | Aquarium size up to l | Pump output l/h | Canister volume l | Filter volume l | Filter media containers pcs. | Delivery head Hmax m | Power consumption W pump/heater | Dimensions mm HxWxD | Installation height* max cm | Hose connection Art./inlet side ø mm | Hose connection Art./outlet side ø mm |
|-------------------------------------|-----------------------|-----------------|-------------------|----------------------|------------------------------|----------------------|---------------------------------|---------------------|-----------------------------|--------------------------------------|---------------------------------------|
| EHEIM Hang-on filters | | | | | | | | | | | |
| LIBERTY 75 | 75 | 150-380 | 0,6 | 240 cm ³ | 1 | - | 2,5 | 180x105x135 | - | - | - |
| LIBERTY 130 | 130 | 220-570 | 1,0 | 400 cm ³ | 3 | - | 3 | 180x145x135 | - | - | - |
| LIBERTY 200 | 200 | 320-760 | 1,3 | 650 cm ³ | 4 | - | 4 | 180x195x135 | - | - | - |
| EHEIM Micro internal filters | | | | | | | | | | | |
| miniUP | 30 | 300 | - | 78,9 cm ³ | 1 | 0,5 | 5 | 128x33,4x54 | - | - | 13 |
| miniFLAT | - | 300 | - | 39,4 cm ³ | 1 | 0,5 | 5 | 127x33,4x54 | - | - | 13 |
| EHEIM Internal filters | | | | | | | | | | | |
| aquaball 60 | 30-60 | 150-480 | - | 180 cm ³ | 1 | 0,37 | 5 | 160xø 96 | - | - | - |
| aquaball 130 | 60-130 | 180-550 | - | 320 cm ³ | 2 | 0,43 | 6 | 215xø 96 | - | - | - |
| aquaball 180 | 80-180 | 210-650 | - | 460 cm ³ | 3 | 0,43 | 6 | 270xø 96 | - | - | - |
| biopower 160 | 80-160 | 180-550 | - | 380 cm ³ | 2 | 0,43 | 6 | 215xø 96 | - | - | - |
| biopower 200 | 100-200 | 210-650 | - | 530 cm ³ | 3 | 0,43 | 6 | 270xø 96 | - | - | - |
| biopower 240 | 160-240 | 280-750 | - | 680 cm ³ | 4 | 0,60 | 8 | 325xø 96 | - | - | - |
| PowerLine 200 | 100-200 | 600 | - | 390 cm ³ | - | 1,5 | 10 | 285x65x75 | - | - | 4004940 / 12/16 |
| PowerLine XL | > 200 | 1200 | - | 700 cm ³ | - | 2,0 | 28 | 335x75x80 | - | - | 4004940 / 12/16 |
| pickup 45 | 45 | 50-180 | - | 85 cm ³ | - | 0,35 | 3,5 | 135x50x63 | - | - | - |
| pickup 60 | 30-60 | 150-300 | - | 195 cm ³ | - | 0,35 | 4 | 163x75x96 | - | - | - |
| pickup 160 | 60-160 | 220-500 | - | 330 cm ³ | - | 0,40 | 6 | 218x75x96 | - | - | - |
| pickup 200 | 200 | 220-570 | - | 470 cm ³ | - | 0,40 | 6 | 275x75x96 | - | - | - |
| EHEIM External filters | | | | | | | | | | | |
| classic 150 | 50-150 | 300 | 1,3 | 1,0 | - | 1,2 | 4 | 290xø 110 | 180 | 4004940 / 12/16 | 4003940 / 9/12 |
| classic 250 | 80-250 | 440 | 3,5 | 3,0 | 1 | 1,5 | 8 | 355xø 160 | 180 | 4004940 / 12/16 | 4004940 / 12/16 |
| classic 350 | 120-350 | 620 | 4,8 | 4,0 | - | 1,8 | 15 | 370xø 185 | 180 | 4004940 / 12/16 | 4004940 / 12/16 |
| classic 600 | 180-600 | 1000 | 6,6 | 6,0 | - | 2,3 | 20 | 400xø 205 | 180 | 4005940 / 16/22 | 4004940 / 12/16 |
| classic 1500XL | 300-1500 | 2400 | 23 | 18,0 | - | 3,7 | 65 | 570xø 355 | 150 | 4007940 / 25/34 | 4005940 / 16/22 |
| ecco pro 130 | 60-130 | 500 | 3,0 | 1,5 | 1 | 1,4 | 5 | 298xø 205 | 150 | 4004940 / 12/16 | 4004940 / 12/16 |
| ecco pro 200 | 100-200 | 600 | 4,0 | 2,3 | 2 | 1,4 | 5 | 355xø 205 | 150 | 4004940 / 12/16 | 4004940 / 12/16 |
| ecco pro 300 | 160-300 | 750 | 5,0 | 3,1 | 3 | 1,9 | 8 | 416xø 205 | 150 | 4004940 / 12/16 | 4004940 / 12/16 |
| eXperience 150 | 80-150 | 500 | 5,0 | 2,3 | 2 | 1,3 | 8 | 290x178x178 | 180 | 4004940 / 12/16 | 4004940 / 12/16 |
| eXperience 250 | 120-250 | 700 | 6,0 | 3,0 | 2 | 1,5 | 8 | 340x178x178 | 180 | 4004940 / 12/16 | 4004940 / 12/16 |
| eXperience 350 | 180-350 | 1050 | 9,0 | 4,9 | 2 | 2,0 | 24 | 375x210x210 | 180 | 4005940 / 16/22 | 4006940 / 16/22 |
| professionel 3 1200XL | 400-1200 | 1700 | 25 | 13,5 | 3+1 | 2,6 | 25 | 567x330x330 | 180 | 2x 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 3 1200XLT thermo | 400-1200 | 1700 | 25 | 13,5 | 3+1 | 2,6 | 25 / 500 | 567x330x330 | 180 | 2x 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 3e 450 | 240-450 | 1700 | 12,5 | 6,6 | 3 | 2,4 | 10-35 | 474x264x264 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 3e 700 | 300-700 | 1850 | 14,5 | 8,6 | 4 | 2,6 | 10-35 | 534x264x264 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 3e 600T thermo | 300-600 | 1850 | 14,2 | 8,6 | 4 | 2,6 | 10-35 / 210 | 534x264x264 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4+ 250 | 120-250 | 950 | 6,1 | 3,5 | 2 | 1,5 | 12 | 358x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4+ 250T thermo | 120-250 | 950 | 7,1 | 3,5 | 2 | 1,5 | 12 / 210 | 398x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4+ 350 | 180-350 | 1050 | 7,4 | 5,0 | 3 | 1,8 | 16 | 398x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4+ 350T thermo | 180-350 | 1050 | 8,9 | 5,0 | 3 | 1,8 | 16 / 210 | 453x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4+ 600 | 240-600 | 1250 | 9,2 | 6,5 | 4 | 1,8 | 16 | 453x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |
| professionel 4e+ 350 | 180-350 | 1500 | 7,4 | 5,0 | 3 | 2,2 | 10-35 | 398x238x244 | 180 | 4005940 / 16/22 | 4005940 / 16/22 |

So you will always recommend the right product:

Technical data pumps



| Type | Aquarium size up to l | Pump output l/h | Canister volume l | Filter volume l | Filter media containers pcs. | Delivery head Hmax m | Power consumption W pump/heater | Dimensions mm HxWxD | Installation height* max cm | Hose connection Art./inlet side ø mm | Hose connection Art./outlet side ø mm |
|--------------------------------------|-----------------------|-----------------|-------------------|-----------------|------------------------------|----------------------|---------------------------------|---------------------|-----------------------------|--------------------------------------|---------------------------------------|
| EHEIM compact pumps | | | | | | | | | | | |
| compactON 300 | - | 17-300 | - | - | - | 0,6 | 7 | 72x38x62 | - | - | 4004940 / 12/16 |
| compactON 600 | - | 250-600 | - | - | - | 1,0 | 7 | 72x38x62 | - | - | 4004940 / 12/16 |
| compactON 1000 | - | 400-1000 | - | - | - | 1,4 | 15 | 79x47x73 | - | 4005940 / 16/22 19/27 | 4005940 / 16/22 19/27 |
| compactON 2100 | - | 1400-2100 | - | - | - | 2,4 | 38 | 142x70x109 | - | 4006940 / 19/27 25/34 | 4006940 / 19/27 25/34 |
| compactON 3000 | - | 1800-3000 | - | - | - | 2,7 | 55 | 142x70x109 | - | 4006940 / 19/27 25/34 | 4006940 / 19/27 25/34 |
| compactON 5000 | - | 1110-1320 | - | - | - | 3,6 | 70 | 154x92x142 | - | 4007940 / 25/34 1 1/4" | 4007940 / 25/34 1 1/4" |
| EHEIM universal pumps | | | | | | | | | | | |
| universal 300 | - | 300 | - | - | - | 1,2 | 5 | 103x145x75 | - | 4004940 / 12/16 | 4003940 / 9/12 |
| universal 600 | - | 600 | - | - | - | 1,5 | 10 | 115x147x75 | - | 4004940 / 12/16 | 4004940 / 12/16 |
| universal 1200 | - | 1200 | - | - | - | 2,0 | 28 | 121x178x95 | - | 4005940 / 16/22 | 4004940 / 12/16 |
| universal 2400 | - | 2400 | - | - | - | 3,7 | 65 | 161x218x116 | - | 4007940 / 25/34 | 4005940 / 16/22 |
| universal 3400 | - | 3400 | - | - | - | 3,6 | 80 | 161x218x116 | - | 4007940 / 25/34 | 4005940 / 16/22 |
| aquaball powerhead 650 | - | 210-650 | - | - | - | 0,43 | 6 | 150xø 96 | - | - | 4006940 / 19/27 |
| EHEIM marine water flow pumps | | | | | | | | | | | |
| streamON 1800 | 150 | 1800 | - | - | - | - | 2,8 | 62x46x75 | - | - | - |
| streamON 3000 | 250 | 3000 | - | - | - | - | 4,5 | 90x61x85 | - | - | - |
| streamON 3800 | 350 | 3800 | - | - | - | - | 7,0 | 90x61x85 | - | - | - |
| streamON+ 2000 | 200 | 2000 | - | - | - | - | 3,0 | 62x46x75 | - | - | - |
| streamON+ 4000 | 350 | 4000 | - | - | - | - | 5,0 | 90x61x85 | - | - | - |
| streamON+ 5000 | 500 | 5000 | - | - | - | - | 8,0 | 90x61x85 | - | - | - |
| EHEIM air pumps | | | | | | | | | | | |
| air pump 100 | - | 100 | - | - | - | 2,0 | 3,5 | 152x89x71 | - | - | 4002940 / 4/6 |
| air pump 200 | - | 200 | - | - | - | 2,0 | 3,5 | 152x89x71 | - | - | 4002940 / 4/6 |
| air pump 400 | - | 400 | - | - | - | 2,0 | 4 | 152x89x71 | - | - | 4002940 / 4/6 |

* Filter base to water surface

So you will always recommend the right product: Technical data of aquariums/terrariums

| Typ | Volume | Glass thickness mm | Lighting | Dim. WxDxH cm |
|---|----------|--------------------|---------------------|---------------|
| Aquarium starter kits | | | | Tank |
| aquastar 54 | 54 | 4 | 1x15 W | 60x30x30 |
| aquastar 54 LED | 54 | 4 | 1x12 W LED daylight | 60x30x30 |
| aquastar 96 | 96 | 6 | 1x18 W | 80x30x40 |
| aquastar 63 marine | 63 | 5 | 2x12 W LED hybrid | 60x30x35 |
| aquabay 58 | 58 | 4 | 1x15 W | 60x30/35x33 |
| aquabay 104 | 104 | 6 | 2x18 W | 80x30/35x40 |
| aquapro 84 | 84 | 5 | 2x15 W | 60x35x40 |
| aquapro 126 | 126 | 6/8 | 2x18 W | 80x35x45 |
| aquapro 180 | 180 | 6/8 | 2x30 W | 100x40x45 |
| Terrarium | | | | |
| terra set 60 starter kit | - | 4 | 1x15 W | 60x37x40 |
| terra set 80 starter kit | - | 5 | 1x18 W | 80x40x50 |
| terrastyle 30 | 30 | 4 | 7 W | 31x31x36 |
| terrastyle 50 | 50 | 4 | 7 W | 31x31x55 |
| terrastyle 70 | 70 | 4 | 7 W | 40x40x45 |
| Cabinets | | | | |
| Panels | panel 1 | panel 2 | Height | |
| Dimensions | B x T cm | B x T cm | cm | |
| aquacab 54 | 61x31 | - | 85 | |
| aquacab 84 | 61x36 | - | 85 | |
| aquacab 126 | 81x36 | - | 85 | |
| DUO 60 | 60x30 | 60,5x36 | 68 | |
| DUO 80 | 81x36 | 80,5x37,5 | 68 | |
| Nano-aquariums | | | | Tank |
| nano shrimp 35 | 35 | 5 | 7 W | 31x31x36 |
| nano marine 35 | 35 | 5 | 2x7 W | 31x31x36 |
| aquastyle 35 | 35 | 5 | 7 W | 31x31x36 |
| Aquarium combinations | | | | complete |
| incpiria 200 | 200 | 8 | powerLED+ | 70x55x140 |
| incpiria 300 | 300 | 10 | powerLED+ | 100x55x140 |
| incpiria 400 | 400 | 12 | powerLED+ | 130x55x140 |
| incpiria 500 | 500 | 12 | powerLED+ | 160x55x140 |
| incpiria 600 | 600 | 12 | powerLED+ | 200x55x65 |
| proxima 175 | 175 | 8 | powerLED+ | 71x51x132 |
| proxima 250 | 250 | 8/10 | powerLED+ | 101x51x132 |
| proxima 325 | 325 | 12 | powerLED+ | 131x51x132 |
| proxima plus 175 | 175 | 8 | powerLED+ | 71x51x145 |
| proxima plus 250 | 250 | 8/10 | powerLED+ | 101x51x145 |
| proxima plus 325 | 325 | 12 | powerLED+ | 131x51x145 |
| vivalineLED 126 | 126 | 6/8 | classicLED | 81x36x119 |
| vivalineLED 150 | 150 | 8 | classicLED | 61x51x124 |
| vivalineLED 180 | 180 | 6/8 | classicLED | 101x41x119 |
| vivalineLED 240 | 240 | 8/10 | classicLED | 121x41x124 |
| Marine water aquarium combinations | | | | |
| incpiria 200 marine | 200 | 8 | powerLED+ | 70x55x140 |
| incpiria 300 marine | 300 | 10 | powerLED+ | 100x55x140 |
| incpiria 400 marine | 400 | 12 | powerLED+ | 130x55x140 |
| incpiria 500 marine | 500 | 12 | powerLED+ | 160x55x140 |
| incpiria 600 marine | 600 | 12 | powerLED+ | 200x55x140 |
| proxima reef 175 | 175 | 8 | - | 71x51x125 |
| proxima reef 250 | 250 | 8/10 | - | 101x51x125 |
| proxima reef 325 | 325 | 12 | - | 131x51x125 |

Recommended EHEIM technology

EHEIM



| Fresh water aquariums | EHEIM classic | EHEIM ecco pro | EHEIM eXperience | EHEIM professionnel 4+ | EHEIM professionnel 4e+ | EHEIM thermocontrol heater |
|-----------------------|---------------|----------------|------------------|--------------------------|-------------------------|----------------------------|
| proxima 175 | 250 | 200 | 250 | 250 | 350 | 125 W |
| proxima 175 | - | - | 250T (thermo) | 250T (thermo) | 600T (thermo) | - |
| proxima 250 | 350 | 300 | 350 | 350 | 350 | 150 W |
| proxima 250 | - | - | - | 350T (thermo) | 600T (thermo) | - |
| proxima 325 | 350 | 300 | 350 | 600 | 450 | 200 W |
| proxima 325 | - | - | - | 350T (thermo) | 600T (thermo) | - |
| proxima plus 175 | 250 | 200 | 250 | 250 | 350 | 125 W |
| proxima plus 175 | - | - | 250T (thermo) | 250T (thermo) | 600T (thermo) | - |
| proxima plus 250 | 350 | 300 | 350 | 350 | 350 | 150 W |
| proxima plus 250 | - | - | - | 350T (thermo) | 600T (thermo) | - |
| proxima plus 325 | 350 | 300 | 350 | 600 | 450 | 200 W |
| proxima plus 325 | - | - | - | 350T (thermo) | 600T (thermo) | - |
| incpiria 200 | - | - | - | 250 | 350 | 150W |
| incpiria 200 | - | - | - | 250T (thermo) | - | - |
| incpiria 300 | - | - | - | 350 | 350 | 200 W |
| incpiria 300 | - | - | - | 350T (thermo) | 600T (thermo) | - |
| incpiria 400 | - | - | - | 600 | 450 | 250 W |
| incpiria 400 | - | - | - | - | 600T (thermo) | - |
| incpiria 500 | - | - | - | professionel 3 1200XL | 700 | 250 W |
| incpiria 500 | - | - | - | 1200XLT (thermo) | 600T (thermo) | - |
| incpiria 600 | - | - | - | 1200XL | - | 300 W |
| incpiria 600 | - | - | - | 1200XLT (thermo) | - | 300 W (option) |
| page | 36 | 37 | 38 | 39 | 40/41 | 75 |



Brochures



EHEIM Product range
Format DIN A4

| | Art. no. | Pk |
|----------------------|-----------------|----|
| Dealer catalogue | English 7992020 | 25 |
| shopDesign catalogue | English 7990220 | 25 |

EHEIM Guide
Format DIN A5

| | Art. no. | Pk |
|--------------------|-----------------|----|
| Aquarium guide | English 7991220 | 25 |
| Nano guide | English 7991420 | 25 |
| Lighting guide | English 7994220 | 25 |
| Marine water guide | English 7994820 | 25 |
| Food guide | English 7998220 | 25 |
| Care guide | English 7998320 | 25 |

EHEIM Flyer
Format DIN A5

| | Art. no. | Pk |
|-------------------------|-----------------|----|
| Fluorescent tubes T5 | English 7984120 | 50 |
| Steaming pumps | English 7990820 | 50 |
| powerLED light | English 7992420 | 50 |
| powerLED+ light | English 7990720 | 50 |
| Marine water aquariums | English 7994620 | 25 |
| Combination incipria | English 7992720 | 50 |
| Combination proxima | English 7981020 | 50 |
| Combination vivalineLED | English 7990120 | 50 |
| professionel food | English 7998520 | 50 |
| professionel care | English 7998620 | 50 |
| Filter media | English 7991820 | 50 |
| Nano terrarium | English 7993420 | 50 |
| Compact pumps | English 7990520 | 50 |




EHEIM InfoCenter

Art. 7999620 EAN 4011708 797648
 Practical brochure and flyer holder to fit DIN A5 format
 Size HxWxD: 150x31x39 cm
 Fill depth of compartment: ca. 50 mm
 Internal width of compartment: ca. 150 mm
 Weight: 4,5 kg

- Four level brochure racks each with 2x DIN A5 compartments
- 4 mm polystyrene
- Elegant matt grey colour
- No assembly necessary!

Please visit our website at www.eheim.com to download the product literature, instructions and spare parts lists.



EHEIM promotional display

EHEIM fish feeder

Art. No. 8181000 EAN 4011708 810699
 Display in dispenser format
 Contains: 5x 3581000
 Size: HxWxD: 41,5x9,5x15,3 cm
 Displays while stock lasts!



Modular
solutions
for
pet shops



PRODUCT RANGE

Sales effective shop fitting units
in experience oriented design.



new

You will find detailed information
in the shopDesign catalogue Art. 7990220
or as download: www.eheim-shopdesign.de

ShopDesign


Animals and pets in general generate emotions in all of us. Emotions will generate sales. EHEIM shopDesign provides you with the right displays and where necessary can help create a real world of senses.

EHEIM shopDesign is your one stop partner. Get everything from a single source. Technology is manufactured by EHEIM in Germany and the units are individually planned by our CAD designers. If need be an interior designer can suggest a theme which meets desires and budgets. The close cooperation with BNA the federation for nature and protection of species guarantees that EHEIM shopDesign is always up-to-date in animal welfare. Our own installation engineers ensure a clean, fast and precise installation on site.

Experience-oriented worlds

From dream to reality

No matter what you are looking for whether it be a Maya temple, a jungle book inspired theme, a Roman building or a Mediterranean feeling, we can do it for you. Just provide us with a key word – and we get started. EHEIM shopDesign is the ideal partner at your side from the first sketches to the finished installation in your pet shop. Sales psychology included.



Fittings

The equipment of your salesrooms gives an overall impression of your pet shop and therefore weighs significantly on the success of your pet shop area. Do you want to emphasize your professional competence? Do you need a counter where you can give your customers professional advice? Or are you looking for a practical packing table, lighting, shelving systems and a promotional presentation system? EHEIM shopDesign always has the right solutions ready.

Please contact us at:
phone +49 6361 - 9216 - 0

More information: www.eheim-shopdesign.de

Animal Sales Displays

Irrespective of the model you choose, being professional or basic, the fish racks from EHEIM shopDesign are all based on modular systems. Detailed advice and concrete proposals for the installation are all part of the service. You select the size and the equipment as well as the desired trusted EHEIM mechanical and biological filtration technology ... and we do the rest.



Quality

By using high-quality materials and guaranteeing high manufacturing and assembly precision, the highest standards are met. The sophisticated technology and many years of experience ensure the smooth operation of the system.

Safety

All electric connections and cables have been manufactured in accordance with the VDE (German Association of Electrical Engineers) recommendations. The units are earthed. Even with water installations and aquariums, safety is assured.

Maintenance

By providing technically advanced systems and intelligent construction, we help to keep care and cleaning time to a minimum.

Expert planning

We plan everything for you right down to the very last detail. Comprehensive offers, expert CAD drawings, installation plans and personal visits are all part of our normal sales presentation.

Species-friendly husbandry

The best sales argument is healthy and lively animals. For this reason, we are mindful of species-appropriate husbandry and we adhere strictly to all rules and regulations of the TVT (German Veterinary Animal Welfare Association).

Design, colour and decor

The units can be designed according to your specific wishes. The surfaces can be swapped and customised at any time. The unit surfaces can be styled individually and can be replaced at any time. This way, a new ambience is created in your showroom again and again in a fast and uncomplicated way.

Carefully thought of, practical, species and maintenance friendly.

shopDesign



Aquatics

- User friendly and maintenance poor
- Tested and recognized materials thanks to decades of experience
- EHEIM equipment or made in-house
- Many additional options possible
- Modules are easily customised
- Assembled by our own engineers
- Modern aeration technology and ventilation where required
- Invisible corner connectors on the shop side
- Practical, prize winning flap doors



Reptiles

- Terrarium dimensions and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- Top covers made of Plexiglas = UV-transparent
- Elstein lamp (ceramic infrared lamp) with protective grid for reptile unit
- All units made with safety glass and lockable sliding doors
- Sprinkling unit, mister or heating on request
- All maintenance done from the front, even lamp changes
- Lower row suitable for dry goods merchandising



Are you looking for a perfect way to show your fish?

EHEIM shopDesign has a vast selection of standard racks in its portfolio whether it be for the individual pet shop or the large retail chain. EHEIM shopDesign can make your wishes come true. Possibilities are endless with the reputation of EHEIM technology coming as a standard.

Exoticism, thrill and amazement are key words in the vocabulary of reptiles enthusiasts. These sensations can be duplicated and brought forward to your customers with the high-quality reptile units from EHEIM shopDesign. Even the most unusual and demanding species will thrive in a carefully studied environment finished in a contemporary and stylish look.



The rodent area is simply the most magical attraction for all kids and adults alike.

EHEIM shopDesign provides ideal habitats for hamsters and other rodents. Spacious glass surfaces offer a perfect view and also keeps the small curious hands at bay. Easy-to-clean materials are the best prerequisites for hygienic conditions.



The aquatic plant sales unit is a real eye catcher in any aquatic department.

EHEIM shopDesign is the ideal partner by your side to advise you to choose the right unit for a flourishing plant display. Perfectly coordinated tank heights for the different kind of plants, suitable lighting and the legendary EHEIM filtration technology.

Aquatic plants

- High quality aluminium frame
- Corner connector with V2A steel core
- Double price tag rails
- EHEIM filter with integrated heater
- Water cascade made of V2A steel
- Plant baskets available on request
- Granite packing table top
- Customised lighting
- LED lighting optional

Rodents

- High quality aluminium frame
- Unit sizes and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- All units with lockable sliding glass doors
- Includes drinking bottles with bracket
- Removable divider panels available
- Hygienic husbandry conditions by use of easy to clean materials



The bird installation is a unique, acoustic, and visual addition to any each pet shop.

EHEIM shopDesign not only designs and builds practical bird cages and aviaries but also takes important details into considerations to ensure the wellbeing of your birds (such as pivoting food and water bowls for stress free feeding).

Birds

- Species-appropriate ventilation
- Handmade cages
- Litter tray made of stainless steel
- Anti-dirt seals in the cage bottom
- Antiglare shield (pearl Plexiglas)
- Adjustable perches and removable feeding trays
- Storage area underneath
- Removable divider panels made of PVC
- Aviaries with stainless steel bottoms
- Standard units according to veterinarian guidelines



These logos stand for quality



Product complies with the European guidelines



Safety tested:

Verified by the Verband Deutscher Elektrotechniker (Association for Electrical, Electronic & Information Technologies)



Approved by the Technischen Überwachungsverein (German Technical Supervisory Association)



DIN aquarium production standard (mp reg. no. 191/07)



Waterproof IPX7



EHEIM quality guarantee



Suitable for fresh water



Suitable for marine water



Cable length approx.



EHEIM High Performance Ceramics:

The axles and bearing sleeves of the impellers (ecco, professional, professional II, professional 3 and professional 3e) are made of High Performance Ceramics. This means exceptionally quiet running, smoothness, maximum resilience and extremely long service life.



ISO 9001 Zertifizierung



7992020/05.17-GB/UK Subject to technical alterations without notice/Errors excepted. © EHEIM



EHEIM

EHEIM GmbH & Co. KG
Plochinger Str. 54
73779 Deizisau
Germany
Tel. +49 7153/70 02-01
Fax +49 7153/70 02-174

**Müller + Pflieger
GmbH & Co. KG**
Industriegebiet
Kreuzwiese 13
67806 Rockenhausen
Germany
Tel. +49 6361/92 16-0
Fax +49 6361/76 44

Eugen Jäger GmbH
Auf dem Berg 31
71543 Wüstenrot-
Finsterrot
Germany
Tel. +49 7945/633
Fax +49 7945/13 61



www.eheim.com