

Specifications

SMART Board® MX165 interactive flat panel

Model SBID-MX165

Overview

Digital whiteboard. Web browser. Screen sharing. Our newest SMART Board® MX100 series has all the essentials educators need for bringing the devices students love into any learning environment. The SMART Board MX100 series is a great value for schools that need an interactive display on a budget. Available in 65", 75" and 86" sizes—all in 4K Ultra HD resolution—with SMART Learning Suite included, and a standard three-year warranty.



The display includes a subscription for SMART Learning Suite applications, including SMART Notebook® lessons and SMART lab™ activities.


The built-in e³ experience puts everything you need in one place, available at the touch of a finger. There's a browser, a digital whiteboard and wireless screen sharing for iOS and Android™ mobile devices and a wide variety of computers



As an ENERGY STAR® certified signage display, the SMART Board MX065 interactive display meets strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and Department of Energy.

Dimensions and weights¹

Dimensions



D	Display part number
4 5/16" (11.3 cm)	1031028
3 11/16" (9.5 cm)	1033445

Weight

Maximum 95 lb. (43 kg)

Active touch area

57 3/8" × 32 3/4" (145.7 cm × 83.3 cm)

Active image area

56 1/4" × 31 5/8" (142.9 cm × 80.4 cm)

Shipping dimensions (including pallet)

66 3/8" W \times 45 3/4" H \times 10 1/4" D (168.5 cm \times 116.2 cm \times 26 cm)

Shipping weight

137 lb. (62 kg)

Hardware

Interaction

Touch technology IR

Multitouch capabilities Up to 20 simultaneous touch, writing, or erase points 23

Object Awareness™ Behavior adjusts automatically to the tool or object you're using, whether it's a pen, finger or

palm.

Display

Type LED backlit LCD (A grade)

Aspect ratio 16:9

Resolution 4K UHD

Positioning accuracy <2 mm

Horizontal frequency

(minimum)

31 Hz

 $^{^1} All \ dimensions \pm 1/8"$ (0.3 cm). All weights $\pm \ 2$ lb. (0.9 kg).

 $^{{}^2\}text{Requires SMART Product Drivers to be installed. Some applications might not support all touch points.}$

³Chrome OS is limited to 10 simultaneous touches. Pens and eraser are not supported.

Horizontal frequency 140 kHz (maximum) Vertical frequency 59 Hz (minimum) Vertical frequency 70 Hz (maximum) Contrast ratio (typical) 1200:1 ≥350 cd/m² Brightness (maximum) Refresh frequency 60 Hz Pixel clock (maximum) 600 MHz Pixel dimensions 0.37 mm Viewing angle 178° Response time (typical) 8 ms Ambient light sensor Yes Audio 10 W integrated speakers (×2) Wireless 802.11 Wi-Fi a/b/g/n/ac 2.4GHz and 5GHz Included cables and Country-specific power cable accessories 16' 5" (5 m) USB cable Wall mount bracket kit Pen (×2) Antennas (×2) IR remote control Mounting holes Part number 1031028: For a standard VESA® 500 mm × 400 mm mounting plate with M6 screws Part number 1033445: For a standard VESA® 600 mm × 400 mm mounting plate with M8 screws NOTE A wall mount is included with the display. Mounting bracket depth Minimum clearance depth of 11/4" (3 cm) for all components on the back of the interactive

display for airflow

SMART BOARD MX165 INTERACTIVE FLAT PANEL

Connectors

Back Connector panel:

HDMI® in (with HDCP 2.2 support) (×2)

VGA in RJ45 (×2)

USB Type-B (for touch applications) (×1)

USB 2.0 Type-A (×2)

HDMI 1.4 out (HDCP-compliant)⁴⁵

S/PDIF out

Stereo 3.5 mm out

Stereo 3.5 mm in (for VGA in)

OPS slot RS-232 control

Front HDMI in (with HDCP 1.4 support)

USB 2.0 Type-B (for touch applications)

USB 2.0 Type-A (×2)

Applications

Interactive display Whiteboard

Web browser

EShare wireless screen share

One-year subscription to SMART Learning Suite

Supported languages

for e³ experience

Danish Dutch English

Finnish French German Italian Norwegian Russian

Simplified Chinese

Spanish Swedish

Installation requirements

Interactive display See the SMART Board MX100 series interactive displays installation and maintenance guide

(smarttech.com/kb/171288)

Room computers and guest laptops

General requirements See the SMART Notebook software release notes

⁴HDCP is always enabled. Content is shown in 480p resolution if the external display doesn't support HDCP.

 $^{^{5}\}text{HDMI out is an optional feature. Contact your authorized SMART reseller (smarttech.com/where) for further ordering instructions.}$

4K UHD Graphics card that supports 3840×2160 resolution at 30 Hz and that has 1 GB DDR 5 memory

See Minimum requirements for Ultra High Definition or 4K on your interactive flat panel

Mini-computers

General requirements See the SMART Notebook software release notes

Cable requirements

HDMI Maximum length: 23' (7 m)

NOTES

- Use only certified HDMI cables that have been tested to support the performance standard you require.
- The performance of cables longer than 23' (7 m) is highly dependent on the cable's quality.

USB Maximum length: 16' (5 m)

Important

Using cables that are longer than these maximum lengths can produce unexpected results, such as degraded picture quality or USB connectivity. Refer to SMART installation standards (smarttech.com/kb/171035) for comprehensive information about cables and extensions for

SMART hardware products.

Storage and operating requirements

Power requirements 100V to 240V AC, 50 Hz to 60 Hz

Standalone interactive display power consumption at 77°F (25°C)

Standby mode ≤0.3 W

Normal operating

(out-of-box)

100 W

Operating temperature 41–95°F (5–35°C)

Storage temperature -4-140°F (-20-60°C)

Humidity 5–80% relative humidity, non-condensing

Certification and compliance

Regulatory certification (Model ID: IDX65-1)

UL (U.S./Canada), FCC, IC, CE, EAC, RCM, NRCS, SABS, CITC, TRA, CCC

Environmental compliance

European Union REACH, RoHS, Battery, WEEE and Packaging

U.S. CONEG Packaging, California Proposition 65 and Conflict Minerals

SMART BOARD MX165 INTERACTIVE FLAT PANEL

Purchasing information

Order number

SBID-MX165 SMART Board MX165 interactive display with one-year subscription of SMART Learning Suite

Optional accessories

Other See smarttech.com/accessories

Warranty Three-year limited equipment warranty

Extended warranty

EWY1-SBID-MX165 SBID-MX165 interactive display one-year warranty extension

EWY2-SBID-MX165 SBID-MX165 interactive display two-year warranty extension

smarttech.com/support smarttech.com/contactsupport

© 2019 SMART Technologies ULC. All rights reserved. SMART Board, SMART Notebook, SMART lab, SMART amp, SMART response 2, DViT, Pen ID, Object Awareness, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. iPhone, iPad, iPod touch and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play, Android and Chrome are trademarks of Google Inc. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. October 8, 2019.