

# LD102S-2

EAN13: 8017709201210

Product Family: Sink  
 Aesthetics: Mira  
 Type: Welded sink  
 Building in type: Ultra-low profile  
 Drainer: Left  
 No. of bowls: 1 + 3/4  
 Colour: Stainless steel



## TYPE

- Product Family: Sink
- Sink material: Stainless steel
- No. of bowls: 1 + 3/4
- Type: Welded sink
- Sink dimensions: 100 cm
- Drainer: Left

## AESTHETICS



- Stainless steel finish: Brushed
- Building in type: Ultra-low profile

- Aesthetics: Mira
- Colour: Stainless steel
- Type of steel: AISI304
- Tap hole / precut tap hole: 1 Tap hole

## TECHNICAL FEATURES



- Frame depth (mm): 15
- Cutout dimension (mm): 980 x 480 mm
- Tap hole: 1
- Dividing wall width: 30 mm
- No. of clips: 8
- Type of clips: Standard

- Frame thickness: 0.7 mm
- Height from kitchen top: 4 mm
- Cutout radius: 5 mm
- Base unit size: 80 cm
- Tap hole diameter: 35 mm
- Drainer inclination: 2 °
- Gasket type: Sealing paste

## LOGISTIC INFORMATION

- Dimensions of the product (mm): 215x1000x500 mm

## RH BOWL



- Bowl dimensions, WxDxH (mm): 340 x 400 x 200 mm
- Overflow: Yes, flush fitted
- Strainer dimension: 3.5"

- Bowl type RH: Minimum radius
- Bowl thickness (mm): 1 mm
- Bowl depth (mm): 200 mm
- Radius corner right bowl (mm): 15 mm
- Strainer position: Wall position

## LH BOWL



- Bowl dimensions LH, WxDxA (mm): 180 x 340 x 156 mm
- Strainer position LH bowl: Centre of bowl

- Bowl type LH: Half bowl
- Bowl thickness LH (mm): 1 mm
- LH Bowl depth (mm): 150 mm
- Radius corner left bowl: 50 mm
- Strainer dimension LH bowl: 3.5"

## ACCESSORIES INCLUDED

- Accessories for installation: Strainer, Fixing clips, Gasket, Siphon with dishwasher outlet connection

## OPTIONAL

---

- **DB34**
- **KITW1**

• Waste disposal 0,75 HP Motor: 3/4 horsepower  
Fits all sinks with 3 1/2" waste outlet: **KITFD075**

- **KITFD050UK**
- **KITFD100UK**
- **TVN2**

- **RND2V**

• Waste disposal 0,5 HP Motor: 1/2 horsepower Fits  
all sinks with 3 1/2" waste outlet: **KITFD050**

• Waste disposal 1 HP Motor: 1 horsepower Fits all  
sinks with 3 1/2" waste outlet : **KITFD100**

- **KITFD075UK**
- **TVB2**
- **TVS2**

## VERSIONS

---

- LD102D-2: Stainless steel Right

For availability in specific countries please contact your [local agent](#) .



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

