Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Version: 6.2

Date of issue:13/11/2009 Revision date:16/03/2016 Supersedes:28/12/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: CHAMPION COMPRESSOR OIL ISO 100 Product name

Product code : 4208 Product group · Blend

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

: Industrial use.Professional use.Consumer use Main use category

Industrial/Professional use spec : Non-dispersive use

Used in closed systems

: Lubricants and additives Function or use category

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V. Georges Gilliotstraat, 52 2620 Hemiksem - België T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99

info@wolfoil.com

1.4. **Emergency telephone number**

Emergency number : 0032 (0)70 245 245

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P102 - Keep out of reach of children

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

EUH-statements : EUH208 - Contains Aryl amine(90-30-2). May produce an allergic reaction

Child-resistant fastening : No Tactile warning : No

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture 3.2.

16/03/2016 EN (English) 1/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
alkylphenol	(CAS No) 128-39-2 (EC no) 204-884-0 (REACH-no) 01-2119490822-33	0,1 - 0,99	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Solvent naphtha (petroleum), heavy aromatic	(CAS No) 64742-94-5 (EC no) 265-198-5 (EC index no) 649-424-00-3	0,1 - 0,99	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Aryl amine	(CAS No) 90-30-2 (EC no) 201-983-0	0,1 - 0,24	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Naphthalene	(CAS No) 91-20-3 (EC no) 202-049-5 (EC index no) 601-052-00-2	0,1 - 0,24	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures. First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal

Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/injuries after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal

: Not expected to present a significant ingestion hazard under anticipated conditions of normal Symptoms/injuries after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

Environmental precautions 6.2.

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

16/03/2016 EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually

required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C

Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphthalene (91-20-3)		
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m³)	15 mg/m³
Austria	MAK (mg/m³)	50 mg/m³
Belgium	Limit value (mg/m³)	50 mg/m³
Belgium	Short time value (mg/m³)	53 mg/m³
Bulgaria	OEL TWA (mg/m³)	50 mg/m³ 8h
Bulgaria	OEL STEL (mg/m³)	75 mg/m³ 15 min.
Denmark	Grænseværdie (kortvarig) (mg/m³)	50 mg/m³
Estonia	OEL TWA (mg/m³)	50 mg/m³
Finland	HTP-arvo (8h) (mg/m³)	5 mg/m³
Finland	HTP-arvo (15 min)	100 mg/m ³
France	VME (mg/m³)	50 mg/m³
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	50 mg/m³
Netherlands	Grenswaarde TGG 8H (mg/m³)	50 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	80 mg/m ³
United Kingdom	WEL TWA (mg/m³)	50 mg/m³
USA - ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
USA - ACGIH	ACGIH STEL (mg/m³)	15 fibers/cm ³

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.2. Exposure controls

Personal protective equipment : Safety glasses. Gloves.

Hand protection : Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm.

Nitrile rubber (NBR) /

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Oily liquid.
Colour : Yellow-brown.

16/03/2016 EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Odour : Characteristic. Odour threshold No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available **Boiling point** : No data available Flash point : > 205 °C @ ASTM D92 Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Density : 891 kg/m3 @15°C Solubility : Slightly soluble, the product remains on the water surface.

: No data available

Log Pow : No data available 100 mm²/s @ 40°C Viscosity, kinematic No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Relative density

None under normal conditions.

10.2. **Chemical stability**

Stable under normal conditions.

Possibility of hazardous reactions

None under normal conditions.

10.4. **Conditions to avoid**

No data available.

Incompatible materials

Strong oxidizers. acids. Bases.

Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity : Not classified

Naphthalene (91-20-3)		
LD50 oral rat	2600 mg/kg	
LD50 dermal rat	> 2500 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
16/03/2016	EN (English)	4/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

CHAMPION COMPRESSOR OIL ISO 100	
Viscosity, kinematic	100 mm²/s @ 40°C

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Naphthalene (91-20-3)	
LC50 fish 1	< 10 mg/l 96h
LC50 fish 2	0,51 mg/kg
LC50 other aquatic organisms 1	48h, Daphnia
EC50 Daphnia 1	3,4 mg/l
EC50 Daphnia 2	< 10 mg/l

12.2. Persistence and degradability

CHAMPION COMPRESSOR OIL ISO 100	
Persistence and degradability Not soluble in water, so only minimally biodegradable.	
Naphthalene (91-20-3)	
Persistence and degradability	Inherently biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

16/03/2016 EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable Packing group (ADN) : Not applicable Packing group (RID) : Not applicable

Environmental hazards 14.5.

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Special precautions for user 14.6.

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. **National regulations**

Germany

VwVwS Annex reference Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS,

Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Solvent naphtha (petroleum), heavy aromatic is listed

SZW-lijst van mutagene stoffen : Solvent naphtha (petroleum), heavy aromatic is listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation Young people below the age of 18 years are not allowed to use the product

> Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

16/03/2016 EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
TWA: Time Weighted Average
TLV: Threshold Limit Value
ASTM: American Society for Testing and Materials
ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
IMDG: International Maritime Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
STEL: Short Term Exposure Limit
LD50: median Lethal Dose for 50% of subjects
ATE: acute toxicity estimate
LC50: median Lethal Concentration for 50% of subjects
EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

16/03/2016 EN (English) 7/7