



# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 24-12-2019 Revision date: 21-2-2020 Supersedes: 24-12-2019 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : SP Gear 5015  
Product code : 02.20.99  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Gear lubricant

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV  
Dollegoorweg 15  
7602 EC Almelo - Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon-oil.nl](mailto:vib@kroon-oil.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company   | Address                                  | Emergency number   | Comment |
|----------------|--|--|--|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                     | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>Gwenwyn Ward, Llandough Hospital | Penarth<br>CF64 2XX Cardiff              | 0344 892 0111  |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P102 - Keep out of reach of children.  
P273 - Avoid release to the environment.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|--|---------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (Note L)   | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8<br>(REACH-no) 01-2119484627-25 | 50 – 80 | Asp. Tox. 1, H304  |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | (EC-No.) 931-384-6<br>(REACH-no) 01-2119493620-38  | 0,1 – 1 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411  |
| (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines  | (EC-No.) 627-034-4<br>(REACH-no) 01-2119473797-19  | < 1     | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>STOT RE 2, H373<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.  
Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.  
Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : < 40 °C

#### 7.3. Specific end use(s)

No additional information available

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### SP Gear 5015

##### EU - Occupational Exposure Limits

Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended

5 mg/m<sup>3</sup> - ACGIH TLV (inhalable fraction).

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Hand protection:

Protective gloves

| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥ 0.35         |             | EN ISO 374 |

##### Eye protection:

Safety glasses

| Type           | Use     | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear           | EN 166   |

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

##### Personal protective equipment symbol(s):



##### Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|  |                          |
|--|--------------------------|
| Physical state                             | : Liquid                 |
| Colour                                     | : brown.                 |
| Odour                                      | : characteristic.        |
| Odour threshold                            | : No data available      |
| pH   | : No data available      |
| Relative evaporation rate (butylacetate=1) | : No data available      |
| Melting point                              | : Not applicable         |
| Freezing point                             | : -45 °C - ASTM D93 (PM) |

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|   |  |
|---|--|
| Boiling point                                   | : No data available                            |
| Flash point                                     | : 208 °C - ASTM D92 (COC)                      |
| Auto-ignition temperature                       | : No data available                            |
| Decomposition temperature                       | : No data available                            |
| Flammability (solid, gas)                       | : Not applicable                               |
| Vapour pressure                                 | : No data available                            |
| Relative vapour density at 20 °C                | : No data available                            |
| Relative density                                | : No data available                            |
| Density   | : 0,854 (15 °C) - ASTM D4052                   |
| Solubility                                      | : Water: Insoluble / Slightly miscible         |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                            |
| Viscosity, kinematic                            | : 45,2 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |
| Viscosity, dynamic                              | : No data available                            |
| Explosive properties                            | : No data available                            |
| Oxidising properties                            | : No data available                            |
| Explosive limits                                | : No data available                            |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                            |                |
|----------------------------|----------------|
| LD50 oral rat              | > 5000 mg/kg   |
| LD50 dermal rabbit         | > 2000 mg/kg   |
| LC50 inhalation rat (mg/l) | > 5,53 mg/l/4h |

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

|                 |  |
|-----------------|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|--|

### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

|               |                              |
|---------------|------------------------------|
| LD50 oral rat | 2000 mg/kg (OECD 401 method) |
|---------------|------------------------------|

|                                   |                  |
|-----------------------------------|------------------|
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

### (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

|                            |  |
|----------------------------|--|
| NOAEL (oral, rat, 90 days) | 3,25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) |
|----------------------------|--|

Aspiration hazard : Not classified

### SP Gear 5015

|                      |  |
|----------------------|--|
| Viscosity, kinematic | 45,2 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |
|----------------------|--|

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |  |
|---|--|
| Ecology - general   | : Harmful to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                     |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |
| Not rapidly degradable                                    |  |

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                        |  |
|------------------------|--|
| LC50 fish              | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)            |
| EC50 Daphnia           | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)               |
| EC50 Daphnia           | > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)                |
| NOEC (acute)           | ≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |
| NOEC chronic fish      | ≥ 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)          |
| NOEC chronic crustacea | 10 mg/l (Daphnia magna, 21d) (OECD 211 method)                     |

### (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

|              |  |
|--------------|--|
| LC50 fish    | 4,21 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 Daphnia | 0,011 mg/l   |
| EC50 Daphnia | 0,32 mg/l Test organisms (species): Daphnia magna                                  |

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                    |  |
|--------------------|--|
| EC50 72h algae (1) | 0,46 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h algae (2) | 0,38 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| ErC50 (algae)      | 0,013 mg/l   |
| LOEC (chronic)     | 0,032 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                  |
| NOEC (chronic)     | 0,013 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                  |

### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

|                        |  |
|------------------------|--|
| LC50 fish              | 24 mg/l (Oncorhynchus mykiss, 96h) (OECD 203 method)             |
| LC50 fish              | 8,5 mg/l (Pimephales promelas, 96h) (OECD 203 method)            |
| EC50 Daphnia           | 91,4 mg/l (Daphnia magna, 48h) (OECD 202 method)                 |
| EC50 72h algae (1)     | 6,4 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |
| NOEC chronic crustacea | 0,12 mg/l (Daphnia magna, 21d) (OECD 211 method)                 |
| NOEC chronic algae     | 1,7 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |

### 12.2. Persistence and degradability

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

|                |                                     |
|----------------|-------------------------------------|
| Biodegradation | 3,6 % Sturm (28 d) [ASTM D-5864-95] |
|----------------|-------------------------------------|

### 12.3. Bioaccumulative potential

#### (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

|   |                             |
|---|-----------------------------|
| BCF fish  | 500 mg/l (calculated value) |
| Partition coefficient n-octanol/water (Log Kow) | 4,33 (25°C)                 |

### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

|   |                                |
|---|--------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | < 0,3 (40°C) (OECD 117 method) |
|---|--------------------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out



# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

#### Indication of changes:

| Section | Changed item               | Change   | Comments |
|---------|----------------------------|----------|----------|
| 2.2     | EUH-statements             | Removed  |          |
| 16      | Abbreviations and acronyms | Modified |          |

#### Abbreviations and acronyms:

|         |   |
|---------|---|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ATE     | Acute Toxicity Estimate   |
| BCF     | Bioconcentration factor   |
| CLP     | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| DMEL    | Derived Minimal Effect level  |
| DNEL    | Derived-No Effect Level   |
| EC50    | Median effective concentration  |
| IARC    | International Agency for Research on Cancer   |
| IATA    | International Air Transport Association   |
| IMDG    | International Maritime Dangerous Goods  |
| LC50    | Median lethal concentration   |
| LD50    | Median lethal dose  |
| LOAEL   | Lowest Observed Adverse Effect Level  |
| NOAEC   | No-Observed Adverse Effect Concentration  |
| NOAEL   | No-Observed Adverse Effect Level  |
| NOEC    | No-Observed Effect Concentration  |
| OECD    | Organisation for Economic Co-operation and Development  |
| PBT     | Persistent Bioaccumulative Toxic  |
| PNEC    | Predicted No-Effect Concentration   |
| REACH   | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID     | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| vPvB    | Very Persistent and Very Bioaccumulative  |
| BLV     | Biological limit value  |
| CAS-No. | Chemical Abstract Service number  |
| EC-No.  | European Community number   |
| EN      | European Standard   |
| OEL     | Occupational Exposure Limit   |
| SDS     | Safety Data Sheet   |
| WGK     | Water Hazard Class  |

#### Full text of H- and EUH-statements:

|                     |                                   |
|---------------------|-----------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
|---------------------|-----------------------------------|

# SP Gear 5015

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                   |  |
|-------------------|--|
| Aquatic Acute 1   | Hazardous to the aquatic environment — Acute Hazard, Category 1                            |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1                          |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2                          |
| Asp. Tox. 1       | Aspiration hazard, Category 1  |
| Eye Dam. 1        | Serious eye damage/eye irritation, Category 1  |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2  |
| Skin Corr. 1      | Skin corrosion/irritation, Category 1  |
| Skin Sens. 1B     | Skin sensitisation, category 1B  |
| STOT RE 2         | Specific target organ toxicity — Repeated exposure, Category 2                             |
| STOT SE 3         | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H302              | Harmful if swallowed.  |
| H304              | May be fatal if swallowed and enters airways.  |
| H314              | Causes severe skin burns and eye damage.   |
| H317              | May cause an allergic skin reaction.   |
| H318              | Causes serious eye damage.   |
| H319              | Causes serious eye irritation.   |
| H335              | May cause respiratory irritation.  |
| H373              | May cause damage to organs through prolonged or repeated exposure.                         |
| H400              | Very toxic to aquatic life.  |
| H410              | Very toxic to aquatic life with long lasting effects.                                      |
| H411              | Toxic to aquatic life with long lasting effects.   |
| H412              | Harmful to aquatic life with long lasting effects.   |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.