HIGH QUALITY COLOUR LASER PRINTERS FOR SMALL AND MEDIUM BUSINESSES



i-SENSYS LBP620 Series Compact, ultra efficient, single-function colour laser printers that are simple to set up and operate



Security as standard

The Canon i-SENSYS LBP620 Series addresses security concerns by including a PIN document release function which allows businesses greater control over confidential material.

Mobile connectivity

Mobile connectivity is a must for small business owners and sole traders who need to be able to print no matter where they are. The Canon i-SENSYS LBP620 Series ensures printing is only ever a tap away via a versatile range of mobile connection options including AirPrint (Apple) and Mopria (Android) support. There is also a range of tools and options to enhance mobile printing available from the Canon PRINT Business app. In addition, the wireless direct connection (LBP623Cdw), which enables guests to print without the need for network access, provides even greater flexibility and agility, while addressing security concerns too.



Productivity boosting print speeds

Canon's i-SENSYS LBP620 Series features an engine capable of delivering fast print speeds. The LBP623Cdw can output as many as 21 A4 prints per minute. Double-sided printing comes as standard on the LBP623Cdw model, offering enhanced levels of productivity.

High quality performance

No matter what you are printing, whether a sales presentation or a small document for internal use, the i-SENSYS LBP620 Series ensures that your prints are always of the highest quality and boast colours that truly resonate thanks to improved toner cartridges.

RANGE FEATURE STEP UP CHART



LBP621Cw

LBP623Cdw

A4 print speed	18ppm	21ppm
Display	5 line LCD	5 line LCD
Secure PIN print	•	•
Automatic duplex printing		•
250 sheet paper capacity	•	•
Wi-Fi ready	•	•



TECHNICAL SPECIFICATIONS

i-SENSYS LBP620 Series

PRINTER ENGINE	1	Noise level	Sound power ²		
Print speed	LBP621Cw:		Active: 66 dB or less		
	Single sided:		Standby: Inaudible		
	Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape)				
	LBP623Cdw: Single sided :		Sound pressure ²		
	Up to 21 ppm (A4)		LBP621Cw:		
	Up to 38 ppm(A5-Landscape) Double sided : Up to 12.7 ipm (A4)		Active: 52 dB or less		
Printing method	Colour laser beam printing		Standby: Inaudible		
Print resolution	Up to 600 x 600 dpi				
Print quality with Image	Up to 1200 x 1200 dpi		LBP623Cdw:		
Refinement Technology			Active: Simpelx 52 dB or less / Duplex 51 dB or less		
Warm-up time	Approx. 13 seconds or less from power on		Standby: Inaudible		
First Page Out Time	Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less	Dimensions (W x D x H)	430 mm x 418 mm x 287 mm		
Recommended Monthly Print	250 - 2,500 pages per month	Weight	Approx. 15.5 kg		
Volume	200 2,000 pages per month	Operating environment	Temperature: 10 to 30°C (50 to 86°F)		
Duty cycle	Max. 30,000 pages per month ¹	Control panel	Humidity 20 to 80% RH (no condensation) 5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons,		
Print margins	5 mm-top, bottom, left and right	Control panel	10-key numeric keypad		
Toner saver mode	Yes				
Advanced printing features	Secure Print	CONTROLLER			
	Print from USB memory key (JPEG/TIFF/PDF) Google Cloud Print Ready	Processor Speed	800MHz × 2		
	iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in,	Memory	1GB		
	Canon PRINT Business app	Printer Languages	LBP621Cw: UFRII		
			LBP623Cdw: UFRII, PCL5c ³ , PCL6, Adobe® PostScript		
MEDIA HANDLING		Fonts	LBP623Cdw: 45 PCL fonts, 136 PS fonts		
Paper input (Standard)	250-sheet cassette 1-sheet manual feed slot	Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection		
Paper input (Option)		Software and Printer	Remote User Interface (RUI),		
Paper output	100-sheet	Management	Department ID Management,		
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper,		Toner Status Tool, iW Management Console: Server-based software for		
	Colour paper, Coated paper, Label, Post card, Envelope		centralised management of a fleet of devices		
Media sizes	Cassette : A4, A5, A5 (Landscape), B5, Legal, Letter, Executive,		eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic		
	Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,		consumables management and remote diagnostics.		
	GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127	Operating Systems	Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 /		
	mm Max. 216.0 x 355.6 mm.	Compatibility	Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server* 2008		
	Multi-purpose tray:		Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux ⁴ /Citrix		
	A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,		Linux-/Citrix		
	GLGL, Foolscap, 16K, Post card, Indexcard, Envelope	CONSUMABLES			
	(COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.	All-in-One cartridges	Cartridge 054 Black (1,500 pages ⁵) ⁶		
Media weights	Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Glossy		Cartridge 054 H Black (3,100 pages ⁵) ⁶		
	paper)		Cartridge 054 Cyan (1,200 pages ⁵) ⁶		
	Multi-purpose tray: 60 to 163 g/m² (Up to 200 g/m² with Glossy paper)		Cartridge 054 H Cyan (2,300 pages ⁵) ⁶		
Double sided printing	LBP623Cdw:		Cartridge 054 Magenta (1,200 pages ⁵) ⁶		
asie orace printing	Automatic		Cartridge 054 H Magenta (2,300 pages ⁵) ⁶		
	Cassette:		Cartridge 054 Yellow (1,200 pages ⁵) ⁶		
	A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO,	Notes:	Cartridge 054 H Yellow (2,300 pages ⁵) ⁶		
	M-OFFICIO, GLTR, GLGL, Foolscap, 16K	Duty cycle is defined as the ma	aximum number of printed pages for a single peak month. Any usage above the		
	Custom size - Min. 182 x 257 mm Max. 216.0 x 355.6 mm	recommended duty cycle may	recommended duty cycle may decrease the life of the product		
	60 to 200 g/m ²	^[2] Declared noise emission in acc ^[3] Commands supported only. Th	ordance with ISO 9296 nird party driver or direct printing from application required.		
GENERAL FEATURES		[4] Web distribution only			
Power requirements	220-240V (±10%) 50/60Hz (±2Hz)	⁽⁵⁾ Based on ISO/IEC 19798			
Power consumption	Maximum: Approx. 850W or less	 Printer ships with Black: 910 pages, C/M/Y: 680 pages starter cartridges. As per LIS ENERGY STAP[®] version 2.0 			
	Active printing: Approx. 390W	As per US ENERGY STAR Ver	77 As per US ENERGY STAR* version2.0.		
	Standby: Approx. 8.5W or less				
	Sleep: Approx. 0.8W or less				
	Typical Electricity Consumption (TEC):				
	i-SENSYS LBP621Cw = 0.5 kWh/week ⁷				
	i-SENSYS LBP623Cdw = 0.6 kWh/week ⁷				
	For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/				
	Lot26/index.aspx				



HIGH QUALITY COLOUR LASER PRINTERS FOR SMALL AND MEDIUM BUSINESSES

Compact, ultra efficient, single-function colour laser printers that are simple to set up and operate



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS LBP621Cw	3104C017AA	8714574662329
i-SENSYS LBP623Cdw	3104C015AA	8714574662305

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 054 Black	3024C002AA	4549292124453
Cartridge 054 H Black	3028C002AA	4549292124576
Cartridge 054 Yellow	3021C002AA	4549292124361
Cartridge 054 H Yellow	3025C002AA	4549292124484
Cartridge 054 Magenta	3022C002AA	4549292124392
Cartridge 054 H Magenta	3026C002AA	4549292124514
	3023C002AA	4549292124422
Cartridge 054 H Cyan	3027C002AA	4549292124545

Canon (UK) Ltd

Woodhatch Reigate Surrey RH2 8BF Telephone No: 01737 220000 Facsimile No: 01737 220022 canon.co.uk Canon Inc. canon.com Canon Europe canon-europe.com English edition © Canon Europa N.V.,2019

Canon Ireland

3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie

