


CPF120IGMPBL

Cooker, 120x60 cm, Portofino, Black, Hob type: Mixed, Type of main oven: Thermo-ventilated, Type of second oven: Thermo-ventilated, Direct steam, A+, A



TYPE

Product Family: Cooker • Cooker size: 120x60 cm • N. of ovens: 2 • Hob type: Mixed • Type of main oven: Thermo-ventilated • Type of second oven: Thermo-ventilated • Steam technology: Direct steam • Cleaning system: Pyrolytic • EAN code: 8017709286064

AESTHETICS

Colour: Black • Aesthetics: Portofino • Design: Flush fit • Material: Enamelled • Door: With frame • Command panel finish: Enamelled metal • Hob colour: Stainless steel • Handle: Smeg Portofino • Controls colour: Stainless steel • Upstand: Yes • Display: Touch • Type of pan stands: Cast Iron • Handle Colour: Black • Control knobs: Smeg Portofino • Glass type: Black • No. of controls: 11 • Plinth: Black • Storage compartment: Drawer

PROGRAMS / FUNCTIONS

Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Small grill, Large grill, Fan grill (large), Fan assisted bottom • Cleaning functions: Pyrolytic

PROGRAMS / FUNCTIONS AUXILIARY OVEN

Cooking functions cavity 2: 8 • Traditional cooking functions, cavity 2: Static, Fan assisted, Circulaire, Eco, Large grill, Fan grill (large), Fan-assisted bottom • Cooking functions with Direct Steam technology: Fan forced (circular heating + fan) • Cleaning functions cavity 2: Vapor clean

HOB OPTIONS

Multizone Option: Yes • Limited Power Consumption Mode: Yes • Limited Power Consumption Mode in W: 2800, 3700 W

OPTIONS MAIN OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 30 °C • Maximum temperature: 280 °C

OPTIONS AUXILIARY OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 30 °C • Maximum temperature: 280 °C

HOB TECHNICAL FEATURES

Total no. of cook zones: 6 • 1st zone position: Centrale sinistra • 2nd zone position: Front centre • 3rd zone position: Rear centre • 4th zone position: Front right • 5th zone position: Rear right • 1st zone type: Gas - 2UR (dual) • 2nd zone type: Gas - Semi Rapid • 3rd zone type: Gas - Rapid • 4th zone type: Induction - multizone • 5th zone type: Induction - multizone • 4th zone dimensions: 21.1x19.1 cm • 5th zone dimensions: 21.0x19.0 cm • 1st zone power: 4.20 kW • 2nd zone power: 1.80 kW • 3rd zone power: 3.00 kW • 4th zone power: 2.10 kW • 5th zone power: 1.60 kW • 4th zone booster power: 2.30 kW • 5th zone booster power: 1.85 kW • Type of gas burners: Standard • Burner caps: Matt black enamelled • Automatic electronic ignition: Yes • Automatic switch off when overheat: Yes • Automatic pan detection: Yes • Minimum pan diameter indication: Yes • Selected zone indicator: Yes • Residual heat indicator: Yes

MAIN OVEN TECHNICAL FEATURES

Net volume of the cavity: 70 l • Cavity material: Ever Clean enamel • No. of shelves: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light Power: 40 W • Fan number: 1 • Cooking time setting: Start and Stop • Door opening: Flap down • Light when oven door is open: Yes • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • No. of thermo-reflective door glasses: 3 • Door Lock During Pyrolysis: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Grill element: 1700 W • Large grill - Power: 2700 W • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Circular heating element - Power: 2000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

SECOND OVEN TECHNICAL FEATURES

Net volume of the second cavity: 63 l • Cavity material: Ever Clean enamel • No. of shelves: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light Power: 40 W • Cooking time setting: Start and Stop • Light when oven door is open: Yes • Door opening: Flap down • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • No. total door glasses: 3 • No. thermo-reflective door glasses: 2 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Tilting grill: Yes • Grill element - power: 1700 W • Large grill - Power: 2700 W • Lower heating element - power: 1200 W • Upper heating element - Power: 1000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • Energy consumption in forced air convection: 2.45 MJ • Energy consumption per cycle in fan-forced convection: 0.68 kWh • Energy consumption in conventional mode: 3.92 MJ • Energy consumption per cycle in conventional mode: 1.09 kWh • Energy consumption zone 4: 180 Wh/Kg • Energy consumption zone 5: 178 Wh/Kg

PERFORMANCE /ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: A • Energy consumption in conventional mode, 2 cavity: 4.18 MJ • Energy consumption per cycle in conventional mode, cavity 2: 1.16 KWh • Energy consumption in forced air convection, cavity 2: 2.77 MJ • Energy consumption per cycle in fan-forced convection: 0.77 KWh

ELECTRICAL CONNECTION

Electrical connection rating: 10900 W • Voltage: 220-240 V • Frequency: 50/60 Hz

GAS CONNECTION

Gas connection rating (W): 9000 W • Gas Type: G20 Natural gas

LOGISTIC INFORMATION

Width (mm): 1200 mm • Product Height (mm): 900 mm • Depth (mm): 600 mm • Net weight (kg): 156.500 kg

NO LONGER IN USE

Ecologic: Si

ACCESSORIES INCLUDED

Other gas nozzles included: G30 LPG liquid gas

ACCESSORIES INCLUDED FOR MAIN OVEN & HOB

Grill mesh: 1Telescopic Guide rails, partial Extraction: 1TOP Oven grid with back stop: 1Meat Probe: 120mm deep tray: 140mm deep tray: 1

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Oven grid with back and side stop: 1Grill mesh: 120mm deep tray: 140mm deep tray: 1Telescopic Guide rails, partial Extraction: 1

OPTIONAL

PRTX: Pizza stone, Ovens, CookersPPR2: Pizza stone, Ovens, CookersSFLK1: Child Lock, Ovens, CookersSMOLD: Moulds Set, Ovens, Blast chillersWOKGHU: Reduction Grid, Cookers, HobsBGTR4110: Grill, Cookers

