



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 36379

### DYNATRANS MPV

Date of the previous version: 2016-06-13

Revision Date: 2016-08-08

Version 4.06

#### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

<b>Product name</b>	<b>DYNATRANS MPV</b>
<b>Number</b>	M7G
<b>Substance/mixture</b>	Mixture

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Transmission fluid.
------------------------	---------------------

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
-----------------	--

##### For further information, please contact:

<b>Contact Point</b>	HSE
<b>E-mail Address</b>	rm.msds-lubs@total.com

##### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670  
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59  
 In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10 , Tel : 01.40.05.48.48. -  
 MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard  
 Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Latre de  
 Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel ( 15 )

#### Section 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

**REGULATION (EC) No 1272/2008** \*\*\*

*For the full text of the H-Statements mentioned in this Section, see Section 2.2. \*\*\**

**Classification**

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

SDS # : 36379

## DYNATRANS MPV

Revision Date: 2016-08-08

Version 4.06

### 2.2. Label elements

Labelled according to **REGULATION (EC) No 1272/2008\*\*\***

#### Hazard Statements

None\*\*\*

#### Precautionary Statements

None\*\*\*

#### Supplemental Hazard Statements

EUH210 - Safety data sheet available on request\*\*\*

EUH208 - Contains Benzenesulfonic acid, propenated, calcium salt, overbased **May produce an allergic reaction\*\*\***

### 2.3. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

#### Chemical nature

The product is made from refined mineral base oils and synthetic oils .

#### Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1	01-2119484627-25	64742-54-7	1-<3	Asp. Tox. 1 (H304)
Zinc alkyldithiophosphate***	272-028-3	01-2119657973-23	68649-42-3	1-<2.5	Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)
Calcium long chain alkarylsulphonate***	-	-	722503-69-7	1-<2.5	Aquatic Chronic 4 (H413)
Benzenesulfonic acid, propenated, calcium salt, overbased***	271-877-7	-	68610-84-4	1-<2.5	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

**For the full text of the H-Statements mentioned in this Section, see Section 16.**

## Section 4: FIRST AID MEASURES

### 4.1. Description of first-aid measures

**General advice** IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

**EMERGENCY MEDICAL CARE.**

<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.
<b>Skin contact</b>	Not classified. May produce an allergic reaction.
<b>Inhalation</b>	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES
-----------------------------------

5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

<b>Special Hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

5.3. Advice for fire-fighters

<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus and protective suit.
<b>Other information</b>	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Version EU



SDS # : 36379

## DYNATRANS MPV

Revision Date: 2016-08-08

Version 4.06

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

**Advice on safe handling** When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions** Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty).

Version EU

SDS # : 36379

# DYNATRANS MPV

Revision Date: 2016-08-08

Version 4.06

**Incompatible materials** Oxidizing agents. Strong acids.

### 7.3. Specific end uses

**Specific use(s)** No information available.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure limits** Mineral oil mist:  
USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

**Legend** See section 16

#### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				5.4 mg/m <sup>3</sup> /8h (aerosol - inhalation)
Benzenesulfonic acid, propenated, calcium salt, overbased*** 68610-84-4	668 mg/m <sup>3</sup> inhalation 100 mg/kg bw/day dermal		25.55 mg/m <sup>3</sup> inhalation 8.33 mg/kg bw/day dermal	

#### DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				1.2 mg/m <sup>3</sup> /24h (aerosol - inhalation)
Benzenesulfonic acid, propenated, calcium salt, overbased*** 68610-84-4	267.2 mg/m <sup>3</sup> inhalation 50 mg/kg bw/day dermal 50 mg/kg bw/day oral		11.8 mg/m <sup>3</sup> inhalation 4.17 mg/kg bw/day dermal 1.7 mg/kg bw/day oral	

#### Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Benzenesulfonic acid, propenated, calcium salt, overbased*** 68610-84-4	1 mg/l fw 1 mg/l mw 10 mg/l or	43500 mg/kg dw fw 3480 mg/kg dw mw	8850 mg/kg dw		1000 mg/l	33.333 mg/kg food

### 8.2. Exposure controls



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

**Occupational Exposure Controls****Engineering Measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal Protective Equipment****General Information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye Protection**

If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection**

Long sleeved clothing. Wear suitable protective clothing. Protective shoes or boots. Do not wear rings, watches or anything similar which can retain the product and may give rise to skin conditions. Extended and repeated contacts with skin can cause skin ailments which may be aggravated by minor injuries or contact with soiled clothing.

**Hand Protection**

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.

**Environmental exposure controls****General Information**

Do not allow material to contaminate ground water system.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	limpid
<b>Color</b>	amber
<b>Physical State @20°C</b>	liquid
<b>Odor</b>	Characteristic
<b>Odor Threshold</b>	No information available

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
<b>pH</b>		Not applicable	
<b>Melting point/range</b>		Not applicable	
<b>Boiling point/boiling range</b>		No information available	
<b>Flash point</b>	<b>229 °C</b>		

Version EU



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

	444 °F		
<b>Evaporation rate</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>upper</b>		No information available	
<b>Lower</b>		No information available	
<b>Vapor Pressure</b>		No information available	
<b>Vapor density</b>		No information available	
<b>Relative density</b>	0.874 - 0.894	@ 20 °C	ISO 12185
<b>Density</b>	874 - 894 kg/m <sup>3</sup>	@ 20 °C	ISO 12185
<b>Water solubility</b>		Insoluble	
<b>Solubility in other solvents</b>		No information available	
<b>logPow</b>		No information available	
<b>Autoignition temperature</b>		No information available	
<b>Decomposition temperature</b>		No information available	
<b>Viscosity, kinematic</b>	63 mm <sup>2</sup> /s	@ 40 °C	ISO 3104
	10.3 - 10.6 mm <sup>2</sup> /s	@ 100 °C	ISO 3104
<b>Explosive properties</b>	Not explosive		
<b>Oxidizing Properties</b>	Not applicable		
<b>Possibility of hazardous reactions</b>	No information available		

9.2. Other information

**Freezing Point** No information available

Section 10: STABILITY AND REACTIVITY
--------------------------------------

10.1. Reactivity

**General Information** No information available.

10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous Reactions** None under normal processing.

10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

**Materials to Avoid** Strong oxidizing agents.

10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** None under normal use. Incomplete combustion and thermolysis may produce gases of

Version EU

SDS # : 36379

# DYNATRANS MPV

Revision Date: 2016-08-08

Version 4.06

varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

<b>Skin contact</b>	. Not classified. May produce an allergic reaction.
<b>Eye contact</b>	. Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.
<b>Inhalation</b>	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>ATEmix (oral)</b>	78,132.00*** mg/kg***
<b>ATEmix (dermal)</b>	64,347.00*** mg/kg***
<b>ATEmix (inhalation-dust/mist)</b>	95.20*** mg/l***
<b>ATEmix (inhalation-vapor)</b>	1,544.40*** mg/l***

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy paraffinic***	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5 mg/l (aerosol) (rat - OECD 403)
Zinc alkyldithiophosphate***	LD50 2900 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	
Benzenesulfonic acid, propenated, calcium salt, overbased***	LD50 > 5000 mg/kg (Rat - OECD 423)	LD50 > 5000 mg/kg (Rat - OECD 402)	

#### Sensitization

<b>Sensitization</b>	The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required . Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.
----------------------	---

#### Specific effects

<b>Carcinogenicity</b>	This product is not classified carcinogenic.
<b>Mutagenicity</b>	This product is not classified as mutagenic.
<b>Reproductive toxicity</b>	This product does not present any known or suspected reproductive hazards.

#### Repeated Dose Toxicity

<b>Subchronic toxicity</b>	No information available.
----------------------------	---------------------------

#### Target Organ Effects (STOT)

<b>Target Organ Effects (STOT)</b>	No information available.
------------------------------------	---------------------------

#### Other information





SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Zinc alkyldithiophosphate*** 68649-42-3	EC50 (72h) 2.2 mg/l	EC50 (48h) 1.2 mg/l (Daphnia magna)	LC50 (96h) 4.5 mg/l	
Benzenesulfonic acid, propenated, calcium salt, overbased*** 68610-84-4	LC50 (72h) 1000 mg/l (Pseudokirchnerella subcapitata - static)	EL50 (48h) > 1000 mg/l (Daphnia magna - static)	LC50 (96h) 100 mg/l (Oncorhynchus mykiss - semi static - OECD 203)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Zinc alkyldithiophosphate*** 68649-42-3	NOEC 1.0 mg/l	NOEC (21d) 0.4 mg/l (Daphnia magna)	NOEC(28d) 1.8 mg/l	
Benzenesulfonic acid, propenated, calcium salt, overbased*** 68610-84-4		NOELR (48h) 1.8 mg/l (Daphnia magna - OECD 202)		

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability**General Information**

Version EU



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

No information available.

12.3. Bioaccumulative potential**Product Information** No information available.**logPow** No information available**Component Information**

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic*** - 64742-54-7	-
Zinc alkyldithiophosphate*** - 68649-42-3	0.56

12.4. Mobility in soil**Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility.**Air** Loss by evaporation is limited.**Water** Insoluble. The product spreads on the surface of the water.12.5. Results of PBT and vPvB assessment**PBT and vPvB assessment** No information available.12.6. Other adverse effects**General Information** No information available.

## Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

**Waste from Residues / Unused Products** Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden. If recycling is not practicable, dispose of in compliance with local regulations.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No.** The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

Version EU



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

<u>ADR/RID</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated
<u>ADN</u>	Not regulated

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available

15.2. Chemical Safety Assessment**Chemical Safety Assessment** No information available

## Section 16: OTHER INFORMATION

**Full text of H-Statements referred to under sections 2 and 3**

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life\*\*\*

**Abbreviations, acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

Version EU



SDS # : 36379

**DYNATRANS MPV**

Revision Date: 2016-08-08

Version 4.06

NOEL = No Observed Effect Level  
 OECD = Organization for Economic Co-operation and Development  
 OSHA = Occupational Safety and Health Administration  
 UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material  
 DNEL = Derived No Effect Level  
 PNEC = Predicted No Effect Concentration  
 dw = dry weight  
 fw = fresh water  
 mw = marine water  
 or = occasional release

**Legend Section 8**

TWA: Time Weight Average  
 STEL: Short Time Exposure Limit  
 PEL: Permissible exposure limit  
 REL: Recommended exposure limit  
 TLV: Threshold Limit Values

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2016-08-08

Revision Note \*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet