

OPALJET ENERGY 3 X-TRA

High quality MID-SAPS 5W30 engine oil, for ALL-ROUND use, with drain intervals up to 30,000 km.

120024/05.15

Rev. 12

DESCRIPTION & APPLICATIONS

OPALJET ENERGY 3 X-TRA is a Mid SAPS Synthetic 5W30 oil for both petrol and diesel, from EURO 2 to EURO 5 engines.

The exhaust gas aftertreatment systems such as EGR and DPF (Diesel Particulate Filter) are optimally protected because ENERGY 3 X-TRA is composed of carefully selected pure base oils and a specific additive package.

OPALJET ENERGY 3 X-TRA achieved by these special formulation a ACEA C2 / C3 classification, as well as a comparable and equivalent level VW 504.00 / 507.00, MB 229.51 and BMW Longlife 04.

ADVANTAGES

- OPALJET ENERGY 3 X-TRA provides as a reliable "ALLROUNDER" the ability to lubricate a mixed fleet and to uniformise the oil stock.
- An additive package which brings the oil to a level equivalent to the demands and requirements of many car manufacturers (VW - Mercedes - BMW - PSA).
- Protects your engine at cold start (> - 30 ° C) and allows significant fuel savings.
- Drain intervals up to 30.000 Km

PERFORMANCES

Satisfies to the following specifications:

ACEA C2-12/C3-12

API CF/SM

VW 504.00/507.00

ENVIRONMENT, HEALTH & SAFETY

Please consult also the Safety Data Sheet about how to manipulate and to stock the product as well as to learn about the first aid measurements in case of accident.

Elimination after use must be made in conformity with the local rules in force about used oils disposal.

When needed, Safety Data Sheet can be obtained upon request.

Conservation of the product: 3 year(s) in closed container and sheltered.

OPALJET ENERGY 3 X-TRA

PROPERTIES

CHARACTERISTICS	UNITS	METHODS	TYPICAL DATA
SAE grade	-	-	5W30
Specific gravity at 15°C	kg/m ³	NFT 60101	857
Kinematic viscosity at 40°C	mm ² /s (cSt)	NFT 60100	69
Kinematic viscosity at 100°C	mm ² /s (cSt)	NFT 60100	11,8
Viscosity index	-	NFT 60136	168
Dynamic viscosity at -30°C	mPa.s	ASTM D 5293	6400
Flash point	°C	NFT 60118	>200
Pour point	°C	NFT 60105	-36

The average values are given for information only.