

Œ

Page 1 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Motor Cleaner 500ml

Art.: 9973

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Universal cleaner

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products (including solvent based products)

Process category [PROC]:

PROC 7 - Industrial spraying

PROC 8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing

PROC11 - Non industrial spraying

PROC19 - Hand-mixing with intimate contact and only PPE available

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Industrial use of processing aids in processes and products, not becoming part of articles

ERC 7 - Industrial use of substances in closed systems

ERC 8a - Wide dispersive indoor use of processing aids in open systems

ERC 8d - Wide dispersive outdoor use of processing aids in open systems

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

SCT Vertriebs GmbH, Feldstraße 154, 22880 Wedel, Germany Telephone: (+49) 04103-1211-0, Fax: (+49) 04103-1211-88

Qualified person's e-mail address: info@sct-germany.de, a.till@sct-germany.de Please DO NOT use for requesting Sa Data Sheets.

fety

1.4 Emergency telephone

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

Tel.: (+49) 04103-1211-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Eye Irrit. 2 H319-Causes serious eye irritation.



Page 2 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007 Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments)

The mixture is not classified as dangerous in the terms of the directive 1999/45/EC.

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)



Hazard statement

H319-Causes serious eye irritation.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

Prevention

P280-Wear eye protection.

Response

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

REGULATION (EC) No 648/2004

less than 5 % non-ionic surfactants

BENZISOTHIAZOLINONE **METHYLISOTHIAZOLINONE**

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3 2 Mixture

O.Z Mixtai o	
1-methoxy-2-propanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119457435-35-XXXX
Index	603-064-00-3
EINECS, ELINCS, NLP	203-539-1
CAS	CAS 107-98-2
content %	1-<5
Classification according to Directive 67/548/EEC	Flammable, R10
	R67
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226
	STOT SE 3, H336



Œ

Page 3 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

Alkyl polyglycoside	
Registration number (REACH)	01-2119489418-23-XXXX
Index	
EINECS, ELINCS, NLP	-
CAS	CAS n.v.110615-47-9
content %	1-<3
Classification according to Directive 67/548/EEC	Irritant, Xi, R41
Classification according to Regulation (EC) 1272/2008 (CLP)	Eye Dam. 1, H318

For the text of the R-phrases / H-phrases and classification codes (GHS/CLP), see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Toxic gases

Oxides of carbon

Oxides of nitrogen

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes.

If applicable, caution - risk of slipping

6.2 Environmental precautions



Page 4 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	1-methoxy-2-propanol	Content %:1-<5
WEL-TWA: 100 ppm (375 mg/m3)	(WEL, EU) WEL-STEL: 150 ppm (560 mg/m3) (WEL), 150 ppm	
	(568 mg/m3) (EU)	
BMGV:	Other information: Sk (WEL)	.)

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

^{** =} The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

1-methoxy-2-propanol								
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note		
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	18,1	mg/kg			
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	43,9	mg/m3			
Workers / employees	Human - oral	Long term, systemic effects	DNEL	3,3	mg/kg			
Consumer	Human - inhalation	Short term, local effects	DNEL	553,5	mg/m3			



Œ

Page 5 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

Consumer	Human - dermal	Long term, systemic effects	DNEL	50,6	mg/kg
Consumer	Human - inhalation	Long term, systemic effects	DNEL	369	mg/m3
	Environment - freshwater		PNEC	10	mg/l
	Environment - marine		PNEC	1	mg/l
	Environment - periodic		PNEC	100	mg/l
	release				
	Environment - sewage		PNEC	100	mg/l
	treatment plant				
	Environment - sediment,		PNEC	41,6	mg/kg dw
	freshwater				
	Environment - sediment,		PNEC	4,17	mg/kg dw
	marine				
	Environment - soil		PNEC	2,47	mg/kg dw

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of projections.

Skin protection - Hand protection:

Protective gloves in butyl rubber (EN 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 374 Part III were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties



Page 6 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Colourless Odour: Characteristic Odour threshold: Not determined 11,4 (20°C) pH-value:

Melting point/freezing point: Not determined 100 °C

Initial boiling point and boiling range: Flash point: n.a. Not determined Evaporation rate: Flammability (solid, gas): Not determined Lower explosive limit: Not determined Upper explosive limit: Not determined Vapour pressure: 23 hPa (20°C)

Vapour density (air = 1): Not determined Density: 1,014 g/cm3 (20°C)

Bulk density: n.a.

Solubility(ies): Not determined Soluble Water solubility: Partition coefficient (n-octanol/water): Not determined Auto-ignition temperature: No

Not determined Decomposition temperature: Viscosity: Not determined

Explosive properties: Product is not explosive. Oxidising properties: No

9.2 Other information

Miscibility: Not determined Fat solubility / solvent: Not determined Conductivity: Not determined Surface tension: Not determined Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2.1 (classification).

Motor Cleaner 500ml						
Art.: 9973						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t			_		
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.



Page 7 of 12
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 11.11.2013 / 0007
Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

Skin corrosion/irritation:	n.d.a.
Serious eye damage/irritation:	n.d.a.
Respiratory or skin sensitisation:	n.d.a.
Germ cell mutagenicity:	n.d.a.
Carcinogenicity:	n.d.a.
Reproductive toxicity:	n.d.a.
Specific target organ toxicity -	n.d.a.
single exposure (STOT-SE):	
Specific target organ toxicity -	n.d.a.
repeated exposure (STOT-RE):	
Aspiration hazard:	n.d.a.
Respiratory tract irritation:	n.d.a.
Repeated dose toxicity:	n.d.a.
Symptoms:	n.d.a.
Other information:	Classification according
	to calculation procedure.

1-methoxy-2-propanol							
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes	
_	t						
Acute toxicity, by oral route:	LD50	5200	mg/kg	Rat			
Acute toxicity, by dermal route:	LD50	11000	mg/kg	Rabbit			
Acute toxicity, by inhalation:	LC50	6	mg/l/4h	Rat			
Skin corrosion/irritation:				Rabbit		Not irritant	
Serious eye damage/irritation:				Rabbit		Slightly irritant	
Respiratory or skin sensitisation:				Guinea pig		Not sensitizising	
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative	
					Reverse Mutation Test)		
Symptoms:						dizziness,	
						unconsciousness,	
						headaches, drowsiness,	
						mucous membrane	
						irritation, dizziness,	
						nausea and vomiting.	

Alkyl polyglycoside								
Toxicity/effect	Notes							
	t							
Acute toxicity, by oral route:	LD50	>5000	mg/kg		OECD 401 (Acute Oral			
					Toxicity)			
Acute toxicity, by dermal route:	LD50	>2000	mg/kg		OECD 402 (Acute			
					Dermal Toxicity)			

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Motor Cleaner 500ml							
Art.: 9973							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.



Page 8 of 12
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 11.11.2013 / 0007
Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

Persistence and degradability:		The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents., Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Bioaccumulative potential:		n.d.a.
Mobility in soil:		n.d.a.
Results of PBT and		n.d.a.
vPvB assessment:		
Other adverse effects:		n.d.a.
Other information:		According to the recipe,
		contains no AOX.

1-methoxy-2-propano							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	>4600	mg/l	Leuciscus idus		
Toxicity to daphnia:	EC50	48h	>500	mg/l	Daphnia magna		
Toxicity to algae:	IC50	72h	>1000	mg/l	Selenastrum		
					capricornutum		
Persistence and		28d	90	%		OECD 301 E	
degradability:						(Ready	
						Biodegradability -	
						Modified OECD	
						Screening Test)	
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge	OECD 209	
						(Activated	
						Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	
Other information:							Does not contain any
							organically bound
							halogens which can
							contribute to the AOX
							value in waste water.

Alkyl polyglycoside							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50		>100	mg/l			
Toxicity to daphnia:	EC50		>100	mg/l		OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to algae:	EC50		>10- 100	mg/l		·	
Persistence and degradability:							Readily biodegradable

SECTION 13: Disposal considerations



Page 9 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

20 01 29 detergents containing dangerous substances

07 06 99 wastes not otherwise specified

Recommendation:

Pay attention to local and national official regulations

E.g. dispose at suitable refuse site.

Can be disposed of with household rubbish.

For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Uncontaminated packaging can be recycled.

Recommended cleaner:

Water

SECTION 14: Transport information

General statements

UN number: n.a.

Transport by road/by rail (ADR/RID)

UN proper shipping name:
Transport hazard class(es):

Transport hazard class(es):

Packing group:

Classification code:

LQ (ADR 2013):

LQ (ADR 2009):

n.a.

Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

UN proper shipping name:

Transport hazard class(es):

Packing group:

n.a.

Marine Pollutant:

n.a

Environmental hazards: Not applicable

Transport by air (IATA)

UN proper shipping name:

Transport hazard class(es):

Packing group:

n.a.

n.a.

Environmental hazards: Not applicable

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions:

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

n.a.



Page 10 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised sections:

2, 3, 8

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation procedure.

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

10 Flammable.

67 Vapours may cause drowsiness and dizziness.

41 Risk of serious damage to eyes.

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

Eye Irrit. — Eye irritation

Flam. Liq. — Flammable liquid

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Eye Dam. — Serious eye damage

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon



Page 11 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency
EEA European Economic Area
EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera EU European Union

EWC European Waste Catalogue

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration

LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low

LOAEL Lowest Observed Adverse Effect Level
LOEC Lowest Observed Effect Concentration
LOEL Lowest Observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon
PBT persistent, bioaccumulative and toxic
PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration
POCP Photochemical ozone creation potential

ppm parts per million
PROC Process category
PTFE Polytetrafluorethylene

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)



Page 12 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 11.11.2013 / 0007

Replaces revision of / Version: 14.03.2012 / 0006

Valid from: 11.11.2013 PDF print date: 12.11.2013 Motor Cleaner 500ml Art.: 9973

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List

Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International

Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

Volatile organic compounds VOC

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: SCT Vertriebs GmbH, Feldstr. 154, 22880 Wedel, Germany

© by SCT Vertriebs GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the SCT Vertriebs GmbH Gefahrstoffberatung.