

Printing date 30.07.2008 Revision: 30.07.2008

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: ÁXÖÒØÜUÙVÒÜ

· Article number: 9908

· Application of the substance / the preparation Cleaning agent/ Cleaner

· Manufacturer/Supplier:

SCT Vertriebs GmbH

Feldstr. 154 22880 Wedel Germany

Tel: +49 (0)4103 1211110 Fax: +49 (0)4103 1211116 e-mail info@sct-germany.de

2 Hazards identification

· Hazard description:





Xi Irritant

F+ Extremely flammable

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

Has a narcotizing effect.

R 12 Extremely flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Keep out of the reach of children

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Danger

2.2/1 - Extremely flammable gas.

2.3/1 - Extremely flammable aerosol.



Warning

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause drowsiness or dizziness.

· Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

Printing date 30.07.2008 Revision: 30.07.2008

Trade name: ÁXÖÒØÜUÙVÒÜ

(Contd. of page 1)

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Eliminate all ignition sources if safe to do so.

· Storage:

Store in a well-ventilated place.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 67-63-0 EINECS: 200-661-7	REACH Reg No.: 01-2119457558-25-XXXX		Xi, F; R 11-36-67 Danger: 2.6/2 Warning: 3.3/2A, 3.8/3	50-75%
CAS: 107-21-1 EINECS: 203-473-3	REACH Reg No.: 01-2119456816-28-XXXX	ethanediol	X Xn; R 22 Danger: ♦ 3.1.0/3	12.5-20%
CAS: 74-98-6 EINECS: 200-827-9	REACH Reg No.: 01-2119486944-21-XXXX	propane	№ F+; R 12 Danger: → 2.2/1 Warning:	5-10%
CAS: 106-97-8 EINECS: 203-448-7	REACH Reg No.: 01-2119474691-32-XXXX	butane	№ F+; R 12 Danger: <u></u>	5-10%
CAS: 75-28-5 EINECS: 200-857-2	REACH Reg No.: 01-2119485395-27-XXXX	isobutane	№ F+; R 12 Danger: № 2.2/1 Warning: ◇ 2.5/L	5-10%

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

GB

Printing date 30.07.2008 Revision: 30.07.2008

Trade name: ÁMÖ ÒØÜU Ù V ÒÜ

(Contd. of page 2)

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Ensure adequate ventilation
- Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Measures for cleaning/collecting: Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling:

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL () Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

107-21-1 ethanediol

WEL () Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm

Sk *particulate **vapour

(Contd. on page 4)

Printing date 30.07.2008 Revision: 30.07.2008

Trade name: ÁHÖÒØÜUÙVÒÜ

(Contd. of page 3)

106-97-8 butane

WEL () Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information		
Form: Colour: Odour:	Aerosol According to product specification Characteristic	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Not applicable, as aerosol.	
Flash point:	< 0°C (< 32°F) Not applicable, as aerosol.	
Ignition temperature:	365°C (689°F)	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
Explosion limits: Lower: Upper:	2.0 Vol % 53.0 Vol %	
Vapour pressure at 20°C (68°F)	: 3500 hPa (2625 mm Hg)	
Density at 20°C (68°F):	0.749 g/cm^3	
Solubility in / Miscibility with water:	Fully miscible.	
Solvent content: Organic solvents:	85.1 %	

GB

Printing date 30.07.2008 Revision: 30.07.2008

Trade name: ÁMÖ ÒØÜU Ù V ÒÜ

(Contd. of page 4)

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC5	· LD/LC50 values relevant for classification:				
67-63-0	67-63-0 propan-2-ol				
Oral	LD50	5045 mg/kg (rat)			
Dermal	LD50	12800 mg/kg (rabbit)			
	LC50 / 4 h	30 mg/m3 (rat)			
107-21-	107-21-1 ethanediol				
Oral	LD50	4700 mg/kg (rat)			
Dermal	LD50	9530 mg/kg (rabbit)			
106-97-8 butane					
	LC50 / 4 h	658 mg/m3 (rat)			

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

· Ecotoxical effects:

· Acquatic toxicity:	
67-63-0 propan-2-ol	
EC50 / 48 h	13299 mg/l (daphnia magna)
LC50 / 96 h (dynamic	4200 mg/l (fish)
107-21-1 ethanediol	
EC50	>10000 mg/l (daphnia magna)
LC50 / 96 h (static)	53000 mg/l (fish)

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13 solvents

(Contd. on page 6)

*Printing date 30.07.2008*Revision: 30.07.2008

Trade name: ÁMÖ ÒØÜU Ù V ÒÜ

· Uncleaned packaging:

15 01 04 metallic packaging

- The state of the s
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 2 5F Gases.

· Danger code (Kemler): · UN-Number: 1950
· Packaging group: · Hazard label 2.1

· Description of goods: 1950 AEROSOLS

Limited quantities (LQ) LQ2
 Transport category 2
 Tunnel restriction code B1D

· Maritime transport IMDG:



· IMDG Class: 2.1 · UN Number: 1950 · Label 2.1 · Packaging group: -

• EMS Number: F-D,S-U
• Marine pollutant: No

· Proper shipping name: AEROSOLS

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 2.1 · UN/ID Number: 1950 · Label 2.1 · Packaging group: -

· Proper shipping name: AEROSOLS, flammable

· UN "Model Regulation": UN1950, AEROSOLS, 2.1

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 7)

(Contd. of page 5)

Printing date 30.07.2008 Revision: 30.07.2008

Trade name: ÁMÖ ÒØÜU Ù V ÒÜ

(Contd. of page 6)

· Code letter and hazard designation of product:





Xi Irritant

F+ Extremely flammable

· Risk phrases:

- 12 Extremely flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 2 Keep out of the reach of children.
- 23 Do not breathe aerosol.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Keep out of the reach of children

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

- 11 Highly flammable.
- 12 Extremely flammable.
- 22 Harmful if swallowed.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* * Data compared to the previous version altered.

GB