

## PATH TO THE FUTURE

MSI PRO MP243 – это монитор с разрешением FHD и светодиодной подсветкой. Используемая в нем ЖК-панель IPS-класса гарантирует точную цветопередачу, а для удобного подключения к источнику видеосигнала имеется сразу два интерфейса: HDMI и Displayport. Данная модель отлично подойдет для программирования и дизайна, просмотра онлайн-видео и многих других задач.



Picture and logos

## SELLING POINTS

- Экран с диагональю 23.8 дюйма: оптимальный размер для работы с программным кодом, проектирования веб-сайтов и других профессиональных задач
- ЖК-панель IPS-класса: высокое качество изображения при воспроизведении видео
- Сертификация эргономичности TÜV
- Технология Less Blue Light Pro отфильтровывает вредный синий свет без искажений цветопередачи
- Подставка позволяет гибко регулировать положение экрана
- Эксклюзивное приложение Display Kit – дополнительные функции и настройки, связанные с монитором
- Повышенная частота обновления экрана – 75 Гц
- Два интерфейса для подключения к источникам видеосигнала: DisplayPort и HDMI
- Совместимость с VESA-крепёжом
- Встроенные динамики для конференц-связи через интернет



1. 1x DisplayPort
2. 1x HDMI
3. 1x Выход на наушники
4. 1x DC джек
5. 1x Кенсингтонский замок

## SPECIFICATION

Barcode Info	EAN	4711377008099
	UPC	824142300220
	UCC14	10824142300227
Model	Part No	9S6-3PB59H-064
	MKT Name	PRO MP243P
	MKT Spec	PRO MP243P
	Entity MKT Name	PRO MP243P
	Color	ID1/Black-Black
Display	Screen Size	23.8" (60cm)
	Active Display Area (mm)	527.04(H)x296.46(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	30~85.5 KHz(H) / 48~75 Hz(V)
	Refresh Rate	75Hz
	Response Time (Tr + Tf)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	84%/78%
	NTSC (CIE1931 area percentage/overlap)	69%/67%
	sRGB (CIE1976 area percentage/overlap)	97%/94%
	sRGB (CIE1931 area percentage/overlap)	97%/92%
	Adobe RGB (CIE1976 area percentage/overlap)	83%/82%
	Adobe RGB (CIE1931 area percentage/overlap)	72%/71%
	DCI-P3 (CIE1976 area percentage/overlap)	77%/77%
	DCI-P3 (CIE1931 area percentage/overlap)	71%/71%
	Rec.709 (CIE1976 area percentage/overlap)	97%/94%
	Rec.709 (CIE1931 area percentage/overlap)	97%/92%
	Rec.2020 (CIE1976 area percentage/overlap)	54%/54%
	Rec.2020 (CIE1931 area percentage/overlap)	53%/53%
	Display Colors	16.7M
	Color bit	8 bits
Note_DP	1920 x 1080 (Up to 75Hz)	
Note_HDMI™	1920 x 1080 (Up to 75Hz)	
Note_DVI	N/A	
I/O Ports	HDMI™	1
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
I/O Ports (Rear)	Card Reader	N/A
	Annual Energy Consumption (KWh)	18
Power	Power Supply Type	External Adaptor 12V 2.5A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	HU10450-16075
	Power Cord Type	C13
	QC Output Power	N/A
	PD Output Power	N/A

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
	Quick Guide	1
Pallet	pcs/Carton	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	30.51 x 5.67 x 16.97
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	541.93 x 200.8 x 501.89
	Product Dimension with Stand (WxDxH) (inch)	21.34 x 7.91 x 19.76
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	541.93 x 48.18 x 323.96
	Product Dimension without Stand (WxDxH) (inch)	21.34 x 1.9 x 12.75
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	230.8 x 40.33 x 200.8
	Stand Dimension (WxDxH) (inch)	9.09 x 1.59 x 7.91
Dimension & Weight	Inside Carton Dimensions (WxDxH) (inch)	29.92 x 5.16 x 16.02
	Weight (Net kg)	4.65
	Weight (Gross kg)	6.4
Weight	Weight Without Stand (kg)	2.55
Warranty	Warranty	12M