

## PATH TO THE FUTURE



### Selling Points

- 23.6" LCD-панель с LED-подсветкой (1920 x 1080 Full HD)
- Время отклика матрицы 1 мс — забудь о размытой картинке в динамичных играх
- Изогнутый дисплей по технологии 1800R — оптимальная кривизна для человеческого зрения
- Технология True Color — точная цветопередача, соответствующая 85% по NTSC или 110% по sRGB стандартам
- Широкие углы обзора - 178°
- Оптимизация под видеокарты MSI Gaming — уверенность в наилучшем качестве изображения
- AMD FreeSync - предотвращает лаги картинки на мониторе



Picture and logos



1. {1 x Display Port}
2. {1 x DVI}
3. {1 x HDMI }

## Specification

Screen Size	23.6" (60cm)
Active Display Area (mm)	521.3952(H) x 293.2848(V)
Curvature	Curve 1800R
Panel Type	VA
Resolution	1920x1080 (FHD)
Pixel pitch	0.27156(H)x0.27156 (V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync
HDR (High dynamic range)	NA
SDR Brightness (nits)	250
Contrast Ratio	3000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	54.2~84.3 KHz(H) / 48~75 Hz(V)
Activated Range	48~75Hz
Refresh Rate	75Hz
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	8ms
Response Time (Tr + Tf)	21ms
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-glare
NTSC (CIE1976 area percentageoverlap)	NA
NTSC (CIE1931 area percentageoverlap)	85%
sRGB (CIE1976 area percentageoverlap)	NA
sRGB (CIE1931 area percentageoverlap)	115%
Adobe RGB (CIE1976 area percentageoverlap)	NA
Adobe RGB (CIE1931 area percentageoverlap)	85%
DCI-P3 (CIE1976 area percentageoverlap)	NA
DCI-P3 (CIE1931 area percentageoverlap)	85%
Rec.709 (CIE1976 area percentageoverlap)	NA
Rec.709 (CIE1931 area percentageoverlap)	115%
Display Colors	16.7M
Color bit	8 bits
Note_DP	NA
Note_HDMI	1920 x1080 (Up to 75Hz) / 1920 x 1080 (up to 60Hz)
Note_DVI	N/A
HDMI	1
HDMI version	1.4b
HDMI HDCP version	N/A
DisplayPort	NA
DisplayPort version	NA
DisplayPort HDCP version	N/A
Thunderbolt version	N/A
Thunderbolt HDCP version	N/A
USB Type C (DisplayPort Alternate)	N/A
DVI	NA
D-Sub	1
Mic-in	NA
Mic-in upstream	N/A
Headphone-out	NA
Audio Combo	NA
Lock type	NA
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	NA
Thunderbolt	N/A
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	N/A
USB 3.2 Gen 2x2 Type A	N/A
Card Reader	N/A
Feature	N/A
Power Type	Power Cable



М О Н И Т О Р Ы  
**Optix G241VC**  
OPTIX G241VC

<b>Power Input</b>	100~240V, 50/60Hz
<b>Adapter's KC safety Number</b>	NA
<b>Power Cord Type</b>	N/A
<b>QC Output</b>	N/A
<b>QC Output Power</b>	N/A
<b>PD Output</b>	N/A
<b>PD Output Power</b>	N/A
<b>Adjustment (Tilt)</b>	-5° ~ 15°
<b>Adjustment (Swivel)</b>	NA
<b>Adjustment (Height)</b>	NA
<b>Adjustment (Pivot)</b>	NA
<b>VESA Mounting</b>	100x100mm
<b>Frameless Design</b>	Yes
<b>Outer Carton Dimension (WxDxH) (mm)</b>	624 x 149 x 428
<b>Outer Carton Dimension (WxDxH) (inch)</b>	24.57 x 5.87 x 16.85
<b>Product Dimension with Stand (WxDxH) (mm)</b>	543 x 404 x 192
<b>Product Dimension with Stand (WxDxH) (inch)</b>	21.38 x 15.91 x 7.56
<b>Product Dimension without Stand (WxDxH) (mm)</b>	543 x 353 x 62
<b>Product Dimension without Stand (WxDxH) (inch)</b>	21.38 x 13.9 x 2.44
<b>Stand Dimension (WxDxH) (mm)</b>	N/A
<b>Stand Dimension (WxDxH) (inch)</b>	N/A
<b>Inside Carton Dimension (WxDxH) (mm)</b>	621 x 148 x 421
<b>Inside Carton Dimension (WxDxH) (inch)</b>	24.45 x 5.83 x 16.57
<b>Weight (Net kg)</b>	4.1
<b>Weight (Gross kg)</b>	5.5
<b>DisplayPort Cable</b>	1
<b>HDMI Cable</b>	0
<b>DVI Cable</b>	0
<b>USB Type A to Type B Cable</b>	0
<b>USB Type C to Type A Cable</b>	N/A
<b>USB Type C to Type C Cable</b>	0
<b>Thunderbolt Cable</b>	N/A
<b>VGA Cable</b>	N/A
<b>3.5mm audio Cable</b>	0
<b>3.5mm combo audio Cable</b>	0
<b>Power Cord</b>	1
<b>AC Adaptor</b>	0
<b>Warranty Card</b>	N/A
<b>Quick Guide</b>	1
<b>Warranty</b>	12M
<b>SKU Number</b>	0
<b>Color</b>	ID1/Black-Black
<b>EAN</b>	4719072694760